



Hettich data in imos

Technik für Möbel


Hettich

Content

1. Hettich data package Version 5.0.....	3
2. Connectors with constructive information.....	4
Drawer System.....	5
3. Connector Sets	15
AvanTech Drawer Set.....	16

1. Hettich data package

Version 5.0

This documentation gives an overview of the Hettich fittings that you get in this package.

Hettich fittings:

The table will show you the order number, the description, the connector name in imos and the catalogue page. For the connectors with design information it is possible to identify if processing is done or DWG's are used.

The first part includes the connectors with constructive information. Along with commercial information it includes the necessary editing groups, DWGs and attributes.

The connectors with constructive information are sub divided in fitting groups. Within each group the connectors are further sorted in ascending order as per the order number.

The second part includes the connectors with general information i.e. only commercial information. These connectors are sorted according to the order number only.

2. Connectors with constructive information

Drawer System

Order no.	Description	Name imos	Page	Work group	DWG
1071895	KA 5632/400 mm	KA_5632_400_1071895	Page: AU10_05_4_017	yes	
73213	Plug	Front_mount_back_73213	Page: FFA16_B1_1556		
9192205	ArciTechaluminium front panel 94/2000mm, anthracite	AT_Alu_FP_094_2000_a_9192205	Page: FFA16_B1_0626		
9192204	AT ALUMINIUM profile C L2000 ALUMINIUM	AT_Alu_FP_094_2000_Alu_9192204	Page: FFA16_B1_0382		
9192207	Aluminium front panel ArciTech, champagne, 94 / 2000	AT_Alu_FP_094_2000_ch_9192207	Page: FFA16_B1_0748		
9192206	ArciTechAluminium front panel, 2000, white	AT_Alu_FP_094_2000_w_9192206	Page: FFA16_B1_0504		
9121876	ArciTechaluminium rear panel, 94 mm / 1140 mm, anthracite	AT_Alu_RP_094_1140_a_9121876	Page: AT_Sortiment_15_149		
9121874	ArciTechaluminium rear panel, 94 mm / 1140 mm, silver	AT_Alu_RP_094_1140_s_9121874	Page: AT_Sortiment_15_033		
9132264	ArciTechaluminium rear panel, 1140 mm, stainless steel look	AT_Alu_RP_094_1140_Ss_9132264	Page: FFA16_B1_0745		
9121875	ArciTechaluminium rear panel, 94 mm / 1140 mm, white	AT_Alu_RP_094_1140_w_9121875	Page: AT_Sortiment_15_091		
9192201	Aluminium rear panel ArciTech, 94 / 2000mm, Anthracite	AT_Alu_RP_094_2000_a_9192201	Page: FFA16_B1_0623		
9192200	Aluminium rear panel ArciTech, 94 / 2000mm, silver	AT_Alu_RP_094_2000_s_9192200	Page: FFA16_B1_0379		
9192202	Aluminium rear panel ArciTech, 94 / 2000mm, white	AT_Alu_RP_094_2000_w_9192202	Page: FFA16_B1_0501		
9121880	ArciTechaluminium rear panel, 126 mm / 1140 mm, anthracite	AT_Alu_RP_126_1140_a_9121880	Page: FFA16_B1_0629		
9121878	ArciTechaluminium rear panel, 126 mm / 1140 mm, silver	AT_Alu_RP_126_1140_s_9121878	Page: FFA16_B1_0385		
9132265	ArciTechaluminium rear panel, 1140 mm, stainless steel look	AT_Alu_RP_126_1140_Ss_9132265	Page: FFA16_B1_0751		
9121879	ArciTechaluminium rear panel, 126 mm / 1140 mm, white	AT_Alu_RP_126_1140_w_9121879	Page: FFA16_B1_0507		
9192197	Aluminium rear panel ArciTech, 126 / 2000mm, Champagne	AT_Alu_RP_126_Champagn_9192197			
9121884	ArciTechaluminium rear panel, 186 mm / 1140 mm, anthracite	AT_Alu_RP_186_1140_a_9121884	Page: AT_Sortiment_15_158		
9121882	ArciTechaluminium rear panel, 186 mm / 1140 mm, silver	AT_Alu_RP_186_1140_s_9121882	Page: AT_Sortiment_15_042		
9132266	ArciTechaluminium rear panel, 1140 mm, stainless steel look	AT_Alu_RP_186_1140_Ss_9132266	Page: AT_Sortiment_15_214		
9121883	ArciTechaluminium rear panel, 186 mm / 1140 mm, white	AT_Alu_RP_186_1140_w_9121883	Page: AT_Sortiment_15_100		
9192190	Aluminium rear panel ArciTech, 186 / 2000mm, Anthracite	AT_Alu_RP_186_2000_a_9192190	Page: FFA16_B1_0635		
9192192	Aluminium rear panel ArciTech, 186 / 2000mm, champagne	AT_Alu_RP_186_2000_ch_9192192	Page: FFA16_B1_0757		
9192189	Aluminium rear panel ArciTech, 186 / 2000mm, silver	AT_Alu_RP_186_2000_s_9192189	Page: FFA16_B1_0391		
9192191	Aluminium rear panel ArciTech, 186 / 2000mm, white	AT_Alu_RP_186_2000_w_9192191	Page: FFA16_B1_0513		
9121888	ArciTechaluminium rear panel, 218 mm / 1140 mm, anthracite	AT_Alu_RP_218_1140_a_9121888	Page: AT_Sortiment_15_166		
9121886	ArciTechaluminium rear panel, 218 mm / 1140 mm, silver	AT_Alu_RP_218_1140_s_9121886	Page: AT_Sortiment_15_050		

Order no.	Description	Name imos	Page	Work group	DWG
9132267	ArciTechaluminium rear panel, 1140 mm, stainless steel look	AT_Alu_RP_218_1140_Ss_9132267	Page: AT_Sortiment_15_222		
9121887	ArciTechaluminium rear panel, 218 mm / 1140 mm, white	AT_Alu_RP_218_1140_w_9121887	Page: AT_Sortiment_15_108		
9192183	Aluminium rear panel ArciTech, 218 / 2000mm, Anthracite	AT_Alu_RP_218_2000_a_9192183	Page: FFA16_B1_0649		
9192187	Aluminium rear panel ArciTech, 218 / 2000mm, champagne	AT_Alu_RP_218_2000_ch_9192187	Page: FFA16_B1_0771		
9192182	Aluminium rear panel, , silver	AT_Alu_RP_218_2000_s_9192182	Page: FFA16_B1_0405		
9192184	Aluminium rear panel ArciTech, 218 / 2000mm, white	AT_Alu_RP_218_2000_w_9192184	Page: FFA16_B1_0527		
9192203	Aluminium rear panel ArciTech, 94 / 2000mm, Champagne	AT_Alu_RP_94_Champagne_9192203			
51495	File cradle set	HFF_Set_4_51495	Page: FFA16_B1_1411		yes
51497	File cradle set	HFF_Set_4_51497	Page: FFA16_B1_1411		yes
51499	File cradle set	HFF_Set_5_51499	Page: FFA16_B1_1411		yes
51501	File cradle set	HFF_Set_5_51501	Page: FFA16_B1_1411		yes
9206258	Adapter for lengthwise railing, silver	IA_lw_RL_adapter_a_9206258	Page: FFA16_B1_1095		yes
9206256	Adapter for lengthwise railing, silver	IA_lw_RL_adapter_s_9206256	Page: FFA16_B1_1095		yes
9206257	Adapter for lengthwise railing, silver	IA_lw_RL_adapter_w_9206257	Page: FFA16_B1_1095		yes
79054	KA 1730 ball bearing runner, 17 mm groove, 200 mm	KA_1730_200_79054	Page: FFA16_B1_1596	yes	yes
79055	KA 1730 ball bearing runner, 17 mm groove, 250 mm	KA_1730_250_79055	Page: FFA16_B1_1596	yes	yes
30765	KA 1730 ball bearing runner, 17 mm groove, 300 mm	KA_1730_300_30765	Page: FFA16_B1_1596	yes	yes
66933	KA 1730 ball bearing runner, 17 mm groove, 330 mm	KA_1730_330_66933	Page: FFA16_B1_1596	yes	yes
71835	KA 1730 ball bearing runner, 17 mm groove, 350 mm	KA_1730_350_71835	Page: FFA16_B1_1596	yes	yes
71836	KA 1730 ball bearing runner, 17 mm groove, 380 mm	KA_1730_380_71836	Page: FFA16_B1_1596	yes	yes
30766	KA 1730 ball bearing runner, 17 mm groove, 400 mm	KA_1730_400_30766	Page: FFA16_B1_1596	yes	yes
79056	KA 1730 ball bearing runner, 17 mm groove, 430 mm	KA_1730_430_79056	Page: FFA16_B1_1596	yes	yes
30767	KA 1730 ball bearing runner, 17 mm groove, 450 mm	KA_1730_450_30767	Page: FFA16_B1_1596	yes	yes
79057	KA 1730 ball bearing runner, 17 mm groove, 480 mm	KA_1730_480_79057	Page: FFA16_B1_1596	yes	yes
30768	KA 1730 ball bearing runner, 17 mm groove, 500 mm	KA_1730_500_30768	Page: FFA16_B1_1596	yes	yes
30769	KA 1730 ball bearing runner, 17 mm groove, 550 mm	KA_1730_550_30769	Page: FFA16_B1_1596	yes	yes
25155	KA 270 ball bearing runner, 27 mm groove, 350 mm	KA_270_350_25155	Page: FFA16_B1_1597	yes	yes
25156	KA 270 ball bearing runner, 27 mm groove, 550 mm	KA_270_550_25156	Page: FFA16_B1_1597	yes	yes
26561	KA 290 ball bearing runner, 27 mm groove, 250 mm	KA_290_200_26561	Page: FFA16_B1_1598	yes	yes
26562	KA 290 ball bearing runner, 27 mm groove, 310 mm	KA_290_310_26562	Page: FFA16_B1_1598	yes	yes

Order no.	Description	Name imos	Page	Work group	DWG
26578	KA 290 ball bearing runner, 27 mm groove, 450 mm	KA_290_450_26578	Page: FFA16_B1_1598	yes	yes
73287	KA 3320 ball bearing runner, 19 mm installed width, 310 mm	KA_3320_310_73287	Page: FFA16_B1_1606	yes	yes
73288	KA 3320 ball bearing runner, 19 mm installed width, 360 mm	KA_3320_360_73288	Page: FFA16_B1_1606	yes	
73289	KA 3320 ball bearing runner, 19 mm installed width, 410 mm	KA_3320_410_73289	Page: FFA16_B1_1606	yes	yes
73290	KA 3320 ball bearing runner, 19 mm installed width, 460 mm	KA_3320_460_73290	Page: FFA16_B1_1606	yes	yes
73291	KA 3320 ball bearing runner, 19 mm installed width, 510 mm	KA_3320_510_73291	Page: FFA16_B1_1606	yes	yes
73292	KA 3320 ball bearing runner, 19 mm installed width, 560 mm	KA_3320_560_73292	Page: FFA16_B1_1606	yes	
73293	KA 3320 ball bearing runner, 19 mm installed width, 610 mm	KA_3320_610_73293	Page: FFA16_B1_1606	yes	yes
1071896	KA 5632/450 mm	KA_5632_450_1071896	Page: AU10_05_4_017	yes	
1071899	KA 5632/600 mm	KA_5632_600_1071899	Page: AU10_05_4_017	yes	
1071900	KA 5632/650 mm	KA_5632_650_1071900	Page: AU10_05_4_017	yes	
73294	KA 3320 ball bearing runner, 19 mm installed width, 660 mm	KA_3320_660_73294	Page: FFA16_B1_1606	yes	
73295	KA 3320 ball bearing runner, 19 mm installed width, 710 mm	KA_3320_710_73295	Page: FFA16_B1_1606	yes	yes
73296	KA 3320 ball bearing runner, 19 mm installed width, 760 mm	KA_3320_760_73296	Page: FFA16_B1_1606	yes	
41367	KA 3320 ball bearing runner, 19 mm installed width, 810 mm	KA_3320_810_41367	Page: FFA16_B1_1606	yes	
41368	KA 3320 ball bearing runner, 19 mm installed width, 860 mm	KA_3320_860_41368	Page: FFA16_B1_1606	yes	yes
41369	KA 3320 ball bearing runner, 19 mm installed width, 910 mm	KA_3320_910_41369	Page: FFA16_B1_1606	yes	
9114562	KA 4532 AM ball bearing runner Push to open, 12.7 mm installed width, 300 mm	KA_4532_AM_pto_300_9114562	Page: FFA16_B1_1608	yes	yes
9114580	KA 4532 AM ball bearing runner Push to open, 12.7 mm installed width, 350 mm	KA_4532_AM_pto_350_9114580	Page: FFA16_B1_1608	yes	yes
9114581	KA 4532 AM ball bearing runner Push to open, 12.7 mm installed width, 400 mm	KA_4532_AM_pto_400_9114581	Page: FFA16_B1_1608	yes	yes
9114582	KA 4532 AM ball bearing runner Push to open, 12.7 mm installed width, 450 mm	KA_4532_AM_pto_450_9114582	Page: FFA16_B1_1608	yes	yes
9114583	KA 4532 AM ball bearing runner Push to open, 12.7 mm installed width, 500 mm	KA_4532_AM_pto_500_9114583	Page: FFA16_B1_1608	yes	yes
9114584	KA 4532 AM ball bearing runner Push to open, 12.7 mm installed width, 550 mm	KA_4532_AM_pto_550_9114584	Page: FFA16_B1_1608	yes	yes
9114585	KA 4532 AM ball bearing runner Push to open, 12.7 mm installed width, 600 mm	KA_4532_AM_pto_600_9114585	Page: FFA16_B1_1608	yes	yes
9114586	KA 4532 AM ball bearing runner Push to open, 12.7 mm installed width, 650 mm	KA_4532_AM_pto_650_9114586	Page: FFA16_B1_1608	yes	yes

Order no.	Description	Name imos	Page	Work group	DWG
9114587	KA 4532 AM ball bearing runner Push to open, 12.7 mm installed width, 700 mm	KA_4532_AM_pto_700_9114587	Page: FFA16_B1_1608	yes	yes
9114548	KA 4532 AM ball bearing runner Silent System, 12.7 mm installed width, 300 mm	KA_4532_AM_SiSys_300_9114548	Page: FFA16_B1_1607	yes	yes
9114553	KA 4532 AM ball bearing runner Silent System, 12.7 mm installed width, 350 mm	KA_4532_AM_SiSys_350_9114553	Page: FFA16_B1_1607	yes	yes
9114554	KA 4532 AM ball bearing runner Silent System, 12.7 mm installed width, 400 mm	KA_4532_AM_SiSys_400_9114554	Page: FFA16_B1_1607	yes	yes
9114555	KA 4532 AM ball bearing runner Silent System, 12.7 mm installed width, 450 mm	KA_4532_AM_SiSys_450_9114555	Page: FFA16_B1_1607	yes	yes
9114557	KA 4532 AM ball bearing runner Silent System, 12.7 mm installed width, 500 mm	KA_4532_AM_SiSys_500_9114557	Page: FFA16_B1_1607	yes	yes
9114558	KA 4532 AM ball bearing runner Silent System, 12.7 mm installed width, 550 mm	KA_4532_AM_SiSys_550_9114558	Page: FFA16_B1_1607	yes	yes
9114559	KA 4532 AM ball bearing runner Silent System, 12.7 mm installed width, 600 mm	KA_4532_AM_SiSys_600_9114559	Page: FFA16_B1_1607	yes	yes
9114560	KA 4532 AM ball bearing runner Silent System, 12.7 mm installed width, 650 mm	KA_4532_AM_SiSys_650_9114560	Page: FFA16_B1_1607	yes	yes
9114561	KA 4532 AM ball bearing runner Silent System, 12.7 mm installed width, 700 mm	KA_4532_AM_SiSys_700_9114561	Page: FFA16_B1_1607	yes	yes
9114281	KA 4532 ball bearing runner Push to open, 12.7 mm installed width, 300 mm	KA_4532_pto_300_9114281	Page: FFA16_B1_1600	yes	yes
9114282	KA 4532 ball bearing runner Push to open, 12.7 mm installed width, 350 mm	KA_4532_pto_350_9114282	Page: FFA16_B1_1600	yes	yes
1071891	KA 5632/250 mm	KA_5632_250_1071891	Page: AU10_05_4_017	yes	
1071893	KA 5632/300 mm	KA_5632_300_1071893	Page: AU10_05_4_017	yes	
9114283	KA 4532 ball bearing runner Push to open, 12.7 mm installed width, 400 mm	KA_4532_pto_400_9114283	Page: FFA16_B1_1600	yes	yes
9114284	KA 4532 ball bearing runner Push to open, 12.7 mm installed width, 450 mm	KA_4532_pto_450_9114284	Page: FFA16_B1_1600	yes	yes
9114285	KA 4532 ball bearing runner Push to open, 12.7 mm installed width, 500 mm	KA_4532_pto_500_9114285	Page: FFA16_B1_1600	yes	yes
9114286	KA 4532 ball bearing runner Push to open, 12.7 mm installed width, 550 mm	KA_4532_pto_550_9114286	Page: FFA16_B1_1600	yes	yes
9114288	KA 4532 ball bearing runner Push to open, 12.7 mm installed width, 600 mm	KA_4532_pto_600_9114288	Page: FFA16_B1_1600	yes	yes

Order no.	Description	Name imos	Page	Work group	DWG
9114289	KA 4532 ball bearing runner Push to open, 12.7 mm installed width, 650 mm	KA_4532_pto_650_9114289	Page: FFA16_B1_1600	yes	yes
9114290	KA 4532 ball bearing runner Push to open, 12.7 mm installed width, 700 mm	KA_4532_pto_700_9114290	Page: FFA16_B1_1600	yes	yes
9114271	KA 4532 ball bearing runner Silent System, 12.7 mm installed width, 300 mm	KA_4532_SiSys_300_9114271	Page: FFA16_B1_1599	yes	yes
9114273	KA 4532 ball bearing runner Silent System, 12.7 mm installed width, 350 mm	KA_4532_SiSys_350_9114273	Page: FFA16_B1_1599	yes	yes
9114274	KA 4532 ball bearing runner Silent System, 12.7 mm installed width, 400 mm	KA_4532_SiSys_400_9114274	Page: FFA16_B1_1599	yes	yes
9114275	KA 4532 ball bearing runner Silent System, 12.7 mm installed width, 450 mm	KA_4532_SiSys_450_9114275	Page: FFA16_B1_1599	yes	yes
9114276	KA 4532 ball bearing runner Silent System, 12.7 mm installed width, 500 mm	KA_4532_SiSys_500_9114276	Page: FFA16_B1_1599	yes	yes
9114277	KA 4532 ball bearing runner Silent System, 12.7 mm installed width, 550 mm	KA_4532_SiSys_550_9114277	Page: FFA16_B1_1599	yes	yes
9114278	KA 4532 ball bearing runner Silent System, 12.7 mm installed width, 600 mm	KA_4532_SiSys_600_9114278	Page: FFA16_B1_1599	yes	yes
9114279	KA 4532 ball bearing runner Silent System, 12.7 mm installed width, 650 mm	KA_4532_SiSys_650_9114279	Page: FFA16_B1_1599	yes	yes
9114280	KA 4532 ball bearing runner Silent System, 12.7 mm installed width, 700 mm	KA_4532_SiSys_700_9114280	Page: FFA16_B1_1599	yes	yes
41389	KA 4620 ball bearing runner, 19 mm installed width, 300 mm	KA_4620_300_41389	Page: FFA16_B1_1605	yes	yes
41391	KA 4620 ball bearing runner, 19 mm installed width, 350 mm	KA_4620_350_41391	Page: FFA16_B1_1605	yes	yes
41392	KA 4620 ball bearing runner, 19 mm installed width, 400 mm	KA_4620_400_41392	Page: FFA16_B1_1605	yes	yes
41393	KA 4620 ball bearing runner, 19 mm installed width, 450 mm	KA_4620_450_41393	Page: FFA16_B1_1605	yes	yes
41394	KA 4620 ball bearing runner, 19 mm installed width, 500 mm	KA_4620_500_41394	Page: FFA16_B1_1605	yes	yes
41395	KA 4620 ball bearing runner, 19 mm installed width, 550 mm	KA_4620_550_41395	Page: FFA16_B1_1605	yes	
41396	KA 4620 ball bearing runner, 19 mm installed width, 600 mm	KA_4620_600_41396	Page: FFA16_B1_1605	yes	yes
41397	KA 4620 ball bearing runner, 19 mm installed width, 650 mm	KA_4620_650_41397	Page: FFA16_B1_1605	yes	
41398	KA 4620 ball bearing runner, 19 mm installed width, 700 mm	KA_4620_700_41398	Page: FFA16_B1_1605	yes	yes
41356	KA 4932 ball bearing runner, 12.7 mm installed width, 250 mm	KA_4932_250_41356	Page: FFA16_B1_1604	yes	yes
41357	KA 4932 ball bearing runner, 12.7 mm installed width, 300 mm	KA_4932_300_41357	Page: FFA16_B1_1604	yes	
41358	KA 4932 ball bearing runner, 12.7 mm installed width, 350 mm	KA_4932_350_41358	Page: FFA16_B1_1604	yes	

Order no.	Description	Name imos	Page	Work group	DWG
41359	KA 4932 ball bearing runner, 12.7 mm installed width, 400 mm	KA_4932_400_41359	Page: FFA16_B1_1604	yes	yes
41361	KA 4932 ball bearing runner, 12.7 mm installed width, 450 mm	KA_4932_450_41361	Page: FFA16_B1_1604	yes	yes
41362	KA 4932 ball bearing runner, 12.7 mm installed width, 500 mm	KA_4932_500_41362	Page: FFA16_B1_1604	yes	yes
41363	KA 4932 ball bearing runner, 12.7 mm installed width, 550 mm	KA_4932_550_41363	Page: FFA16_B1_1604	yes	yes
41364	KA 4932 ball bearing runner, 12.7 mm installed width, 600 mm	KA_4932_600_41364	Page: FFA16_B1_1604	yes	
41365	KA 4932 ball bearing runner, 12.7 mm installed width, 650 mm	KA_4932_650_41365	Page: FFA16_B1_1604	yes	
41366	KA 4932 ball bearing runner, 12.7 mm installed width, 700 mm	KA_4932_700_41366	Page: FFA16_B1_1604	yes	
9080291	KA 4932 ball bearing runner AM, 12.7 mm installed width, 350 mm	KA_4932_AM_350_9080291	Page: FFA16_B1_1609	yes	yes
9080292	KA 4932 ball bearing runner AM, 12.7 mm installed width, 400 mm	KA_4932_AM_400_9080292	Page: FFA16_B1_1609	yes	yes
9080293	KA 4932 AM ball bearing runner, 12.7 mm installed width, 450 mm	KA_4932_AM_450_9080293	Page: FFA16_B1_1609	yes	yes
9080294	KA 4932 ball bearing runner AM, 12.7 mm installed width, 500 mm	KA_4932_AM_500_9080294	Page: FFA16_B1_1609	yes	yes
9080295	KA 4932 ball bearing runner AM, 12.7 mm installed width, 550 mm	KA_4932_AM_550_9080295	Page: FFA16_B1_1609	yes	yes
9080296	KA 4932 ball bearing runner AM, 12.7 mm installed width, 600 mm	KA_4932_AM_600_9080296	Page: FFA16_B1_1609	yes	yes
9070496	KA 5332 ball bearing runner, 12.7 mm installed width, 250 mm	KA_5332_250_9070496	Page: FFA16_B1_1603	yes	
9070498	KA 5332 ball bearing runner, 12.7 mm installed width, 300 mm	KA_5332_300_9070498	Page: FFA16_B1_1603	yes	
9057402	KA 5332 ball bearing runner, 12.7 mm installed width, 350 mm	KA_5332_350_9057402	Page: FFA16_B1_1603	yes	
9057403	KA 5332 ball bearing runner, 12.7 mm installed width, 400 mm	KA_5332_400_9057403	Page: FFA16_B1_1603	yes	
9057404	KA 5332 ball bearing runner, 12.7 mm installed width, 450 mm	KA_5332_450_9057404	Page: FFA16_B1_1603	yes	
9057405	KA 5332 ball bearing runner, 12.7 mm installed width, 500 mm	KA_5332_500_9057405	Page: FFA16_B1_1603	yes	
9057407	KA 5332 ball bearing runner, 12.7 mm installed width, 550 mm	KA_5332_550_9057407	Page: FFA16_B1_1603	yes	
73276	KA 5632 ball bearing runner, 12.7 mm installed width, 250 mm	KA_5632_250_73276	Page: FFA16_B1_1602	yes	
73277	KA 5632 ball bearing runner, 12.7 mm installed width, 300 mm	KA_5632_300_73277	Page: FFA16_B1_1602	yes	
73278	KA 5632 ball bearing runner, 12.7 mm installed width, 350 mm	KA_5632_350_73278	Page: FFA16_B1_1602	yes	
73279	KA 5632 ball bearing runner, 12.7 mm installed width, 400 mm	KA_5632_400_73279	Page: FFA16_B1_1602	yes	
73280	KA 5632 ball bearing runner, 12.7 mm installed width, 450 mm	KA_5632_450_73280	Page: FFA16_B1_1602	yes	
73281	KA 5632 ball bearing runner, 12.7 mm installed width, 500 mm	KA_5632_500_73281	Page: FFA16_B1_1602	yes	

Order no.	Description	Name imos	Page	Work group	DWG
73282	KA 5632 ball bearing runner, 12.7 mm installed width, 550 mm	KA_5632_550_73282	Page: FFA16_B1_1602	yes	
73283	KA 5632 ball bearing runner, 12.7 mm installed width, 600 mm	KA_5632_600_73283	Page: FFA16_B1_1602	yes	
73284	KA 5632 ball bearing runner, 12.7 mm installed width, 650 mm	KA_5632_650_73284	Page: FFA16_B1_1602	yes	
41355	KA 5632 ball bearing runner, 12.7 mm installed width, 700 mm	KA_5632_700_41355	Page: FFA16_B1_1602	yes	yes
9080470	KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width, 300 mm	KA_5632_SC_SEZ_300_9080470	Page: FFA16_B1_1601	yes	
9080471	KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width, 350 mm	KA_5632_SC_SEZ_350_9080471	Page: FFA16_B1_1601	yes	
9080474	KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width, 400 mm	KA_5632_SC_SEZ_400_9080474	Page: FFA16_B1_1601	yes	
9080475	KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width, 450 mm	KA_5632_SC_SEZ_450_9080475	Page: FFA16_B1_1601	yes	
9080476	KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width, 500 mm	KA_5632_SC_SEZ_500_9080476	Page: FFA16_B1_1601	yes	
9080478	KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width, 550 mm	KA_5632_SC_SEZ_550_9080478	Page: FFA16_B1_1601	yes	
9080479	KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width, 600 mm	KA_5632_SC_SEZ_600_9080479	Page: FFA16_B1_1601	yes	
9080480	KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width, 650 mm	KA_5632_SC_SEZ_650_9080480	Page: FFA16_B1_1601	yes	
9080481	KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width, 700 mm	KA_5632_SC_SEZ_700_9080481	Page: FFA16_B1_1601	yes	yes
9137935	MultiTech Silent System	MT_SiSys_Set_9137935	Page: FFA16_B1_1399	yes	yes
28155	Quadro 40 partial extension runner	Quadro_40_Part_ext_runn_28155	Page: FFA16_B1_1582	yes	yes
9135894	Quadro 25 with Push to open, 250 mm	Q25_pto_plugon_250_9135894	Page: FFA16_B1_1560	yes	yes
9135906	Quadro 25 with Push to open, 250 mm	Q25_pto_plugon_250_9135906	Page: FFA16_B1_1560	yes	yes
9135895	Quadro 25 with Push to open, 300 mm	Q25_pto_plugon_300_9135895	Page: FFA16_B1_1560	yes	yes
9135907	Quadro 25 with Push to open, 300 mm	Q25_pto_plugon_300_9135907	Page: FFA16_B1_1560	yes	yes
9135896	Quadro 25 with Push to open, 320 mm	Q25_pto_plugon_320_9135896	Page: FFA16_B1_1560	yes	yes
9135908	Quadro 25 with Push to open, 320 mm	Q25_pto_plugon_320_9135908	Page: FFA16_B1_1560	yes	yes
9135897	Quadro 25 with Push to open, 350 mm	Q25_pto_plugon_350_9135897	Page: FFA16_B1_1560	yes	yes
9135909	Quadro 25 with Push to open, 350 mm	Q25_pto_plugon_350_9135909	Page: FFA16_B1_1560	yes	yes
9135898	Quadro 25 with Push to open, 380 mm	Q25_pto_plugon_380_9135898	Page: FFA16_B1_1560	yes	yes

Order no.	Description	Name imos	Page	Work group	DWG
9135910	Quadro 25 with Push to open, 380 mm	Q25_pto_plugon_380_9135910	Page: FFA16_B1_1560	yes	yes
9135899	Quadro 25 with Push to open, 400 mm	Q25_pto_plugon_400_9135899	Page: FFA16_B1_1560	yes	yes
9135911	Quadro 25 with Push to open, 400 mm	Q25_pto_plugon_400_9135911	Page: FFA16_B1_1560	yes	yes
9135900	Quadro 25 with Push to open, 420 mm	Q25_pto_plugon_420_9135900	Page: FFA16_B1_1560	yes	yes
9135912	Quadro 25 with Push to open, 420 mm	Q25_pto_plugon_420_9135912	Page: FFA16_B1_1560	yes	yes
9135901	Quadro 25 with Push to open, 450 mm	Q25_pto_plugon_450_9135901	Page: FFA16_B1_1560	yes	yes
9135913	Quadro 25 with Push to open, 450 mm	Q25_pto_plugon_450_9135913	Page: FFA16_B1_1560	yes	yes
9135902	Quadro 25 with Push to open, 480 mm	Q25_pto_plugon_480_9135902	Page: FFA16_B1_1560	yes	yes
9135914	Quadro 25 with Push to open, 480 mm	Q25_pto_plugon_480_9135914	Page: FFA16_B1_1560	yes	yes
9135903	Quadro 25 with Push to open, 500 mm	Q25_pto_plugon_500_9135903	Page: FFA16_B1_1560	yes	yes
9135915	Quadro 25 with Push to open, 500 mm	Q25_pto_plugon_500_9135915	Page: FFA16_B1_1560	yes	yes
9135904	Quadro 25 with Push to open, 520 mm	Q25_pto_plugon_520_9135904	Page: FFA16_B1_1560	yes	yes
9135916	Quadro 25 with Push to open, 520 mm	Q25_pto_plugon_520_9135916	Page: FFA16_B1_1560	yes	yes
9135905	Quadro 25 with Push to open, 550 mm	Q25_pto_plugon_550_9135905	Page: FFA16_B1_1560	yes	yes
9135917	Quadro 25 with Push to open, 550 mm	Q25_pto_plugon_550_9135917	Page: FFA16_B1_1560	yes	yes
72154	Quadro 25 with Stop Control, 250 mm	Q25_SC_plugon_250_72154	Page: FFA16_B1_1556	yes	yes
9135843	Quadro 25 with Stop Control, 250 mm, 20 mm, left / right	Q25_SC_plugon_250_9135843	Page: FFA16_B1_1556	yes	yes
46364	Quadro 25 with Stop Control, 300 mm	Q25_SC_plugon_300_46364	Page: FFA16_B1_1556	yes	yes
9135844	Quadro 25 with Stop Control, 300 mm, 20 mm, left / right	Q25_SC_plugon_300_9135844	Page: FFA16_B1_1556	yes	yes
9135845	Quadro 25 with Stop Control, 320 mm, 20 mm, left / right	Q25_SC_plugon_320_9135845	Page: FFA16_B1_1556	yes	yes
9135863	Quadro 25 with Stop Control, 320 mm, 20 mm, left / right	Q25_SC_plugon_320_9135863	Page: FFA16_B1_1556	yes	yes
46365	Quadro 25 with Stop Control, 350 mm	Q25_SC_plugon_350_46365	Page: FFA16_B1_1556	yes	yes
9135846	Quadro 25 with Stop Control, 350 mm, 20 mm, left / right	Q25_SC_plugon_350_9135846	Page: FFA16_B1_1556	yes	yes
9135847	Quadro 25 with Stop Control, 380 mm, 20 mm, left / right	Q25_SC_plugon_380_9135847	Page: FFA16_B1_1556	yes	yes
9135864	Quadro 25 with Stop Control, 380 mm, 20 mm, left / right	Q25_SC_plugon_380_9135864	Page: FFA16_B1_1556	yes	yes
46366	Quadro 25 with Stop Control, 400 mm	Q25_SC_plugon_400_46366	Page: FFA16_B1_1556	yes	yes
9135865	Quadro 25 with Stop Control, 400 mm, 20 mm, left / right	Q25_SC_plugon_400_9135865	Page: FFA16_B1_1556	yes	yes
9135848	Quadro 25 with Stop Control, 420 mm, 20 mm, left / right	Q25_SC_plugon_420_9135848	Page: FFA16_B1_1556	yes	yes
9135866	Quadro 25 with Stop Control, 420 mm, 20 mm, left / right	Q25_SC_plugon_420_9135866	Page: FFA16_B1_1556	yes	yes
46367	Quadro 25 with Stop Control, 450 mm	Q25_SC_plugon_450_46367	Page: FFA16_B1_1556	yes	yes

Order no.	Description	Name imos	Page	Work group	DWG
9135867	Quadro 25 with Stop Control, 450 mm, 20 mm, left / right	Q25_SC_plugon_450_9135867	Page: FFA16_B1_1556	yes	yes
9135849	Quadro 25 with Stop Control, 480 mm, 20 mm, left / right	Q25_SC_plugon_480_9135849	Page: FFA16_B1_1556	yes	yes
9135868	Quadro 25 with Stop Control, 480 mm, 20 mm, left / right	Q25_SC_plugon_480_9135868	Page: FFA16_B1_1556	yes	yes
46368	Quadro 25 with Stop Control, 500 mm	Q25_SC_plugon_500_46368	Page: FFA16_B1_1556	yes	yes
9135850	Quadro 25 with Stop Control, 500 mm, 20 mm, left / right	Q25_SC_plugon_500_9135850	Page: FFA16_B1_1556	yes	yes
9135861	Quadro 25 with Stop Control, 520 mm, 20 mm, left / right	Q25_SC_plugon_520_9135861	Page: FFA16_B1_1556	yes	yes
9135869	Quadro 25 with Stop Control, 520 mm, 20 mm, left / right	Q25_SC_plugon_520_9135869	Page: FFA16_B1_1556	yes	yes
46369	Quadro 25 with Stop Control, 550 mm	Q25_SC_plugon_550_46369	Page: FFA16_B1_1556	yes	yes
9135862	Quadro 25 with Stop Control, 550 mm, 20 mm, left / right	Q25_SC_plugon_550_9135862	Page: FFA16_B1_1556	yes	yes
9135870	Quadro 25 with Silent System, 250 mm	Q25_SiSys_plugon_250_9135870	Page: FFA16_B1_1558	yes	yes
9135882	Quadro 25 with Silent System, 250 mm	Q25_SiSys_plugon_250_9135882	Page: FFA16_B1_1558	yes	yes
9135871	Quadro 25 with Silent System, 300 mm	Q25_SiSys_plugon_300_9135871	Page: FFA16_B1_1558	yes	yes
9135883	Quadro 25 with Silent System, 300 mm	Q25_SiSys_plugon_300_9135883	Page: FFA16_B1_1558	yes	yes
9135872	Quadro 25 with Silent System, 320 mm	Q25_SiSys_plugon_320_9135872	Page: FFA16_B1_1558	yes	yes
9135884	Quadro 25 with Silent System, 320 mm	Q25_SiSys_plugon_320_9135884	Page: FFA16_B1_1558	yes	yes
9135873	Quadro 25 with Silent System, 350 mm	Q25_SiSys_plugon_350_9135873	Page: FFA16_B1_1558	yes	yes
9135885	Quadro 25 with Silent System, 350 mm	Q25_SiSys_plugon_350_9135885	Page: FFA16_B1_1558	yes	yes
9135874	Quadro 25 with Silent System, 380 mm	Q25_SiSys_plugon_380_9135874	Page: FFA16_B1_1558	yes	yes
9135886	Quadro 25 with Silent System, 380 mm	Q25_SiSys_plugon_380_9135886	Page: FFA16_B1_1558	yes	yes
9135875	Quadro 25 with Silent System, 400 mm	Q25_SiSys_plugon_400_9135875	Page: FFA16_B1_1558	yes	yes
9135887	Quadro 25 with Silent System, 400 mm	Q25_SiSys_plugon_400_9135887	Page: FFA16_B1_1558	yes	yes
9135876	Quadro 25 with Silent System, 420 mm	Q25_SiSys_plugon_420_9135876	Page: FFA16_B1_1558	yes	yes
9135888	Quadro 25 with Silent System, 420 mm	Q25_SiSys_plugon_420_9135888	Page: FFA16_B1_1558	yes	yes
9135877	Quadro 25 with Silent System, 450 mm	Q25_SiSys_plugon_450_9135877	Page: FFA16_B1_1558	yes	yes
9135889	Quadro 25 with Silent System, 450 mm	Q25_SiSys_plugon_450_9135889	Page: FFA16_B1_1558	yes	yes
9135878	Quadro 25 with Silent System, 480 mm	Q25_SiSys_plugon_480_9135878	Page: FFA16_B1_1558	yes	yes
9135890	Quadro 25 with Silent System, 480 mm	Q25_SiSys_plugon_480_9135890	Page: FFA16_B1_1558	yes	yes
9135879	Quadro 25 with Silent System, 500 mm	Q25_SiSys_plugon_500_9135879	Page: FFA16_B1_1558	yes	yes
9135891	Quadro 25 with Silent System, 500 mm	Q25_SiSys_plugon_500_9135891	Page: FFA16_B1_1558	yes	yes
9135880	Quadro 25 with Silent System, 520 mm	Q25_SiSys_plugon_520_9135880	Page: FFA16_B1_1558	yes	yes

Order no.	Description	Name imos	Page	Work group	DWG
9135892	Quadro 25 with Silent System, 520 mm	Q25_SiSys_plugon_520_9135892	Page: FFA16_B1_1558	yes	yes
9135881	Quadro 25 with Silent System, 550 mm	Q25_SiSys_plugon_550_9135881	Page: FFA16_B1_1558	yes	yes
9135893	Quadro 25 with Silent System, 550 mm	Q25_SiSys_plugon_550_9135893	Page: FFA16_B1_1558	yes	yes

3 . Connector Sets

AvanTech Drawer Set

Connector Sets	Connectors	Difference
AVT_H077_NL500_s_SiSy	AVT_Set_077_500_9210719 Actro_5D_SiSys_500_set_9203416	
AVT_H077_NL500_s_SiSy_FS	AVT_Set_077_500_9210719 Actro_5D_SiSys_500_set_9203416 AT_front_stabiliser_9123080	
AVT_H101_NL270_s_SiSy	AVT_Set_101_270_9210720 Actro_5D_SiSys_270_set_9203402	
AVT_H101_NL270_s_SiSy_FS	AVT_Set_101_270_9210720 Actro_5D_SiSys_270_set_9203402 AT_front_stabiliser_9123080	
AVT_H101_NL300_s_SiSy	AVT_Set_101_300_9210721 Actro_5D_SiSys_300_set_9203403	
AVT_H101_NL300_s_SiSy_FS	AVT_Set_101_300_9210721 Actro_5D_SiSys_300_set_9203403 AT_front_stabiliser_9123080	
AVT_H101_NL350_s_SiSy	AVT_Set_101_350_9210722 Actro_5D_SiSys_350_set_9203405	
AVT_H101_NL350_s_SiSy_FS	AVT_Set_101_350_9210722 Actro_5D_SiSys_350_set_9203405 AT_front_stabiliser_9123080	
AVT_H101_NL400_s_SiSy	AVT_Set_101_400_9210723 Actro_5D_SiSys_400_set_9203408	
AVT_H101_NL400_s_SiSy_FS	AVT_Set_101_400_9210723 Actro_5D_SiSys_400_set_9203408 AT_front_stabiliser_9123080	
AVT_H101_NL450_s_SiSy	AVT_Set_101_450_9210724 Actro_5D_SiSys_450_set_9203412	
AVT_H101_NL450_s_SiSy_FS	AVT_Set_101_450_9210724 Actro_5D_SiSys_450_set_9203412 AT_front_stabiliser_9123080	
AVT_H101_NL500_s_SiSy	AVT_Set_101_500_9210725 Actro_5D_SiSys_500_set_9203416	
AVT_H101_NL500_s_SiSy_FS	AVT_Set_101_500_9210725 Actro_5D_SiSys_500_set_9203416 AT_front_stabiliser_9123080	
AVT_H101_NL550_s_SiSy	AVT_Set_101_550_9210726 Actro_5D_SiSys_550_set_9203423	
AVT_H101_NL550_s_SiSy_FS	AVT_Set_101_550_9210726 Actro_5D_SiSys_550_set_9203423 AT_front_stabiliser_9123080	
AVT_H101_NL600_s_SiSy	AVT_Set_101_600_9210727 Actro_5D_SiSys_600_set_9203429	
AVT_H101_NL600_s_SiSy_FS	AVT_Set_101_600_9210727 Actro_5D_SiSys_600_set_9203429	

Connector Sets	Connectors	Difference
	AT_front_stabiliser_9123080	
AVT_H101_NL650_s_SiSy	AVT_Set_101_650_9210728 Actro_5D_SiSys_650_set_9203431	
AVT_H251_NL270_s_SiSy	AVT_Set_251_270_9210748 Actro_5D_SiSys_270_set_9203402	
AVT_H251_NL270_s_SiSy_FS	AVT_Set_251_270_9210748 Actro_5D_SiSys_270_set_9203402 AT_front_stabiliser_9123080	
AVT_H251_NL300_s_SiSy	AVT_Set_251_300_9210749 Actro_5D_SiSys_300_set_9203403	
AVT_H251_NL300_s_SiSy_FS	AVT_Set_251_300_9210749 Actro_5D_SiSys_300_set_9203403 AT_front_stabiliser_9123080	
AVT_H251_NL350_s_SiSy	AVT_Set_251_350_9210750 Actro_5D_SiSys_350_set_9203405	
AVT_H251_NL350_s_SiSy_FS	AVT_Set_251_350_9210750 Actro_5D_SiSys_350_set_9203405 AT_front_stabiliser_9123080	
AVT_H251_NL400_s_SiSy	AVT_Set_251_400_9210751 Actro_5D_SiSys_400_set_9203408	
AVT_H251_NL400_s_SiSy_FS	AVT_Set_251_400_9210751 Actro_5D_SiSys_400_set_9203408 AT_front_stabiliser_9123080	
AVT_H251_NL450_s_SiSy	AVT_Set_251_450_9210752 Actro_5D_SiSys_450_set_9203412	
AVT_H251_NL450_s_SiSy_FS	AVT_Set_251_450_9210752 Actro_5D_SiSys_450_set_9203412 AT_front_stabiliser_9123080	
AVT_H251_NL500_s_SiSy	AVT_Set_251_500_9210753 Actro_5D_SiSys_500_set_9203416	
AVT_H251_NL500_s_SiSy_FS	AVT_Set_251_500_9210753 Actro_5D_SiSys_500_set_9203416 AT_front_stabiliser_9123080	
AVT_H251_NL550_s_SiSy	AVT_Set_251_550_9210754 Actro_5D_SiSys_550_set_9203423	
AVT_H251_NL550_s_SiSy_FS	AVT_Set_251_550_9210754 Actro_5D_SiSys_550_set_9203423 AT_front_stabiliser_9123080	
AVT_H251_NL600_s_SiSy	AVT_Set_251_600_9210755 Actro_5D_SiSys_600_set_9203429	
AVT_H251_NL600_s_SiSy_FS	AVT_Set_251_600_9210755 Actro_5D_SiSys_600_set_9203429 AT_front_stabiliser_9123080	
AVT_H251_NL650_s_SiSy	AVT_Set_251_650_9210756 Actro_5D_SiSys_650_set_9203431	
AVT_H251_NL650_s_SiSy_FS	AVT_Set_251_650_9210756	

Connector Sets	Connectors	Difference
	Actro_5D_SiSys_650_set_9203431 AT_front_stabiliser_9123080	
AVT_H101_NL650_s_SiSy_FS	AVT_Set_101_650_9210728 Actro_5D_SiSys_650_set_9203431 AT_front_stabiliser_9123080	
AVT_H139_NL270_s_SiSy	AVT_Set_139_270_9210739 Actro_5D_SiSys_270_set_9203402	
AVT_H139_NL270_s_SiSy_FS	AVT_Set_139_270_9210739 Actro_5D_SiSys_270_set_9203402 AT_front_stabiliser_9123080	
AVT_H139_NL300_s_SiSy	AVT_Set_139_300_9210740 Actro_5D_SiSys_300_set_9203403	
AVT_H139_NL300_s_SiSy_FS	AVT_Set_139_300_9210740 Actro_5D_SiSys_300_set_9203403 AT_front_stabiliser_9123080	
AVT_H139_NL350_s_SiSy	AVT_Set_139_350_9210741 Actro_5D_SiSys_350_set_9203405	
AVT_H139_NL350_s_SiSy_FS	AVT_Set_139_350_9210741 Actro_5D_SiSys_350_set_9203405 AT_front_stabiliser_9123080	
AVT_H139_NL400_s_SiSy	AVT_Set_139_400_9210742 Actro_5D_SiSys_400_set_9203408	
AVT_H139_NL400_s_SiSy_FS	AVT_Set_139_400_9210742 Actro_5D_SiSys_400_set_9203408 AT_front_stabiliser_9123080	
AVT_H139_NL450_s_SiSy	AVT_Set_139_450_9210743 Actro_5D_SiSys_450_set_9203412	
AVT_H139_NL450_s_SiSy_FS	AVT_Set_139_450_9210743 Actro_5D_SiSys_450_set_9203412 AT_front_stabiliser_9123080	
AVT_H139_NL500_s_SiSy	AVT_Set_139_500_9210744 Actro_5D_SiSys_500_set_9203416	
AVT_H139_NL500_s_SiSy_FS	AVT_Set_139_500_9210744 Actro_5D_SiSys_500_set_9203416 AT_front_stabiliser_9123080	
AVT_H139_NL550_s_SiSy	AVT_Set_139_550_9210745 Actro_5D_SiSys_550_set_9203423	
AVT_H139_NL550_s_SiSy_FS	AVT_Set_139_550_9210745 Actro_5D_SiSys_550_set_9203423 AT_front_stabiliser_9123080	
AVT_H139_NL600_s_SiSy	AVT_Set_139_600_9210746 Actro_5D_SiSys_600_set_9203429	
AVT_H139_NL600_s_SiSy_FS	AVT_Set_139_600_9210746 Actro_5D_SiSys_600_set_9203429 AT_front_stabiliser_9123080	
AVT_H139_NL650_s_SiSy	AVT_Set_139_650_9210747	

Connector Sets	Connectors	Difference
	Actro_5D_SiSys_650_set_9203431	
AVT_H139_NL650_s_SiSy_FS	AVT_Set_139_650_9210747 Actro_5D_SiSys_650_set_9203431 AT_front_stabiliser_9123080	
AVT_H187_NL270_s_SiSy	AVT_Set_187_270_9210730 Actro_5D_SiSys_270_set_9203402	
AVT_H187_NL270_s_SiSy_FS	AVT_Set_187_270_9210730 Actro_5D_SiSys_270_set_9203402 AT_front_stabiliser_9123080	
AVT_H187_NL300_s_SiSy	AVT_Set_187_300_9210731 Actro_5D_SiSys_300_set_9203403	
AVT_H187_NL300_s_SiSy_FS	AVT_Set_187_300_9210731 Actro_5D_SiSys_300_set_9203403 AT_front_stabiliser_9123080	
AVT_H187_NL350_s_SiSy	AVT_Set_187_350_9210732 Actro_5D_SiSys_350_set_9203405	
AVT_H187_NL350_s_SiSy_FS	AVT_Set_187_350_9210732 Actro_5D_SiSys_350_set_9203405 AT_front_stabiliser_9123080	
AVT_H187_NL400_s_SiSy	AVT_Set_187_400_9210733 Actro_5D_SiSys_400_set_9203408	
AVT_H187_NL400_s_SiSy_FS	AVT_Set_187_400_9210733 Actro_5D_SiSys_400_set_9203408 AT_front_stabiliser_9123080	
AVT_H187_NL450_s_SiSy	AVT_Set_187_450_9210734 Actro_5D_SiSys_450_set_9203412	
AVT_H187_NL450_s_SiSy_FS	AVT_Set_187_450_9210734 Actro_5D_SiSys_450_set_9203412 AT_front_stabiliser_9123080	
AVT_H187_NL500_s_SiSy	AVT_Set_187_500_9210735 Actro_5D_SiSys_500_set_9203416	
AVT_H187_NL500_s_SiSy_FS	AVT_Set_187_500_9210735 Actro_5D_SiSys_500_set_9203416 AT_front_stabiliser_9123080	
AVT_H187_NL550_s_SiSy	AVT_Set_187_550_9210736 Actro_5D_SiSys_550_set_9203423	
AVT_H187_NL550_s_SiSy_FS	AVT_Set_187_550_9210736 Actro_5D_SiSys_550_set_9203423 AT_front_stabiliser_9123080	
AVT_H187_NL600_s_SiSy	AVT_Set_187_600_9210737 Actro_5D_SiSys_600_set_9203429	
AVT_H187_NL600_s_SiSy_FS	AVT_Set_187_600_9210737 Actro_5D_SiSys_600_set_9203429 AT_front_stabiliser_9123080	
AVT_H187_NL650_s_SiSy	AVT_Set_187_650_9210738 Actro_5D_SiSys_650_set_9203431	

Connector Sets	Connectors	Difference
AVT_H187_NL650_s_SiSy_FS	AVT_Set_187_650_9210738 Actro_5D_SiSys_650_set_9203431 AT_front_stabiliser_9123080	