



Hettich data in imos:  
**Hinges**

Technik für Möbel



**Hettich**

# Content

|  |    |
|--|----|
| 1. Hettich data package Version 5.0.....         | 3  |
| 2. Connectors with constructive information..... | 4  |
| Hinges    5                                      |    |
| 3. Connectors with general information.....      | 46 |

# 1. Hettich data package Version 5.0

This documentation gives an overview of the Hettich fittings that you get in this package.

## Hettich fittings:

The table will show you the order number, the description, the connector name in imos and the catalogue page. For the connectors with design information it is possible to identify if processing is done or DWG's are used.

The first part includes the connectors with constructive information. Along with commercial information it includes the necessary editing groups, DWGs and attributes.

The connectors with constructive information are sub divided in fitting groups. Within each group the connectors are further sorted in ascending order as per the order number.

The second part includes the connectors with general information i.e. only commercial information. These connectors are sorted according to the order number only.

## 2. Connectors with constructive information

# Hinges

| Order no. | Description   | Name_imos                      | Page                | Work group | DWG |
|-----------|---|--------------------------------|---------------------|------------|-----|
| 10074     | Cup TB 32   | Cup_TB22_10074                 | Page: FFA16_B1_0244 | Yes        | Yes |
| 20009     | Hettich Direkt with pilot pin and special screws, D = 0,0 mm                | CMP_Direkt_D0_20009            | Page: FFA16_B1_0167 | Yes        | Yes |
| 20010     | Hettich Direkt with pilot pin and special screws, D = 1,5 mm                | CMP_Direkt_D1,5_20010          | Page: FFA16_B1_0167 | Yes        | Yes |
| 20011     | Hettich Direkt with pilot pin and special screws, D = 3,0 mm                | CMP_Direkt_D3_20011            | Page: FFA16_B1_0167 | Yes        | Yes |
| 20012     | Hettich Direkt with pilot pin and special screws, D = 5,0 mm                | CMP_Direkt_D5_20012            | Page: FFA16_B1_0167 | Yes        | Yes |
| 20013     | Hettich Direkt with pilot pin and special screws, D = 8,0 mm                | CMP_Direkt_D8_20013            | Page: FFA16_B1_0167 | Yes        | Yes |
| 24908     | Glass door hinge ET 5150  | Glass_door_hinge_ET_5150_24908 | Page: FFA16_B1_0264 | Yes        |     |
| 24909     | Glass door hinge ET 5150  | Glass_door_hinge_ET_5150_24909 | Page: FFA13_0200    | Yes        |     |
| 30866     | Glass door hinge ET 5160  | Glass_door_hinge_ET_5160_30866 | Page: FFA16_B1_0265 | Yes        |     |
| 31000     | Furniture hinge 300, cranking A, left, Polished                             | Butt_hinge_300_left_31000      | Page: FFA16_B1_0298 | Yes        | Yes |
| 31001     | Furniture hinge 300 cranking A left, matt, brushed, 50 mm                   | Butt_hinge_300_left_31001      | Page: FFA16_B1_0298 | Yes        | Yes |
| 31002     | Furniture hinge 300, cranking A, left, nickel plated, high gloss, 50 mm     | Butt_hinge_300_left_31002      | Page: FFA16_B1_0298 | Yes        | Yes |
| 31003     | Furniture hinge 300, cranking A, left, nickel plated, matt, 50 mm           | Butt_hinge_300_left_31003      | Page: FFA16_B1_0298 | Yes        | Yes |
| 31004     | Furniture hinge 300 cranking A, right, polished, 50 mm                      | Butt_hinge_300_right_31004     | Page: FFA16_B1_0298 | Yes        | Yes |
| 31005     | Furniture hinge 300 cranking A, right, matt, brushed, 50 mm                 | Butt_hinge_300_right_31005     | Page: FFA16_B1_0298 | Yes        | Yes |
| 31006     | Furniture hinge 300, cranking A, right, nickel plated, high gloss, 50 mm    | Butt_hinge_300_right_31006     | Page: FFA16_B1_0298 | Yes        | Yes |
| 31007     | Furniture hinge 300, cranking A, right, nickel plated, matt, 50 mm          | Butt_hinge_300_right_31007     | Page: FFA16_B1_0298 | Yes        | Yes |
| 31008     | Furniture hinge 300, cranking B, left, polished, 50 mm                      | Butt_hinge_300_B_left_31008    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31010     | Furniture hinge 300, cranking B, left, nickel plated, high gloss, 50 mm     | Butt_hinge_300_B_left_31010    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31011     | Furniture hinge 300, cranking B, left, nickel plated, matt, 50 mm           | Butt_hinge_300_B_left_31011    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31012     | Furniture hinge 300 cranking B, right, polished, 50 mm                      | Butt_hinge_300_B_righ_31012    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31014     | Furniture hinge 300, cranking B, right, nickel plated, high gloss, 50 mm    | Butt_hinge_300_B_righ_31014    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31015     | Furniture hinge 300, cranking B, right, nickel plated, matt, 50 mm          | Butt_hinge_300_B_righ_31015    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31016     | Furniture hinge 300, cranking D 7.5, left, polished, 50 mm                  | Butt_hinge_300_D_left_31016    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31017     | Furniture hinge 300 cranking D 7.5, left, matt, brushed, 50 mm              | Butt_hinge_300_D_left_31017    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31018     | Furniture hinge 300, cranking D 7.5, left, nickel plated, high gloss, 50 mm | Butt_hinge_300_D_left_31018    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31019     | Furniture hinge 300, cranking D 7.5, left, nickel plated, matt, 50 mm       | Butt_hinge_300_D_left_31019    | Page: FFA16_B1_0300 | Yes        | Yes |

| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 31020     | Furniture hinge 300 cranking D 7.5, right, polished, 50 mm                           | Butt_hinge_300_D_righ_31020    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31021     | Furniture hinge 300 cranking D 7.5, right, matt, brushed, 50 mm                      | Butt_hinge_300_D_righ_31021    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31022     | Furniture hinge 300, cranking D 7.5, nickel plated, high gloss, 50 mm                | Butt_hinge_300_D_righ_31022    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31023     | Furniture hinge 300, cranking D 7.5, right, nickel plated, matt, 50 mm               | Butt_hinge_300_D_righ_31023    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31024     | Finial butt hinge 230 with decorative finial, cranking A left, polished, 50 mm       | Fi_hinge_230_A_L_poli_50_31024 | Page: FFA16_B1_0307 | Yes        | Yes |
| 31026     | Finial butt hinge 230 with decorative finial, cranking A left, antique, 50 mm        | Fi_hinge_230_A_L_anti_50_31026 | Page: FFA13_0257    | Yes        | Yes |
| 31027     | Finial butt hinge 230 with decorative finial, cranking A, right, polished, 50 mm     | Fi_hinge_230_A_R_poli_50_31027 | Page: FFA16_B1_0307 | Yes        | Yes |
| 31029     | Finial butt hinge 230 with decorative finial, cranking A, right, antique, 50 mm      | Fi_hinge_230_A_R_anti_50_31029 | Page: FFA13_0257    | Yes        | Yes |
| 31036     | Finial butt hinge 230 with decorative finial, cranking D 7.5, left, polished, 50 mm  | Fi_hinge_230_D_L_poli_50_31036 | Page: FFA16_B1_0308 | Yes        | Yes |
| 31038     | Finial butt hinge 230 with decorative finial, cranking D 7.5, left, antique, 50 mm   | Fi_hinge_230_D_L_anti_50_31038 | Page: FFA13_0259    | Yes        | Yes |
| 31039     | Finial butt hinge 230 with decorative finial, cranking D 7.5, right, polished, 50 mm | Fi_hinge_230_D_R_poli_50_31039 | Page: FFA16_B1_0308 | Yes        | Yes |
| 31042     | Furniture hinge 209, cranking A, left, polished, 80 mm                               | Butt_hinge_209_left_31042      | Page: FFA16_B1_0304 | Yes        | Yes |
| 31043     | Furniture hinge 209 cranking A right, polished, 80 mm                                | Butt_hinge_209_right_31043     | Page: FFA16_B1_0304 | Yes        | Yes |
| 31046     | Furniture hinge 209, cranking A, left, nickel plated, matt, 80 mm                    | Butt_hinge_209_left_31046      | Page: FFA16_B1_0304 | Yes        | Yes |
| 31047     | Furniture hinge 209, cranking A, right, nickel plated, matt, 80 mm                   | Butt_hinge_209_right_31047     | Page: FFA16_B1_0304 | Yes        | Yes |
| 31048     | Furniture hinge 209, cranking A, left, nickel plated, high gloss, 80 mm              | Butt_hinge_209_left_31048      | Page: FFA16_B1_0304 | Yes        | Yes |
| 31049     | Furniture hinge 209, cranking A right, nickel plated, high gloss, 80 mm              | Butt_hinge_209_right_31049     | Page: FFA16_B1_0304 | Yes        | Yes |
| 31050     | Furniture hinge 209, cranking B, left, polished, 80 mm                               | Butt_hinge_209_B_left_31050    | Page: FFA16_B1_0305 | Yes        | Yes |
| 31051     | Furniture hinge 209 cranking B, right, polished, 80 mm                               | Butt_hinge_209_B_righ_31051    | Page: FFA16_B1_0305 | Yes        | Yes |
| 31054     | Furniture hinge 209, cranking B, left, nickel plated, matt, 80 mm                    | Butt_hinge_209_B_left_31054    | Page: FFA16_B1_0305 | Yes        | Yes |
| 31055     | Furniture hinge 209, cranking B, right, nickel plated, matt, 80 mm                   | Butt_hinge_209_B_righ_31055    | Page: FFA16_B1_0305 | Yes        | Yes |
| 31058     | Furniture hinge 209, cranking D 7.5, left, polished, 80 mm                           | Butt_hinge_209_D_left_31058    | Page: FFA16_B1_0306 | Yes        | Yes |
| 31059     | Furniture hinge 209 cranking D 7.5, right, polished, 80 mm                           | Butt_hinge_209_D_righ_31059    | Page: FFA16_B1_0306 | Yes        | Yes |
| 31062     | Furniture hinge 209, cranking D 7.5, left, nickel plated, matt, 80 mm                | Butt_hinge_209_D_left_31062    | Page: FFA16_B1_0306 | Yes        | Yes |
| 31063     | Furniture hinge 209, cranking D 7.5, right, nickel plated, matt, 80 mm               | Butt_hinge_209_D_righ_31063    | Page: FFA16_B1_0306 | Yes        | Yes |

| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 31066     | Finial butt hinge 212 with decorative finial, cranking A left, polished, 80 mm       | Fi_hinge_212_A_L_poli_80_31066 | Page: FFA16_B1_0310 | Yes        | Yes |
| 31067     | Finial butt hinge 212 with decorative finial, cranking A, right, polished, 80 mm     | Fi_hinge_212_A_R_poli_80_31067 | Page: FFA16_B1_0310 | Yes        | Yes |
| 31070     | Finial butt hinge 212 with decorative finial, cranking B, left, polished, 80 mm      | Fi_hinge_212_B_L_poli_80_31070 | Page: FFA16_B1_0311 | Yes        | Yes |
| 31071     | Finial butt hinge 212 with decorative finial, cranking B, right, polished, 80 mm     | Fi_hinge_212_B_R_poli_80_31071 | Page: FFA16_B1_0311 | Yes        | Yes |
| 31074     | Finial butt hinge 212 with decorative finial, cranking D 7.5, left, polished, 80 mm  | Fi_hinge_212_D_L_poli_80_31074 | Page: FFA16_B1_0312 | Yes        | Yes |
| 31075     | Finial butt hinge 212 with decorative finial, cranking D 7.5, right, polished, 80 mm | Fi_hinge_212_D_R_poli_80_31075 | Page: FFA16_B1_0312 | Yes        | Yes |
| 31076     | Finial butt hinge 212 with decorative finial, cranking D 7.5, left, antique, 80 mm   | Fi_hinge_212_D_L_anti_80_31076 | Page: FFA13_0265    | Yes        | Yes |
| 31077     | Finial butt hinge 212 with decorative finial, cranking D 7.5, right, antique, 80 mm  | Fi_hinge_212_D_R_anti_80_31077 | Page: FFA13_0265    | Yes        | Yes |
| 31090     | Angle hinge 700, cranking L, left, polished, 50 mm                                   | Angl_hinge_700_L_L_pol_31090   | Page: FFA16_B1_0313 | Yes        | Yes |
| 31092     | Angle hinge 700, cranking L, left, nickel plated, high gloss, 50 mm                  | Angl_hinge_700_L_L_ni_hg_31092 | Page: FFA16_B1_0313 | Yes        | Yes |
| 31093     | Angle hinge 700, cranking L, left, nickel plated, matt, 50 mm                        | Angl_hinge_700_L_L_ni_m_31093  | Page: FFA16_B1_0313 | Yes        | Yes |
| 31094     | Angle hinge 700, cranking L, right, polished, 50 mm                                  | Angl_hinge_700_L_R_pol_31094   | Page: FFA16_B1_0313 | Yes        | Yes |
| 31096     | Angle hinge 700, cranking L, right, nickel plated, high gloss, 50 mm                 | Angl_hinge_700_L_R_ni_hg_31096 | Page: FFA16_B1_0313 | Yes        | Yes |
| 31097     | Angle hinge 700, cranking L, right, nickel plated, matt, 50 mm                       | Angl_hinge_700_L_R_ni_m_31097  | Page: FFA16_B1_0313 | Yes        | Yes |
| 31103     | Solid brass hinge 100, straight, brushed finish, 40 mm                               | Brass_hinge_100_brush_40_31103 | Page: FFA16_B1_0315 | Yes        | Yes |
| 31104     | Solid brass hinge 100, straight, brushed finish, 50 mm                               | Brass_hinge_100_brush_50_31104 | Page: FFA16_B1_0315 | Yes        | Yes |
| 31105     | Solid brass hinge 100, straight, brushed finish, 60 mm                               | Brass_hinge_100_brush_60_31105 | Page: FFA16_B1_0316 | Yes        | Yes |
| 31106     | Solid brass hinge 100, straight, brushed finish, 80 mm                               | Brass_hinge_100_brush_80_31106 | Page: FFA16_B1_0316 | Yes        | Yes |
| 31108     | Glass door hinge GT 3000   | Glass_door_hinge_GT_3000_31108 | Page: FFA13_0205    | Yes        |     |
| 31115     | Glass door hinge GT 6000   | Glass_door_hinge_GT_6000_31115 | Page: FFA13_0206    | Yes        |     |
| 31118     | Glass door hinge GT 6000   | Glass_door_hinge_GT_6000_31118 | Page: FFA13_0206    | Yes        |     |
| 31121     | Glass door hinge GT 6000   | Glass_door_hinge_GT_6000_31121 | Page: FFA13_0206    | Yes        |     |
| 31860     | Angle hinge 700, cranking L, right, nickel plated, high gloss, 50 mm                 | Angl_hinge_700_L_R_ni_hg_31860 | Page: FFA16_B1_0313 | Yes        | Yes |
| 31861     | Angle hinge 700, cranking L, right, nickel plated, matt, 50 mm                       | Angl_hinge_700_L_R_ni_m_31861  | Page: FFA16_B1_0313 | Yes        | Yes |
| 31863     | Angle hinge 700, cranking L, left, nickel plated, high gloss, 50 mm                  | Angl_hinge_700_L_L_ni_hg_31863 | Page: FFA16_B1_0313 | Yes        | Yes |

| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 31864     | Angle hinge 700, cranking L, left, nickel plated, matt, 50 mm                        | Angl_hinge_700_L_L_ni_m_31864  | Page: FFA16_B1_0313 | Yes        | Yes |
| 31889     | Angle hinge 700, cranking L, right, nickel plated, matt, 50 mm                       | Angl_hinge_700_L_R_ni_m_31889  | Page: FFA16_B1_0313 | Yes        | Yes |
| 31893     | Angle hinge 700, cranking L, left, nickel plated, matt, 50 mm                        | Angl_hinge_700_L_L_ni_m_31893  | Page: FFA16_B1_0313 | Yes        | Yes |
| 31917     | Furniture hinge 300 cranking D 7.5, right, polished, 60 mm                           | Butt_hinge_300_D_righ_31917    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31919     | Furniture hinge 300, cranking D 7.5, right, nickel plated, matt, 60 mm               | Butt_hinge_300_D_righ_31919    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31921     | Furniture hinge 300, cranking D 7.5, left, polished, 60 mm                           | Butt_hinge_300_D_left_31921    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31924     | Furniture hinge 300, cranking D 7.5, left, nickel plated, matt, 60 mm                | Butt_hinge_300_D_left_31924    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31928     | Furniture hinge 300, cranking D 7.5, right, nickel plated, matt, 40 mm               | Butt_hinge_300_D_righ_31928    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31931     | Furniture hinge 300, cranking D 7.5, left, nickel plated, matt, 40 mm                | Butt_hinge_300_D_left_31931    | Page: FFA16_B1_0300 | Yes        | Yes |
| 31934     | Furniture hinge 300, cranking B, left, nickel plated, matt, 40 mm                    | Butt_hinge_300_B_left_31934    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31937     | Furniture hinge 300, cranking B, right, nickel plated, matt, 40 mm                   | Butt_hinge_300_B_righ_31937    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31941     | Furniture hinge 300, cranking A, left, nickel plated, matt, 40 mm                    | Butt_hinge_300_left_31941      | Page: FFA16_B1_0298 | Yes        | Yes |
| 31944     | Furniture hinge 300, cranking A, right, nickel plated, matt, 40 mm                   | Butt_hinge_300_right_31944     | Page: FFA16_B1_0298 | Yes        | Yes |
| 31955     | Furniture hinge 300, cranking B, left, polished, 60 mm                               | Butt_hinge_300_B_left_31955    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31957     | Furniture hinge 300 cranking B, right, polished, 60 mm                               | Butt_hinge_300_B_righ_31957    | Page: FFA16_B1_0299 | Yes        | Yes |
| 31963     | Furniture hinge 300, cranking A left, polished, 60 mm                                | Butt_hinge_300_left_31963      | Page: FFA16_B1_0298 | Yes        | Yes |
| 31965     | Furniture hinge 300, cranking A, right, nickel plated, matt, 60 mm                   | Butt_hinge_300_right_31965     | Page: FFA16_B1_0298 | Yes        | Yes |
| 31966     | Furniture hinge 300, cranking A right, nickel plated, high gloss, 60 mm              | Butt_hinge_300_right_31966     | Page: FFA16_B1_0298 | Yes        | Yes |
| 31968     | Furniture hinge 300 cranking A right, polished, 60 mm                                | Butt_hinge_300_right_31968     | Page: FFA16_B1_0298 | Yes        | Yes |
| 31987     | Finial butt hinge 270 with decorative finial, cranking D 7.5, left, polished, 50 mm  | Fi_hinge_270_D_L_poli_50_31987 | Page: FFA16_B1_0309 | Yes        | Yes |
| 31990     | Finial butt hinge 270 with decorative finial, cranking D 7.5, right, polished, 50 mm | Fi_hinge_270_D_R_poli_50_31990 | Page: FFA16_B1_0309 | Yes        | Yes |
| 31992     | Finial butt hinge 270 with decorative finial, cranking D 7.5, right, antique, 50 mm  | Fi_hinge_270_D_R_anti_50_31992 | Page: FFA13_0262    | Yes        | Yes |
| 40246     | Intermat 9936P W30, Hinge base 7 mm, TH 42, for screwing on                          | Int_9936P_W30_B7_TH42_40246    | Page: FFA13_0132    | Yes        | Yes |
| 40248     | Intermat 9936P W30, Hinge base 7 mm, TH 45, Fix fast installation                    | Int_9936P_W30_B7_TH45_40248    | Page: FFA13_0132    | Yes        | Yes |
| 40249     | Intermat 9936P W30, Hinge base 7 mm, TB 45, Fix fast installation                    | Int_9936P_W30_B7_TB45_40249    | Page: FFA13_0132    | Yes        | Yes |
| 40253     | Intermat 9936P W45, Hinge base 0 mm, TH 42, for screwing on                          | Int_9936P_W45_B0_TH42_40253    | Page: FFA13_0134    | Yes        | Yes |
| 40254     | Intermat 9936P W45, Hinge base 0 mm, TH 45, Fix fast installation                    | Int_9936P_W45_B0_TH45_40254    | Page: FFA13_0134    | Yes        | Yes |
| 40255     | Intermat 9936P W45, Hinge base 0 mm, TB 45, Fix fast installation                    | Int_9936P_W45_B0_TB45_40255    | Page: FFA13_0134    | Yes        | Yes |
| 40256     | Intermat 9936P W45, Hinge base 6 mm, TH 42, for screwing on                          | Int_9936P_W45_B6_TH42_40256    | Page: FFA13_0134    | Yes        | Yes |



| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 40257     | Intermat 9936P W45, Hinge base 6 mm, TH 45, Fix fast installation                    | Int_9936P_W45_B6_TH45_40257    | Page: FFA13_0134    | Yes        | Yes |
| 40258     | Intermat 9936P W45, Hinge base 6 mm, TB 45, Fix fast installation                    | Int_9936P_W45_B6_TB45_40258    | Page: FFA13_0134    | Yes        | Yes |
| 40262     | Intermat 9936P W90, Hinge base 5 mm, TH 42, for screwing on                          | Int_9936P_W90_B5_TH42_40262    | Page: FFA13_0138    | Yes        | Yes |
| 40263     | Intermat 9936P W90, Hinge base 5 mm, TH 45, Fix fast installation                    | Int_9936P_W90_B5_TH45_40263    | Page: FFA13_0138    | Yes        | Yes |
| 40264     | Intermat 9936P W90, Hinge base 5 mm, TB 45, Fix fast installation                    | Int_9936P_W90_B5_TB45_40264    | Page: FFA13_0138    | Yes        | Yes |
| 40301     | Intermat 9956P, Hinge base 12,5 mm, TH 42, for screwing on                           | Int_9956P_B12,5_TH42_40301     | Page: FFA13_0128    | Yes        | Yes |
| 40304     | Intermat 9956P, Hinge base 3 mm, TH 42, for screwing on                              | Int_9956P_B3_TH42_40304        | Page: FFA13_0128    | Yes        | Yes |
| 40305     | Intermat 9956P, Hinge base 3 mm, TH 45, Fix fast installation                        | Int_9956P_B3_TH45_40305        | Page: FFA13_0128    | Yes        | Yes |
| 40306     | Intermat 9956P, Hinge base 3 mm, TB 45, Fix fast installation                        | Int_9956P_B3_TB45_40306        | Page: FFA13_0128    | Yes        | Yes |
| 40307     | Push to open Magnet XL, grey   | Pto_Magnet_XL_40307            | Page: FFA13_0142    | Yes        | Yes |
| 40308     | Push to open Magnet XL Linear, grey  | Pto_Magnet_XL_Linear_40308     | Page: FFA13_0143    | Yes        | Yes |
| 40309     | Linear adapter for Push to open Magnet and Push to open Universal mini               | Linear_screw_on_adapter_40309  | Page: FFA13_0141    | Yes        | Yes |
| 40719     | Glass door hinge ET 5160   | Glass_door_hinge_ET_5160_40719 | Page: FFA13_0202    | Yes        |     |
| 42000     | Finial butt hinge 270 with decorative finial, cranking B, left, antique, 50 mm       | Fi_hinge_270_B_L_anti_50_42000 | Page: FFA13_0261    | Yes        | Yes |
| 42003     | Finial butt hinge 270 with decorative finial, cranking B, right, antique, 50 mm      | Fi_hinge_270_B_R_anti_50_42003 | Page: FFA13_0261    | Yes        | Yes |
| 42014     | Finial butt hinge 270 with decorative finial, cranking A, right, antique, 50 mm      | Fi_hinge_270_A_R_anti_50_42014 | Page: FFA13_0260    | Yes        | Yes |
| 42036     | Finial butt hinge 230 with decorative finial, cranking D 7.5, left, polished, 60 mm  | Fi_hinge_230_D_L_poli_60_42036 | Page: FFA16_B1_0308 | Yes        | Yes |
| 42038     | Finial butt hinge 230 with decorative finial, cranking D 7.5, left, antique, 60 mm   | Fi_hinge_230_D_L_anti_60_42038 | Page: FFA13_0259    | Yes        | Yes |
| 42040     | Finial butt hinge 230 with decorative finial, cranking D 7.5, right, polished, 60 mm | Fi_hinge_230_D_R_poli_60_42040 | Page: FFA16_B1_0308 | Yes        | Yes |
| 42042     | Finial butt hinge 230 with decorative finial, cranking D 7.5, right, antique, 60 mm  | Fi_hinge_230_D_R_anti_60_42042 | Page: FFA13_0259    | Yes        | Yes |
| 42057     | Finial butt hinge 230 with decorative finial, cranking B, left, antique, 60 mm       | Fi_hinge_230_B_L_anti_60_42057 | Page: FFA13_0258    | Yes        | Yes |
| 42062     | Finial butt hinge 230 with decorative finial, cranking A left, polished, 60 mm       | Fi_hinge_230_A_L_poli_60_42062 | Page: FFA16_B1_0307 | Yes        | Yes |

| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 42063     | Finial butt hinge 230 with decorative finial, cranking A left, antique, 60 mm      | Fi_hinge_230_A_L_anti_60_42063 | Page: FFA13_0257    | Yes        | Yes |
| 42065     | Finial butt hinge 230 with decorative finial, cranking A, right, polished, 60 mm   | Fi_hinge_230_A_R_poli_60_42065 | Page: FFA16_B1_0307 | Yes        | Yes |
| 42066     | Finial butt hinge 230 with decorative finial, cranking A, right, antique, 60 mm    | Fi_hinge_230_A_R_anti_60_42066 | Page: FFA13_0257    | Yes        | Yes |
| 42252     | Solid brass hinge 100, straight, brushed finish, 50 mm                             | Brass_hinge_100_brush_50_42252 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42281     | Furniture hinge 300, cranking A, left, nickel plated, high gloss, 60 mm            | Butt_hinge_300_left_42281      | Page: FFA16_B1_0298 | Yes        | Yes |
| 42282     | Furniture hinge 300, cranking A, left, nickel plated, matt, 60 mm                  | Butt_hinge_300_left_42282      | Page: FFA16_B1_0298 | Yes        | Yes |
| 42286     | Furniture hinge 300, cranking B, left, nickel plated, matt, 60 mm                  | Butt_hinge_300_B_left_42286    | Page: FFA16_B1_0299 | Yes        | Yes |
| 42288     | Furniture hinge 300, cranking B, right, nickel plated, matt, 60 mm                 | Butt_hinge_300_B_righ_42288    | Page: FFA16_B1_0299 | Yes        | Yes |
| 42302     | Finial butt hinge 270 with decorative finial, cranking D 7.5, left, antique, 50 mm | Fi_hinge_270_D_L_anti_50_42302 | Page: FFA13_0262    | Yes        | Yes |
| 42338     | Solid brass hinge 100, straight, brushed finish, 80 mm                             | Brass_hinge_100_brush_80_42338 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42367     | Selekta 4, Overlay 5,5 mm, TH 23, Press-in type                                    | Selekta_4_5,5_T23_42367        | Page: FFA13_0184    | Yes        | Yes |
| 42374     | Selekta 4 twin hinge, Overlay 5,5 mm, TH 22, Screw-on type                         | Selekta_4_5,5_T22_42374        | Page: FFA13_0184    | Yes        | Yes |
| 42375     | Selekta 4 twin hinge, Overlay 5,5 mm, TH 23, Press-in type                         | Selekta_4_5,5_T23_42375        | Page: FFA13_0184    | Yes        | Yes |
| 42382     | Selekta 4, Overlay 11 mm, TH 22, Screw-on type                                     | Selekta_4_11_T22_42382         | Page: FFA13_0184    | Yes        | Yes |
| 42383     | Selekta 4, Overlay 11 mm, TH 23, Press-in type                                     | Selekta_4_11_T23_42383         | Page: FFA13_0184    | Yes        | Yes |
| 42413     | Furniture hinge 260, cranking A, left, polished, 50 mm                             | Butt_hinge_260_left_42413      | Page: FFA16_B1_0301 | Yes        | Yes |
| 42415     | Furniture hinge 260, cranking A, left, nickel plated, matt, 50 mm                  | Butt_hinge_260_left_42415      | Page: FFA16_B1_0301 | Yes        | Yes |
| 42416     | Furniture hinge 260, cranking A, left, nickel plated, high gloss, 50 mm            | Butt_hinge_260_left_42416      | Page: FFA16_B1_0301 | Yes        | Yes |
| 42417     | Furniture hinge 260 cranking A, right, polished, 50 mm                             | Butt_hinge_260_right_42417     | Page: FFA16_B1_0301 | Yes        | Yes |
| 42419     | Furniture hinge 260, cranking A, right, nickel plated, matt, 50 mm                 | Butt_hinge_260_right_42419     | Page: FFA16_B1_0301 | Yes        | Yes |
| 42420     | Furniture hinge 260, cranking A, right, nickel plated, high gloss, 50 mm           | Butt_hinge_260_right_42420     | Page: FFA16_B1_0301 | Yes        | Yes |
| 42423     | Furniture hinge 260, cranking B, left, nickel plated, matt, 50 mm                  | Butt_hinge_260_B_left_42423    | Page: FFA16_B1_0302 | Yes        | Yes |
| 42451     | Furniture hinge 260, cranking B, right, nickel plated, matt, 50 mm                 | Butt_hinge_260_B_righ_42451    | Page: FFA16_B1_0302 | Yes        | Yes |
| 42453     | Furniture hinge 260, cranking D 7.5, left, polished, 50 mm                         | Butt_hinge_260_D_left_42453    | Page: FFA16_B1_0303 | Yes        | Yes |
| 42455     | Furniture hinge 260, cranking D 7.5, left, nickel plated, matt, 50 mm              | Butt_hinge_260_D_left_42455    | Page: FFA16_B1_0303 | Yes        | Yes |
| 42457     | Furniture hinge 260 cranking D 7.5, right, polished, 50 mm                         | Butt_hinge_260_D_righ_42457    | Page: FFA16_B1_0303 | Yes        | Yes |
| 42459     | Furniture hinge 260, cranking D 7.5, right, nickel plated, matt, 50 mm             | Butt_hinge_260_D_righ_42459    | Page: FFA16_B1_0303 | Yes        | Yes |
| 42545     | Solid brass hinge 100, straight, polished, 30 mm                                   | Brass_hinge_100_polis_30_42545 | Page: FFA16_B1_0315 | Yes        | Yes |

| Order no. | Description   | Name_imos                      | Page                | Work group | DWG |
|-----------|---|--------------------------------|---------------------|------------|-----|
| 42546     | Solid brass hinge 100, straight, polished, 40 mm                              | Brass_hinge_100_polis_40_42546 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42548     | Solid brass hinge 100, straight, polished, 40 mm                              | Brass_hinge_100_polis_40_42548 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42549     | Solid brass hinge 100, straight, polished, 50 mm                              | Brass_hinge_100_polis_50_42549 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42551     | Solid brass hinge 100, straight, polished, 50 mm                              | Brass_hinge_100_polis_50_42551 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42552     | Solid brass hinge 100, straight, polished, 60 mm                              | Brass_hinge_100_polis_60_42552 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42554     | Solid brass hinge 100, straight, polished, 60 mm                              | Brass_hinge_100_polis_60_42554 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42555     | Solid brass hinge 100, straight, polished, 80 mm                              | Brass_hinge_100_polis_80_42555 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42556     | Solid brass hinge 100, straight, polished, 80 mm                              | Brass_hinge_100_polis_80_42556 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42592     | Angle hinge 4162, cranking L, left or right, polished, 40 mm                  | Angl_hinge_4162_L_pol_42592    | Page: FFA16_B1_0314 | Yes        | Yes |
| 42593     | Angle hinge 4162, cranking L, left or right, nickel plated, high gloss, 40 mm | Angl_hinge_4162_L_ni_hg_42593  | Page: FFA16_B1_0314 | Yes        | Yes |
| 42635     | Brass hinge 100, cranking A, nickel plated, high gloss, 20 mm                 | Brass_hinge_100_nichg_20_42635 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42636     | Brass hinge 100, cranking A nickel plated, matt, 20 mm                        | Brass_hinge_100_nicma_20_42636 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42641     | Solid brass hinge 100, straight, nickel plated, high gloss, 25 mm             | Brass_hinge_100_nichg_25_42641 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42643     | Solid brass hinge 100, straight, chrome plated, high gloss, 25 mm             | Brass_hinge_100_chrhg_25_42643 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42648     | Solid brass hinge 100, straight, nickel plated, matt, 30 mm                   | Brass_hinge_100_nicma_30_42648 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42649     | Solid brass hinge 100, straight, chrome plated, high gloss, 30 mm             | Brass_hinge_100_chrhg_30_42649 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42653     | Solid brass hinge 100, straight, nickel plated, high gloss, 40 mm             | Brass_hinge_100_nichg_40_42653 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42654     | Solid brass hinge 100, straight, nickel plated, matt, 40 mm                   | Brass_hinge_100_nicma_40_42654 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42665     | Solid brass hinge 100, straight, nickel plated, high gloss, 40 mm             | Brass_hinge_100_nichg_40_42665 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42666     | Solid brass hinge 100, straight, nickel plated, matt, 40 mm                   | Brass_hinge_100_nicma_40_42666 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42667     | Solid brass hinge 100, straight, chrome plated, high gloss, 40 mm             | Brass_hinge_100_chrhg_40_42667 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42670     | Solid brass hinge 100, straight, matt, brushed, 50 mm                         | Brass_hinge_100_matt_50_42670  | Page: FFA16_B1_0315 | Yes        | Yes |
| 42672     | Solid brass hinge 100, straight, nickel plated, matt, 50 mm                   | Brass_hinge_100_nicma_50_42672 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42673     | Solid brass hinge 100, straight, chrome plated, high gloss, 50 mm             | Brass_hinge_100_chrhg_50_42673 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42674     | Solid brass hinge 100, straight, chrome plated, matt, 50 mm                   | Brass_hinge_100_chrma_50_42674 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42678     | Solid brass hinge 100, straight, nickel plated, matt, 40 mm                   | Brass_hinge_100_nicma_40_42678 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42679     | Solid brass hinge 100, straight, chrome plated, high gloss, 40 mm             | Brass_hinge_100_chrhg_40_42679 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42682     | Solid brass hinge 100, straight, matt, brushed, 50 mm                         | Brass_hinge_100_matt_50_42682  | Page: FFA16_B1_0315 | Yes        | Yes |
| 42683     | Solid brass hinge 100, straight, nickel plated, high gloss, 50 mm             | Brass_hinge_100_nichg_50_42683 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42684     | Solid brass hinge 100, straight, nickel plated, matt, 50 mm                   | Brass_hinge_100_nicma_50_42684 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42688     | Solid brass hinge 100, straight, matt, brushed, 60 mm                         | Brass_hinge_100_matt_60_42688  | Page: FFA16_B1_0316 | Yes        | Yes |

| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 42689     | Solid brass hinge 100, straight, nickel plated, high gloss, 60 mm        | Brass_hinge_100_nichg_60_42689 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42690     | Solid brass hinge 100, straight, nickel plated, matt, 60 mm              | Brass_hinge_100_nicma_60_42690 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42691     | Solid brass hinge 100, straight, chrome plated, high gloss, 60 mm        | Brass_hinge_100_chrhg_60_42691 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42692     | Solid brass hinge 100, straight, chrome plated, matt, 60 mm              | Brass_hinge_100_chrma_60_42692 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42696     | Solid brass hinge 100, straight, nickel plated, matt, 50 mm              | Brass_hinge_100_nicma_50_42696 | Page: FFA16_B1_0315 | Yes        | Yes |
| 42701     | Solid brass hinge 100, straight, nickel plated, high gloss, 60 mm        | Brass_hinge_100_nichg_60_42701 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42702     | Solid brass hinge 100, straight, nickel plated, matt, 60 mm              | Brass_hinge_100_nicma_60_42702 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42703     | Solid brass hinge 100, straight, chrome plated, high gloss, 60 mm        | Brass_hinge_100_chrhg_60_42703 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42708     | Solid brass hinge 100, straight, nickel plated, matt, 80 mm              | Brass_hinge_100_nicma_80_42708 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42709     | Solid brass hinge 100, straight, chrome plated, high gloss, 80 mm        | Brass_hinge_100_chrhg_80_42709 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42713     | Solid brass hinge 100, straight, nickel plated, high gloss, 80 mm        | Brass_hinge_100_nichg_80_42713 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42714     | Solid brass hinge 100, straight, nickel plated, matt, 80 mm              | Brass_hinge_100_nicma_80_42714 | Page: FFA16_B1_0316 | Yes        | Yes |
| 42798     | Angle hinge 700, cranking L, left, nickel plated, matt, 50 mm            | Angl_hinge_700_L_L_ni_m_42798  | Page: FFA16_B1_0313 | Yes        | Yes |
| 42802     | Angle hinge 700, cranking L, right, nickel plated, matt, 50 mm           | Angl_hinge_700_L_R_ni_m_42802  | Page: FFA16_B1_0313 | Yes        | Yes |
| 42813     | Linear mounting plate for pressing in, D = 3,0 mm                        | Linear_CMP_pi_D3_42813         | Page: FFA16_B1_0168 | Yes        | Yes |
| 42814     | Linear mounting plate for pressing in, D = 1,5 mm                        | Linear_CMP_pi_D1,5_42814       | Page: FFA16_B1_0168 | Yes        | Yes |
| 42815     | Linear mounting plate for pressing in, D = 5,0 mm                        | Linear_CMP_pi_D5_42815         | Page: FFA16_B1_0168 | Yes        | Yes |
| 43017     | Linear mounting plate for screwing on, D = 1,5 mm                        | Linear_CMP_so_D1,5_43017       | Page: FFA16_B1_0168 | Yes        | Yes |
| 43018     | Linear mounting plate for screwing on, D = 3,0 mm                        | Linear_CMP_so_D3_43018         | Page: FFA16_B1_0168 | Yes        | Yes |
| 43019     | Linear mounting plate for screwing on, D = 5,0 mm                        | Linear_CMP_so_D5_43019         | Page: FFA16_B1_0168 | Yes        | Yes |
| 43021     | Cross mounting plate with premounted wood screws, D = 0,0mm              | CMP_premo_chb_scr_D0_43021     | Page: FFA16_B1_0168 | Yes        | Yes |
| 43022     | Cross mounting plate with premounted wood screws, D = 1,5mm              | CMP_premo_chb_scr_D1,5_43022   | Page: FFA16_B1_0168 | Yes        | Yes |
| 43023     | Cross mounting plate with premounted wood screws, D = 3,0mm              | CMP_premo_chb_scr_D3_43023     | Page: FFA16_B1_0168 | Yes        | Yes |
| 43024     | Cross mounting plate with premounted wood screws, D = 5,0mm              | CMP_premo_chb_scr_D5_43024     | Page: FFA16_B1_0168 | Yes        | Yes |
| 43025     | Cross mounting plate with premounted wood screws, D = 8,0mm              | CMP_premo_chb_scr_D8_43025     | Page: FFA16_B1_0168 | Yes        | Yes |
| 43026     | Cross mounting plate with asymmetrically premounted wood screws, D=0,0mm | CMP_asym_premo_scre_D0_43026   | Page: FFA16_B1_0168 | Yes        | Yes |
| 43027     | Cross mounting plate with asymmetrically premounted wood screws, D=1,5mm | CMP_asym_premo_scre_D1,5_43027 | Page: FFA16_B1_0168 | Yes        | Yes |
| 43028     | Cross mounting plate with asymmetrically premounted wood screws, D=3,0mm | CMP_asym_premo_scre_D3_43028   | Page: FFA16_B1_0168 | Yes        | Yes |

| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 43029     | Cross mounting plate with asymmetrically premounted wood screws, D=5,0mm | CMP_asym_premo_scre_D5_43029   | Page: FFA16_B1_0168 | Yes        | Yes |
| 43031     | Cross mounting plate with asymmetrically premounted wood screws, D=8,0mm | CMP_asym_premo_scre_D8_43031   | Page: FFA16_B1_0168 | Yes        | Yes |
| 45036     | Intermat 9930, Hinge base 24 mm, TH 42, For screwing on                  | Int_9930_B24_TH42_45036        | Page: FFA16_B1_0162 | Yes        | Yes |
| 45037     | Intermat 9930, Hinge base 24 mm, TH 43, For pressing in                  | Int_9930_B24_TH43_45037        | Page: FFA16_B1_0162 | Yes        | Yes |
| 45038     | Intermat 9930, Hinge base 24 mm, TB 43, For pressing in                  | Int_9930_B24_TB43_45038        | Page: FFA16_B1_0162 | Yes        | Yes |
| 45039     | Intermat 9930, Hinge base 24 mm, TH 44, Flash fast installation          | Int_9930_B24_TH44_45039        | Page: FFA16_B1_0162 | Yes        | Yes |
| 45042     | Intermat 9930, Hinge base 24 mm, TH 45, Fix fast installation            | Int_9930_B24_TH45_45042        | Page: FFA16_B1_0162 | Yes        | Yes |
| 45043     | Intermat 9930, Hinge base 24 mm, TB 45, Fix fast installation            | Int_9930_B24_TB45_45043        | Page: FFA16_B1_0162 | Yes        | Yes |
| 45044     | Selekta Pro 2000, Overlay 15 mm, with expanding sockets                  | Selekta_P2000_15_45044         | Page: FFA16_B1_0246 | Yes        | Yes |
| 45045     | Selekta Pro 2000, Overlay 16 mm, with expanding sockets                  | Selekta_P2000_16_45045         | Page: FFA16_B1_0246 | Yes        | Yes |
| 45046     | Selekta Pro 2000, Overlay 12 mm, with expanding sockets                  | Selekta_P2000_12_16_45046      | Page: FFA16_B1_0244 | Yes        | Yes |
| 45047     | Selekta Pro 2000, Overlay 12 mm, with expanding sockets                  | Selekta_P2000_12_45047         | Page: FFA16_B1_0246 | Yes        | Yes |
| 45048     | Selekta Pro 2000, Overlay 6,5 mm, with expanding sockets                 | Selekta_P2000_6,5_45048        | Page: FFA16_B1_0244 | Yes        | Yes |
| 45049     | Selekta Pro 2000, Overlay 15 mm, with expanding sockets                  | Selekta_P2000_15_45049         | Page: FFA16_B1_0246 | Yes        | Yes |
| 45051     | Selekta Pro 2000, Overlay 16 mm, with expanding sockets                  | Selekta_P2000_16_45051         | Page: FFA16_B1_0246 | Yes        | Yes |
| 45052     | Selekta Pro 2000, Overlay 12 mm, with expanding sockets                  | Selekta_P2000_12_16_45052      | Page: FFA16_B1_0244 | Yes        | Yes |
| 45053     | Selekta Pro 2000, Overlay 12 mm, with expanding sockets                  | Selekta_P2000_12_45053         | Page: FFA16_B1_0246 | Yes        | Yes |
| 45054     | Selekta Pro 2000, Overlay 6,5 mm, with expanding sockets                 | Selekta_P2000_6,5_45054        | Page: FFA16_B1_0244 | Yes        | Yes |
| 45055     | Selekta Pro 2000 twin hinge, Overlay 6,5 mm, with expanding sockets      | Selekta_P2000_6,5_45055        | Page: FFA16_B1_0250 | Yes        | Yes |
| 45056     | Selekta Pro 2000 E, Overlay -3,2 mm, with expanding sockets              | Selekta_P2000_E_45056          | Page: FFA16_B1_0252 | Yes        | Yes |
| 45057     | Selekta Pro 2000, Overlay 11 mm, with expanding sockets                  | Selekta_P2000_11_45057         | Page: FFA16_B1_0244 | Yes        | Yes |
| 45058     | Selekta Pro 2000, Overlay 5,5 mm, with expanding sockets                 | Selekta_P2000_5,5_45058        | Page: FFA16_B1_0244 | Yes        | Yes |
| 45059     | Selekta Pro 2000 twin hinge, Overlay 5,5 mm, with expanding sockets      | Selekta_P2000_5,5_45059        | Page: FFA16_B1_0250 | Yes        | Yes |
| 45063     | Selekta Pro 2000 twin hinge, Overlay 6,5 mm, with expanding sockets      | Selekta_P2000_6,5_45063        | Page: FFA16_B1_0250 | Yes        | Yes |
| 45064     | Selekta Pro 2000 E, Overlay -3,2 mm, with expanding sockets              | Selekta_P2000_E_self_clo_45064 | Page: FFA16_B1_0252 | Yes        | Yes |
| 45065     | Selekta Pro 2000, Overlay 11 mm, with expanding sockets                  | Selekta_P2000_11_45065         | Page: FFA16_B1_0244 | Yes        | Yes |
| 45066     | Selekta Pro 2000, Overlay 5,5 mm, with expanding sockets                 | Selekta_P2000_5,5_45066        | Page: FFA16_B1_0244 | Yes        | Yes |
| 45067     | Selekta Pro 2000 twin hinge, Overlay 5,5 mm, with expanding sockets      | Selekta_P2000_5,5_45067        | Page: FFA16_B1_0250 | Yes        | Yes |
| 45550     | Counterplate with socket   | Counterplate_with_socket_45550 | Page: FFA13_0142    | Yes        | Yes |
| 46067     | Selekta Pro 2035, Overlay 15 mm, with expanding sockets                  | Selekta_P2035_15_46067         | Page: FFA13_0182    | Yes        | Yes |

| Order no. | Description  | Name_imos                  | Page                | Work group | DWG |
|-----------|--|----------------------------|---------------------|------------|-----|
| 46787     | Centre hinge with adjustable pivot offset                                  | Folding_door_hinge_46787   | Page: FFA16_B1_0267 | Yes        | Yes |
| 48049     | Intermat 9943, Hinge base 12,5 mm, TH 42, For screwing on                  | Int_9943_B12,5_TH42_48049  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48051     | Intermat 9943, Hinge base 3 mm, TH 42, For screwing on                     | Int_9943_B3_TH42_48051     | Page: FFA16_B1_0112 | Yes        | Yes |
| 48052     | Intermat 9943, Hinge base -3,5 mm, TH 42, For screwing on                  | Int_9943_B-3,5_TH42_48052  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48053     | Intermat 9943, Hinge base 12,5 mm, TH 43, For pressing in                  | Int_9943_B12,5_TH43_48053  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48054     | Intermat 9943, Hinge base 3 mm, TH 43, For pressing in                     | Int_9943_B3_TH43_48054     | Page: FFA16_B1_0112 | Yes        | Yes |
| 48055     | Intermat 9943, Hinge base -3,5 mm, TH 43, For pressing in                  | Int_9943_B-3,5_TH43_48055  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48056     | Intermat 9943, Hinge base 12,5 mm, TB 43, For pressing in                  | Int_9943_B12,5_TB43_48056  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48057     | Intermat 9943, Hinge base 3 mm, TB 43, For pressing in                     | Int_9943_B3_TB43_48057     | Page: FFA16_B1_0112 | Yes        | Yes |
| 48058     | Intermat 9943, Hinge base -3,5 mm, TB 43, For pressing in                  | Int_9943_B-3,5_TB43_48058  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48059     | Intermat 9943, Hinge base 12,5 mm, TH 44, Flash fast installation          | Int_9943_B12,5_TH44_48059  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48061     | Intermat 9943, Hinge base 3 mm, TH 44, Flash fast installation             | Int_9943_B3_TH44_48061     | Page: FFA16_B1_0112 | Yes        | Yes |
| 48062     | Intermat 9943, Hinge base -3,5 mm, TH 44, Flash fast installation          | Int_9943_B-3,5_TH44_48062  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48066     | Intermat 9943, Hinge base 12,5 mm, TH 45, Fix fast installation            | Int_9943_B12,5_TH45_48066  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48068     | Intermat 9943, Hinge base 3 mm, TH 45, Fix fast installation               | Int_9943_B3_TH45_48068     | Page: FFA16_B1_0112 | Yes        | Yes |
| 48069     | Intermat 9943, Hinge base -3,5 mm, TH 45, Fix fast installation            | Int_9943_B-3,5_TH45_48069  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48071     | Intermat 9943, Hinge base 12,5 mm, TB 45, Fix fast installation            | Int_9943_B12,5_TB45_48071  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48072     | Intermat 9943, Hinge base 3 mm, TB 45, Fix fast installation               | Int_9943_B3_TB45_48072     | Page: FFA16_B1_0112 | Yes        | Yes |
| 48073     | Intermat 9943, Hinge base -3,5 mm, TB 45, Fix fast installation            | Int_9943_B-3,5_TB45_48073  | Page: FFA16_B1_0112 | Yes        | Yes |
| 48096     | Intermat 9936 W45, Hinge base 0 mm, TH 42, For screwing on                 | Int_9936_W45_B0_TH42_48096 | Page: FFA16_B1_0140 | Yes        | Yes |
| 48097     | Intermat 9936 W45, Hinge base 0 mm, TH 43, For pressing in                 | Int_9936_W45_B0_TH43_48097 | Page: FFA16_B1_0140 | Yes        | Yes |
| 48098     | Intermat 9936 W45, Hinge base 0 mm, TB 43, For pressing in                 | Int_9936_W45_B0_TB43_48098 | Page: FFA16_B1_0140 | Yes        | Yes |
| 48103     | Intermat 9936 W45, Hinge base 0 mm, TH 45, Fix fast installation           | Int_9936_W45_B0_TH45_48103 | Page: FFA16_B1_0140 | Yes        | Yes |
| 48104     | Intermat 9936 W45, Hinge base 0 mm, TB 45, Fix fast installation           | Int_9936_W45_B0_TB45_48104 | Page: FFA16_B1_0140 | Yes        | Yes |
| 52095     | Centre hinge with adjustable pivot offset                                  | Folding_door_hinge_52095   | Page: FFA16_B1_0267 | Yes        | Yes |
| 60000     | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm | CMP_socket_D0_60000        | Page: FFA16_B1_0167 | Yes        | Yes |
| 60001     | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm | CMP_socket_D1,5_60001      | Page: FFA16_B1_0167 | Yes        | Yes |
| 60002     | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm | CMP_socket_D3_60002        | Page: FFA16_B1_0167 | Yes        | Yes |

| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 60003     | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm         | CMP_socket_D5_60003            | Page: FFA16_B1_0167 | Yes        | Yes |
| 60004     | Cross mounting plate with expanding sockets and special screws, D = 8,0 mm         | CMP_socket_D8_60004            | Page: FFA16_B1_0167 | Yes        | Yes |
| 60200     | Intermat 9943P, Hinge base 12,5 mm, TH 42, for screwing on                         | Int_9943P_B12,5_TH42_60200     | Page: FFA13_0126    | Yes        | Yes |
| 60201     | Intermat 9943P, Hinge base 3 mm, TH 42, for screwing on                            | Int_9943P_B3_TH42_60201        | Page: FFA13_0126    | Yes        | Yes |
| 60202     | Intermat 9943P, Hinge base -3,5 mm, TH 42, for screwing on                         | Int_9943P_B-3,5_TH42_60202     | Page: FFA13_0126    | Yes        | Yes |
| 60209     | Intermat 9943P, Hinge base 12,5 mm, TH 45, Fix fast installation                   | Int_9943P_B12,5_TH45_60209     | Page: FFA13_0126    | Yes        | Yes |
| 60210     | Intermat 9943P, Hinge base 3 mm, TH 45, Fix fast installation                      | Int_9943P_B3_TH45_60210        | Page: FFA13_0126    | Yes        | Yes |
| 60211     | Intermat 9943P, Hinge base -3,5 mm, TH 45, Fix fast installation                   | Int_9943P_B-3,5_TH45_60211     | Page: FFA13_0126    | Yes        | Yes |
| 60212     | Intermat 9943P, Hinge base 12,5 mm, TB 45, Fix fast installation                   | Int_9943P_B12,5_TB45_60212     | Page: FFA13_0126    | Yes        | Yes |
| 60213     | Intermat 9943P, Hinge base 3 mm, TB 45, Fix fast installation                      | Int_9943P_B3_TB45_60213        | Page: FFA13_0126    | Yes        | Yes |
| 60214     | Intermat 9943P, Hinge base -3,5 mm, TB 45, Fix fast installation                   | Int_9943P_B-3,5_TB45_60214     | Page: FFA13_0126    | Yes        | Yes |
| 60215     | Intermat 9936P for profile doors, Hinge base 12,5 mm, TH 42, for screwing on       | Int_9936P_B12,5_TH42_60215     | Page: FFA13_0130    | Yes        | Yes |
| 60217     | Intermat 9936P for profile doors, Hinge base -3,5 mm, TH 42, for screwing on       | Int_9936P_B-3,5_TH42_60217     | Page: FFA13_0130    | Yes        | Yes |
| 60224     | Intermat 9936P for profile doors, Hinge base 12,5 mm, TH 45, Fix fast installation | Int_9936P_B12,5_TH45_60224     | Page: FFA13_0130    | Yes        | Yes |
| 60225     | Intermat 9936P for profile doors, Hinge base 3 mm, TH 45, Fix fast installation    | Int_9936P_B3_TH45_60225        | Page: FFA13_0130    | Yes        | Yes |
| 60226     | Intermat 9936P for profile doors, Hinge base -3,5 mm, TH 45, Fix fast installation | Int_9936P_B-3,5_TH45_60226     | Page: FFA13_0130    | Yes        | Yes |
| 60227     | Intermat 9936P for profile doors, Hinge base 12,5 mm, TB 45, Fix fast installation | Int_9936P_B12,5_TB45_60227     | Page: FFA13_0130    | Yes        | Yes |
| 60229     | Intermat 9936P for profile doors, Hinge base -3,5 mm, TB 45, Fix fast installation | Int_9936P_B-3,5_TB45_60229     | Page: FFA13_0130    | Yes        | Yes |
| 60230     | Push to open Magnet  | Pto_Magnet_60230               | Page: FFA13_0141    | Yes        | Yes |
| 60231     | Screw on adapter for Push to open Magnet   | Screw_on_adap_PTO_magnet_60231 | Page: FFA13_0141    | Yes        | Yes |
| 60233     | Push to open Universal maxi  | Pto_Universal_maxi_60233       | Page: FFA13_0145    | Yes        | Yes |
| 60576     | Silent System for clipping on, full overlay  | Damping_Silent_System_60576    | Page: FFA16_B1_0198 |            | Yes |

| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 60579     | Silent System for screwing on[TX:PX], full overlay, overlay, half overlay    | Damping_Silent_System_60579    | Page: FFA16_B1_0200 | Yes        | Yes |
| 60580     | Silent System for screwing on, inset, inset                                  | Damping_Silent_System_60580    | Page: FFA16_B1_0200 | Yes        | Yes |
| 60685     | Universal Silent System for drilling in, full overlay, overlay               | Silent_System_hole_mount_60685 | Page: FFA16_B1_0201 | Yes        | Yes |
| 60686     | Universal linear screw on Silent System, full overlay, half overlay, overlay | Silent_System_universal_60686  | Page: FFA16_B1_0202 | Yes        | Yes |
| 60687     | Universal screw on Silent System, full overlay, overlay, half overlay        | Silent_System_universal_60687  | Page: FFA16_B1_0201 | Yes        | Yes |
| 69603     | Perfekt 5737 W90, TH 42, Screw-on type                                       | Perfekt_5204_W90_T42_69603     | Page: FFA16_B1_0238 | Yes        | Yes |
| 69609     | Perfekt 5224 W90, TH 42 / S, Screw-on type                                   | Perfekt_5204_W90_T42_69609     | Page: FFA16_B1_0238 | Yes        | Yes |
| 69846     | Universal linear screw on Silent System, inset                               | Silent_System_universal_69846  | Page: FFA16_B1_0202 | Yes        | Yes |
| 69934     | Glass door hinge ET 5150 Z   | Glass_door_hinge_ET5150Z_69934 | Page: FFA16_B1_0264 | Yes        |     |
| 71648     | Centre hinge 625   | Folding_door_hinge_625_71648   | Page: FFA16_B1_0269 | Yes        | Yes |
| 72124     | Intermat 9956, Hinge base 12,5 mm, TH 44, Flash fast installation            | Int_9956_B12,5_TH44_72124      | Page: FFA13_0064    | Yes        | Yes |
| 72947     | Intermat 9956, Hinge base 12,5 mm, TH 42, for screwing on                    | Int_9956_B12,5_TH42_72947      | Page: FFA13_0064    | Yes        | Yes |
| 72948     | Intermat 9956, Hinge base 12,5 mm, TH 43, For pressing in                    | Int_9956_B12,5_TH43_72948      | Page: FFA13_0064    | Yes        | Yes |
| 72949     | Intermat 9956, Hinge base 12,5 mm, TB 43, For pressing in                    | Int_9956_B12,5_TB43_72949      | Page: FFA13_0064    | Yes        | Yes |
| 72959     | Intermat 9924, Hinge base 11 mm, TH 42 / S, For screwing on                  | Int_9924_B11_TH42_72959        | Page: FFA16_B1_0156 | Yes        | Yes |
| 72960     | Intermat 9904, Hinge base 11 mm, TU 12 / S, For screwing on                  | Int_9904_B11_T1_72960          | Page: FFA16_B1_0158 | Yes        | Yes |
| 72961     | Intermat 9956, Hinge base 3 mm, TH 42, for screwing on                       | Int_9956_B3_TH42_72961         | Page: FFA13_0064    | Yes        | Yes |
| 72962     | Intermat 9956, Hinge base 3 mm, TH 43, For pressing in                       | Int_9956_B3_TH43_72962         | Page: FFA13_0064    | Yes        | Yes |
| 72963     | Intermat 9956, Hinge base 3 mm, TB 43, For pressing in                       | Int_9956_B3_TB43_72963         | Page: FFA13_0064    | Yes        | Yes |
| 72964     | Intermat 9956, Hinge base 3 mm, TH 44, Flash fast installation               | Int_9956_B3_TH44_72964         | Page: FFA13_0064    | Yes        | Yes |
| 72965     | Intermat 9924, Hinge base 2,5 mm, TH 42 / S, For screwing on                 | Int_9924_B2,5_TH42_72965       | Page: FFA16_B1_0156 | Yes        | Yes |
| 72966     | Intermat 9924, Hinge base -4 mm, TH 42 / S, For screwing on                  | Int_9924_B-4_TH42_72966        | Page: FFA16_B1_0156 | Yes        | Yes |
| 72967     | Intermat 9904, Hinge base 2,5 mm, TU 12 / S, For screwing on                 | Int_9904_B2,5_T1_72967         | Page: FFA16_B1_0158 | Yes        | Yes |
| 72968     | Intermat 9904, Hinge base -4 mm, TU 12 / S, For screwing on                  | Int_9904_B-4_T1_72968          | Page: FFA16_B1_0158 | Yes        | Yes |
| 72983     | Screw-on cross mounting plate, distance 0.0 mm                               | CMP_to_screw_on_D0_72983       | Page: TA13_0106     | Yes        | Yes |
| 72984     | Cross mounting plate for screwing on, D = 1,5 mm                             | CMP_to_screw_on_D1,5_72984     | Page: FFA16_B1_0166 | Yes        | Yes |
| 72985     | Cross mounting plate for screwing on, D = 3,0 mm                             | CMP_to_screw_on_D3_72985       | Page: FFA16_B1_0166 | Yes        | Yes |
| 72986     | Cross mounting plate for screwing on, D = 5,0 mm                             | CMP_to_screw_on_D5_72986       | Page: FFA16_B1_0166 | Yes        | Yes |
| 72987     | Cross mounting plate for screwing on, D = 8,0 mm                             | CMP_to_screw_on_D8_72987       | Page: FFA16_B1_0166 | Yes        | Yes |
| 72994     | Intermat 9936 Alu, Hinge base 13,5 mm, TA 22, For screwing on                | Int_9936_B13,5_TA22_72994      | Page: FFA16_B1_0160 | Yes        | Yes |



| Order no. | Description   | Name_imos                    | Page                | Work group | DWG |
|-----------|---|------------------------------|---------------------|------------|-----|
| 73905     | Intermat 9944, Hinge base 12,5 mm, TH 42, For screwing on         | Int_9944_B12,5_TH42_73905    | Page: FFA16_B1_0128 | Yes        | Yes |
| 73906     | Intermat 9944, Hinge base 12,5 mm, TH 43, For pressing in         | Int_9944_B12,5_TH43_73906    | Page: FFA16_B1_0128 | Yes        | Yes |
| 73907     | Intermat 9944, Hinge base 12,5 mm, TB 43, For pressing in         | Int_9944_B12,5_TB43_73907    | Page: FFA16_B1_0128 | Yes        | Yes |
| 73908     | Intermat 9944, Hinge base 12,5 mm, TH 44, Flash fast installation | Int_9944_B12,5_TH44_73908    | Page: FFA16_B1_0128 | Yes        | Yes |
| 73909     | Intermat 9944, Hinge base 3 mm, TH 42, For screwing on            | Int_9944_B3_TH42_73909       | Page: FFA16_B1_0128 | Yes        | Yes |
| 73910     | Intermat 9944, Hinge base 3 mm, TH 43, For pressing in            | Int_9944_B3_TH43_73910       | Page: FFA16_B1_0128 | Yes        | Yes |
| 73911     | Intermat 9944, Hinge base 3 mm, TB 43, For pressing in            | Int_9944_B3_TB43_73911       | Page: FFA16_B1_0128 | Yes        | Yes |
| 73912     | Intermat 9944, Hinge base 3 mm, TH 44, Flash fast installation    | Int_9944_B3_TH44_73912       | Page: FFA16_B1_0128 | Yes        | Yes |
| 73913     | Intermat 9936, Hinge base 12,5 mm, TH 42, For screwing on         | Int_9936_B12,5_TH42_73913    | Page: FFA16_B1_0116 | Yes        | Yes |
| 73914     | Intermat 9936, Hinge base 12,5 mm, TH 43, For pressing in         | Int_9936_B12,5_TH43_73914    | Page: FFA16_B1_0116 | Yes        | Yes |
| 73915     | Intermat 9936, Hinge base 12,5 mm, TB 43, For pressing in         | Int_9936_B12,5_TB43_73915    | Page: FFA16_B1_0116 | Yes        | Yes |
| 73916     | Intermat 9936, Hinge base 12,5 mm, TH 44, Flash fast installation | Int_9936_B12,5_TH44_73916    | Page: FFA16_B1_0116 | Yes        | Yes |
| 73917     | Intermat 9936, Hinge base 3 mm, TH 42, For screwing on            | Int_9936_B3_TH42_73917       | Page: FFA16_B1_0116 | Yes        | Yes |
| 73918     | Intermat 9936, Hinge base 3 mm, TH 43, For pressing in            | Int_9936_B3_TH43_73918       | Page: FFA16_B1_0116 | Yes        | Yes |
| 73919     | Intermat 9936, Hinge base 3 mm, TB 43, For pressing in            | Int_9936_B3_TB43_73919       | Page: FFA16_B1_0116 | Yes        | Yes |
| 73920     | Intermat 9936, Hinge base 3 mm, TH 44, Flash fast installation    | Int_9936_B3_TH44_73920       | Page: FFA16_B1_0116 | Yes        | Yes |
| 73921     | Intermat 9936, Hinge base -3,5 mm, TH 42, For screwing on         | Int_9936_B-3,5_TH42_73921    | Page: FFA16_B1_0116 | Yes        | Yes |
| 73922     | Intermat 9936, Hinge base -3,5 mm, TH 43, For pressing in         | Int_9936_B-3,5_TH43_73922    | Page: FFA16_B1_0116 | Yes        | Yes |
| 73923     | Intermat 9936, Hinge base -3,5 mm, TB 43, For pressing in         | Int_9936_B-3,5_TB43_73923    | Page: FFA16_B1_0116 | Yes        | Yes |
| 73924     | Intermat 9936, Hinge base -3,5 mm, TH 44, Flash fast installation | Int_9936_B-3,5_TH44_73924    | Page: FFA16_B1_0116 | Yes        | Yes |
| 73925     | Intermat 9935, Hinge base 18 mm, TH 22 / L, For screwing on       | Int_9935_B18_TH22_73925      | Page: FFA16_B1_0124 | Yes        | Yes |
| 73926     | Intermat 9935, Hinge base 8 mm, TH 22 / L, For screwing on        | Int_9935_B8_TH22_73926       | Page: FFA16_B1_0124 | Yes        | Yes |
| 73927     | Intermat 9935, Hinge base -3 mm, TH 22 / L, For screwing on       | Int_9935_B-3_TH22_73927      | Page: FFA16_B1_0124 | Yes        | Yes |
| 73936     | Intermat 9944 W-30, Hinge base 12 mm, TH 42, For screwing on      | Int_9944_W-30_B12_TH42_73936 | Page: FFA16_B1_0152 | Yes        | Yes |
| 73937     | Intermat 9944 W-30, Hinge base 12 mm, TH 43, For pressing in      | Int_9944_W-30_B12_TH43_73937 | Page: FFA16_B1_0152 | Yes        | Yes |
| 73938     | Intermat 9944 W-30, Hinge base 12 mm, TB 43, For pressing in      | Int_9944_W-30_B12_TB43_73938 | Page: FFA16_B1_0152 | Yes        | Yes |
| 77643     | Intermat 9944 W-45, Hinge base 10 mm, TH 42, For screwing on      | Int_9944_W-45_B10_TH42_77643 | Page: FFA16_B1_0154 | Yes        | Yes |
| 77644     | Intermat 9936 W20, Hinge base 7 mm, TH 42, For screwing on        | Int_9936_W20_B7_TH42_77644   | Page: FFA16_B1_0134 | Yes        | Yes |
| 77648     | Intermat 9944, Hinge base 12,5 mm, TH 45, Fix fast installation   | Int_9944_B12,5_TH45_77648    | Page: FFA16_B1_0128 | Yes        | Yes |
| 77649     | Intermat 9944, Hinge base 12,5 mm, TB 45, Fix fast installation   | Int_9944_B12,5_TB45_77649    | Page: FFA16_B1_0128 | Yes        | Yes |
| 77651     | Intermat 9944, Hinge base 3 mm, TH 45, Fix fast installation      | Int_9944_B3_TH45_77651       | Page: FFA16_B1_0128 | Yes        | Yes |
| 77652     | Intermat 9944, Hinge base 3 mm, TB 45, Fix fast installation      | Int_9944_B3_TB45_77652       | Page: FFA16_B1_0128 | Yes        | Yes |

| Order no. | Description  | Name_imos                    | Page                | Work group | DWG |
|-----------|--|------------------------------|---------------------|------------|-----|
| 77660     | Intermat 9956, Hinge base 12,5 mm, THS 45, Fix fast installation   | Int_9956_B12,5_TH45_77660    | Page: FFA13_0064    | Yes        | Yes |
| 77661     | Intermat 9956, Hinge base 12,5 mm, TB 45, Fix fast installation    | Int_9956_B12,5_TB45_77661    | Page: FFA13_0064    | Yes        | Yes |
| 77666     | Intermat 9956, Hinge base 3 mm, THS 45, Fix fast installation      | Int_9956_B3_TH45_77666       | Page: FFA13_0064    | Yes        | Yes |
| 77667     | Intermat 9956, Hinge base 3 mm, TB 45, Fix fast installation       | Int_9956_B3_TB45_77667       | Page: FFA13_0064    | Yes        | Yes |
| 77672     | Intermat 9936, Hinge base 12,5 mm, TH 45, Fix fast installation    | Int_9936_B12,5_TH45_77672    | Page: FFA16_B1_0116 | Yes        | Yes |
| 77673     | Intermat 9936, Hinge base 12,5 mm, TB 45, Fix fast installation    | Int_9936_B12,5_TB45_77673    | Page: FFA16_B1_0116 | Yes        | Yes |
| 77675     | Intermat 9936, Hinge base 3 mm, TH 45, Fix fast installation       | Int_9936_B3_TH45_77675       | Page: FFA16_B1_0116 | Yes        | Yes |
| 77676     | Intermat 9936, Hinge base 3 mm, TB 45, Fix fast installation       | Int_9936_B3_TB45_77676       | Page: FFA16_B1_0116 | Yes        | Yes |
| 77678     | Intermat 9936, Hinge base -3,5 mm, TH 45, Fix fast installation    | Int_9936_B-3,5_TH45_77678    | Page: FFA16_B1_0116 | Yes        | Yes |
| 77679     | Intermat 9936, Hinge base -3,5 mm, TB 45, Fix fast installation    | Int_9936_B-3,5_TB45_77679    | Page: FFA16_B1_0116 | Yes        | Yes |
| 77680     | Intermat 9936 W20, Hinge base 7 mm, TH 43, For pressing in         | Int_9936_W20_B7_TH43_77680   | Page: FFA16_B1_0134 | Yes        | Yes |
| 77681     | Intermat 9936 W20, Hinge base 7 mm, TB 43, For pressing in         | Int_9936_W20_B7_TB43_77681   | Page: FFA16_B1_0134 | Yes        | Yes |
| 77685     | Intermat 9936 W20, Hinge base 7 mm, TH 45, Fix fast installation   | Int_9936_W20_B7_TH45_77685   | Page: FFA16_B1_0134 | Yes        | Yes |
| 77686     | Intermat 9936 W20, Hinge base 7 mm, TB 45, Fix fast installation   | Int_9936_W20_B7_TB45_77686   | Page: FFA16_B1_0134 | Yes        | Yes |
| 77690     | Intermat 9936 W30, Hinge base 7 mm, TH 42, For screwing on         | Int_9936_W30_B7_TH42_77690   | Page: FFA16_B1_0136 | Yes        | Yes |
| 77691     | Intermat 9936 W30, Hinge base 7 mm, TH 43, For pressing in         | Int_9936_W30_B7_TH43_77691   | Page: FFA16_B1_0136 | Yes        | Yes |
| 77692     | Intermat 9936 W30, Hinge base 7 mm, TB 43, For pressing in         | Int_9936_W30_B7_TB43_77692   | Page: FFA16_B1_0136 | Yes        | Yes |
| 77694     | Intermat 9936 W30, Hinge base 7 mm, TH 45, Fix fast installation   | Int_9936_W30_B7_TH45_77694   | Page: FFA16_B1_0136 | Yes        | Yes |
| 77695     | Intermat 9936 W30, Hinge base 7 mm, TB 45, Fix fast installation   | Int_9936_W30_B7_TB45_77695   | Page: FFA16_B1_0136 | Yes        | Yes |
| 77699     | Intermat 9936 W45, Hinge base 6 mm, TH 42, For screwing on         | Int_9936_W45_B6_TH42_77699   | Page: FFA16_B1_0140 | Yes        | Yes |
| 77700     | Intermat 9936 W45, Hinge base 6 mm, TH 43, For pressing in         | Int_9936_W45_B6_TH43_77700   | Page: FFA16_B1_0140 | Yes        | Yes |
| 77701     | Intermat 9936 W45, Hinge base 6 mm, TB 43, For pressing in         | Int_9936_W45_B6_TB43_77701   | Page: FFA16_B1_0140 | Yes        | Yes |
| 77703     | Intermat 9936 W45, Hinge base 6 mm, TH 45, Fix fast installation   | Int_9936_W45_B6_TH45_77703   | Page: FFA16_B1_0140 | Yes        | Yes |
| 77704     | Intermat 9936 W45, Hinge base 6 mm, TB 45, Fix fast installation   | Int_9936_W45_B6_TB45_77704   | Page: FFA16_B1_0140 | Yes        | Yes |
| 77708     | Intermat 9936 W90, Hinge base 5 mm, TH 42, For screwing on         | Int_9936_W90_B5_TH42_77708   | Page: FFA16_B1_0148 | Yes        | Yes |
| 77709     | Intermat 9936 W90, Hinge base 5 mm, TH 43, For pressing in         | Int_9936_W90_B5_TH43_77709   | Page: FFA16_B1_0148 | Yes        | Yes |
| 77710     | Intermat 9936 W90, Hinge base 5 mm, TB 43, For pressing in         | Int_9936_W90_B5_TB43_77710   | Page: FFA16_B1_0148 | Yes        | Yes |
| 77712     | Intermat 9936 W90, Hinge base 5 mm, TH 45, Fix fast installation   | Int_9936_W90_B5_TH45_77712   | Page: FFA16_B1_0148 | Yes        | Yes |
| 77713     | Intermat 9936 W90, Hinge base 5 mm, TB 45, Fix fast installation   | Int_9936_W90_B5_TB45_77713   | Page: FFA16_B1_0148 | Yes        | Yes |
| 77718     | Intermat 9944 W-30, Hinge base 12 mm, TH 45, Fix fast installation | Int_9944_W-30_B12_TH45_77718 | Page: FFA16_B1_0152 | Yes        | Yes |
| 77719     | Intermat 9944 W-30, Hinge base 12 mm, TB 45, Fix fast installation | Int_9944_W-30_B12_TB45_77719 | Page: FFA16_B1_0152 | Yes        | Yes |
| 77720     | Intermat 9944 W-45, Hinge base 10 mm, TH 43, For pressing in       | Int_9944_W-45_B10_TH43_77720 | Page: FFA16_B1_0154 | Yes        | Yes |

| Order no. | Description  | Name_imos                      | Page                | Work group | DWG |
|-----------|--|--------------------------------|---------------------|------------|-----|
| 77721     | Intermat 9944 W-45, Hinge base 10 mm, TB 43, For pressing in       | Int_9944_W-45_B10_TB43_77721   | Page: FFA16_B1_0154 | Yes        | Yes |
| 77723     | Intermat 9944 W-45, Hinge base 10 mm, TH 45, Fix fast installation | Int_9944_W-45_B10_TH45_77723   | Page: FFA16_B1_0154 | Yes        | Yes |
| 77724     | Intermat 9944 W-45, Hinge base 10 mm, TB 45, Fix fast installation | Int_9944_W-45_B10_TB45_77724   | Page: FFA16_B1_0154 | Yes        | Yes |
| 77728     | Intermat 9936 Alu, Hinge base 4 mm, TA 22, For screwing on         | Int_9936_B4_TA22_77728         | Page: FFA16_B1_0160 | Yes        | Yes |
| 77729     | Intermat 9936 Alu, Hinge base -2,5 mm, TA 22, For screwing on      | Int_9936_B-2,5_TA22_77729      | Page: FFA16_B1_0160 | Yes        | Yes |
| 77734     | Cup TH 32  | Cup_T22_77734                  | Page: FFA16_B1_0244 | Yes        | Yes |
| 77735     | Cup TH 33  | Cup_T23_77735                  | Page: FFA16_B1_0244 | Yes        | Yes |
| 77736     | Cup TX 32 / 52x9   | Cup_T22_9_77736                | Page: FFA16_B1_0244 | Yes        | Yes |
| 77887     | Cup TX 33 / 52x9   | Cup_T23_9_77887                | Page: FFA16_B1_0244 | Yes        | Yes |
| 77942     | Cup TB 33  | Cup_TB23_77942                 | Page: FFA16_B1_0244 | Yes        | Yes |
| 77943     | Glass door ornamental cap TH 32                                    | Glass_door_ornamen_cap_77943   | Page: FFA16_B1_0254 | Yes        |     |
| 77946     | Cross mounting plate for screwing on, D = 11,0 mm                  | CMP_to_screw_on_D11_77946      | Page: FFA16_B1_0166 | Yes        | Yes |
| 78926     | Hettich Direkt with pilot pin and special screws, D = 3,0 mm       | CMP_Direkt_D3_78926            | Page: FFA16_B1_0166 | Yes        | Yes |
| 79276     | Hettich Direkt with pilot pin and special screws, D = 0,0 mm       | CMP_Direkt_D0_79276            | Page: FFA16_B1_0166 | Yes        | Yes |
| 79277     | Hettich Direkt with pilot pin and special screws, D = 1,5 mm       | CMP_Direkt_D1,5_79277          | Page: FFA16_B1_0166 | Yes        | Yes |
| 79278     | Hettich Direkt with pilot pin and special screws, D = 5,0 mm       | CMP_Direkt_D5_79278            | Page: FFA16_B1_0166 | Yes        | Yes |
| 79279     | Hettich Direkt with pilot pin and special screws, D = 8,0 mm       | CMP_Direkt_D8_79279            | Page: FFA16_B1_0166 | Yes        | Yes |
| 79310     | Intermat 9924 W30, Hinge base 6 mm, TH 42, for screwing on         | Int_9924_W45_B6_TH42_79310     | Page: FFA13_0090    | Yes        | Yes |
| 79316     | Intermat 9904, Hinge base 6 mm                                     | Int_9904_W45_B6_T1_79316       | Page: FFA13_0094    | Yes        | Yes |
| 79373     | Centre hinge for clipping on for folding doors                     | Clip_on_centre_hinge_79373     | Page: FFA16_B1_0268 | Yes        | Yes |
| 79374     | Cross mounting plate with premounted Euro screws, D = 0,0 mm       | CMP_Euro_screw_D0_79374        | Page: FFA16_B1_0166 | Yes        | Yes |
| 79375     | Cross mounting plate with premounted Euro screws, D = 1,5 mm       | CMP_Euro_screw_D1,5_79375      | Page: FFA16_B1_0166 | Yes        | Yes |
| 79376     | Cross mounting plate with premounted Euro screws, D = 3,0 mm       | CMP_Euro_screw_D3_79376        | Page: FFA16_B1_0166 | Yes        | Yes |
| 79377     | Cross mounting plate with premounted Euro screws, D = 5,0 mm       | CMP_Euro_screw_D5_79377        | Page: FFA16_B1_0166 | Yes        | Yes |
| 79378     | Cross mounting plate with premounted Euro screws, D = 8,0 mm       | CMP_Euro_screw_D8_79378        | Page: FFA16_B1_0166 | Yes        | Yes |
| 79379     | Cross mounting plate with premounted Euro screws, D = 11,0 mm      | CMP_Euro_screw_D11_79379       | Page: FFA16_B1_0166 | Yes        | Yes |
| 1022834   | Folding door hinge 625   | Folding_door_hinge_625_1022834 | Page: EERU09_312    | Yes        | Yes |
| 1029518   | Intermat 9943, Hinge base 12,5 mm, TH 42, For screwing on          | Int_9943_B12,5_TH42_1029518    | Page: KSPA14_0076   | Yes        | Yes |
| 1029520   | Intermat 9943, Hinge base 12,5 mm, TH 43, For pressing in          | Int_9943_B12,5_TH43_1029520    | Page: KSPA14_0076   | Yes        | Yes |
| 1029522   | Intermat 9943, Hinge base 12,5 mm, TB 43, For pressing in          | Int_9943_B12,5_TB43_1029522    | Page: KSPA14_0076   | Yes        | Yes |
| 1030620   | Intermat 9943, Hinge base 3 mm, TH 42, For screwing on             | Int_9943_B3_TH42_1030620       | Page: KSPA14_0076   | Yes        | Yes |
| 1030622   | Intermat 9943, Hinge base 3 mm, TH 43, For pressing in             | Int_9943_B3_TH43_1030622       | Page: KSPA14_0076   | Yes        | Yes |

| Order no. | Description   | Name_imos                     | Page                   | Work group | DWG |
|-----------|---|-------------------------------|------------------------|------------|-----|
| 1030921   | Intermat 9943, Hinge base 3 mm, TB 43, For pressing in          | Int_9943_B3_TB43_1030921      | Page: KSPA14_0076      | Yes        | Yes |
| 1030924   | Intermat 9943, Hinge base -3,5 mm, TH 43, For pressing in       | Int_9943_B-3,5_TH43_1030924   | Page: KSPA14_0076      | Yes        | Yes |
| 1031071   | Intermat 9943, Hinge base , TH 44, Flash fast installation      | Int_9943_B12,5_TH44_1031071   | Page: KSPA14_0076      | Yes        | Yes |
| 1031072   | Intermat 9943, Hinge base , TH 44, Flash fast installation      | Int_9943_B3_TH44_1031072      | Page: KSPA14_0076      | Yes        | Yes |
| 1039054   | Intermat 9943, Hinge base , TH 44, Flash fast installation      | Int_9943_B-3,5_TH44_1039054   | Page: KSPA14_0076      | Yes        | Yes |
| 1058372   | Intermat 9936, Hinge base 3 mm, TH 43, For pressing in          | S_9936_TH43_3_1058372         |                        | Yes        | Yes |
| 1058545   | Intermat 9944, Hinge base 12,5 mm, TH 42, For screwing on       | Int_9944_B12,5_TH42_1058545   | Page:<br>MX11_03_1_040 | Yes        | Yes |
| 1061855   | Intermat 9936 W45, Hinge base 6 mm, TH 43, Press in type        | Int_9936_W45_B6_TH43_1061855  | Page:<br>MX11_03_1_054 | Yes        | Yes |
| 1063453   | Intermat 9943, Hinge base 12,5 mm, TB 45, Fix fast installation | Int_9943_B12,5_TB45_1063453   | Page: KSPA14_0076      | Yes        | Yes |
| 1063454   | Intermat 9943, Hinge base 12,5 mm, TH 45, Fix fast installation | Int_9943_B12,5_TH45_1063454   | Page: KSPA14_0076      | Yes        | Yes |
| 1063456   | Intermat 9943, Hinge base 3 mm, TB 45, Fix fast installation    | Int_9943_B3_TB45_1063456      | Page: KSPA14_0076      | Yes        | Yes |
| 1063457   | Intermat 9943, Hinge base 3 mm, TH 45, Fix fast installation    | Int_9943_B3_TH45_1063457      | Page: KSPA14_0076      | Yes        | Yes |
| 1063458   | Intermat 9943, Hinge base -3,5 mm, TB 45, Fix fast installation | Int_9943_B-3,5_TB45_1063458   | Page: KSPA14_0076      | Yes        | Yes |
| 1065673   | Intermat 9935, Hinge base 8 mm, TH 22 / L, for screwing on      | Int_9935_B8_TH22_1065673      | Page:<br>MX11_03_1_048 | Yes        | Yes |
| 1071605   | Cross mounting plate for screwing on, D = 0,0 mm                | CMP_to_screw_on_D0_1071605    | Page: FFA13_0106       | Yes        | Yes |
| 1071606   | Cross mounting plate for screwing on, D = 1,5 mm                | CMP_to_screw_on_D1,5_1071606  | Page: FFA13_0106       | Yes        | Yes |
| 1071607   | Cross mounting plate for screwing on, D = 3,0 mm                | CMP_to_screw_on_D3_1071607    | Page: FFA13_0106       | Yes        | Yes |
| 1071625   | Cross mounting plate with premounted Euro screws, D = 0,0 mm    | CMP_Euro_screw_D0_1071625     | Page: FFA13_0106       | Yes        | Yes |
| 1071626   | Cross mounting plate with premounted Euro screws, D = 1,5 mm    | CMP_Euro_screw_D1,5_1071626   | Page: FFA13_0106       | Yes        | Yes |
| 1071627   | Cross mounting plate with premounted Euro screws, D = 3,0 mm    | CMP_Euro_screw_D3_1071627     | Page: FFA13_0106       | Yes        | Yes |
| 1073298   | Intermat 9956, Hinge base 12,5 mm, TH 42, for screwing on       | Int_9956_B12,5_TH42_1073298   | Page:<br>AU10_03_1_058 | Yes        | Yes |
| 1078660   | SlideOn 2333, Hinge base 14,5 mm, TH 42, For screwing on        | SlideOn_2333_T42_14,5_1078660 | Page: FFA16_B1_0226    | Yes        | Yes |
| 1078661   | SlideOn 2333, Hinge base 5 mm, TH 42, For screwing on           | SlideOn_2333_T42_5_1078661    | Page: FFA16_B1_0226    | Yes        | Yes |
| 1078662   | SlideOn 2333, Hinge base -1,5 mm, TH 42, For screwing on        | SlideOn_2333_T42_-1,5_1078662 | Page: FFA16_B1_0226    | Yes        | Yes |
| 1078663   | SlideOn 2333, Hinge base 14,5 mm, TH 43, For pressing in        | SlideOn_2333_T43_14,5_1078663 | Page: FFA16_B1_0226    | Yes        | Yes |
| 1078664   | SlideOn 2333, Hinge base 5 mm, TH 43, For pressing in           | SlideOn_2333_T43_5_1078664    | Page: FFA16_B1_0226    | Yes        | Yes |
| 1078665   | SlideOn 2333, Hinge base -1,5 mm, TH 43, For pressing in        | SlideOn_2333_T43_-1,5_1078665 | Page: FFA16_B1_0226    | Yes        | Yes |
| 1079197   | Cross mounting plate for screwing on, D = 0,0 mm                | CMP_to_screw_on_D0_1079197    | Page: FFA16_B1_0228    | Yes        | Yes |
| 1079198   | Cross mounting plate for screwing on, D = 1,5 mm                | CMP_to_screw_on_D1,5_1079198  | Page: FFA16_B1_0228    | Yes        | Yes |
| 1079199   | Cross mounting plate for screwing on, D = 3,0 mm                | CMP_to_screw_on_D3_1079199    | Page: FFA16_B1_0228    | Yes        | Yes |

| Order no. | Description   | Name_imos                     | Page                | Work group | DWG |
|-----------|---|-------------------------------|---------------------|------------|-----|
| 1079200   | Cross mounting plate for screwing on, D = 5,0 mm                            | CMP_to_screw_on_D5_1079200    | Page: FFA16_B1_0228 | Yes        | Yes |
| 1079210   | Patented Hettich Direkt cross mounting plate, D = 1,5 mm                    | CMP_Direkt_D1,5_1079210       | Page: FFA16_B1_0228 | Yes        | Yes |
| 1079211   | Patented Hettich Direkt cross mounting plate, D = 3,0 mm                    | CMP_Direkt_D3_1079211         | Page: FFA16_B1_0228 | Yes        | Yes |
| 1079212   | Patented Hettich Direkt cross mounting plate, D = 5,0 mm                    | CMP_Direkt_D5_1079212         | Page: FFA16_B1_0228 | Yes        | Yes |
| 1079221   | Cross mounting plate with premounted Euro screws, D = 0,0 mm                | CMP_Euro_screw_D0_1079221     | Page: FFA16_B1_0228 | Yes        | Yes |
| 1079222   | Cross mounting plate with premounted Euro screws, D = 1,5 mm                | CMP_Euro_screw_D1,5_1079222   | Page: FFA16_B1_0228 | Yes        | Yes |
| 1079223   | Cross mounting plate with premounted Euro screws, D = 3,0 mm                | CMP_Euro_screw_D3_1079223     | Page: FFA16_B1_0228 | Yes        | Yes |
| 1079224   | Cross mounting plate with premounted Euro screws, D = 5,0 mm                | CMP_Euro_screw_D5_1079224     | Page: FFA16_B1_0228 | Yes        | Yes |
| 9043358   | Intermat 9943, Hinge base 12.5 mm, TH 48, With premounted expanding sockets | Int_9943_B12,5_TH_48_9043358  |                     | Yes        | Yes |
| 9043359   | Intermat 9943, Hinge base 3 mm, TH 48, With premounted expanding sockets    | Int_9943_B3_TH_48_9043359     |                     | Yes        | Yes |
| 9043360   | Intermat 9943, Hinge base -3.5 mm, TH 48, With premounted expanding sockets | Int_9943_B-3,5_TH_48_9043360  |                     | Yes        | Yes |
| 9043361   | Intermat 9973, Hinge base 12,5 mm, TH 42, For screwing on                   | Int_9973_B12,5_TH42_9043361   | Page: FFA16_B1_0114 | Yes        | Yes |
| 9043368   | Intermat 9973, Hinge base 3 mm, TB 45, Fix fast installation                | Int_9973_B3_TB45_9043368      | Page: FFA16_B1_0114 | Yes        | Yes |
| 9043369   | Intermat 9973, Hinge base -3,5 mm, TB 45, Fix fast installation             | Int_9973_B-3,5_TB45_9043369   | Page: FFA16_B1_0114 | Yes        | Yes |
| 9043570   | Intermat 9936, Hinge base 12.5 mm, TB 42, For screwing on                   | int_9936_B_12,5_TB_42_9043570 |                     | Yes        | Yes |
| 9043576   | Intermat 9936, Hinge base 12.5 mm, TB 48, With premounted expanding sockets | int_9936_B_12,5_TB_48_9043576 |                     | Yes        | Yes |
| 9043586   | Intermat 9936, Hinge base 12.5 mm, TH 48, With premounted expanding sockets | int_9936_B_12,5_TH_48_9043586 |                     | Yes        | Yes |
| 9044826   | Intermat 9966 W30, Hinge base 7 mm, TH 42, For screwing on                  | Int_9966_W30_B7_TH42_9044826  | Page: FFA16_B1_0138 | Yes        | Yes |
| 9044827   | Intermat 9966 W30, Hinge base 7 mm, TH 45, Fix fast installation            | Int_9966_W30_B7_TH45_9044827  | Page: FFA16_B1_0138 | Yes        | Yes |
| 9044828   | Intermat 9966 W30, Hinge base 7 mm, TB 45, Fix fast installation            | Int_9966_W30_B7_TB45_9044828  | Page: FFA16_B1_0138 | Yes        | Yes |
| 9044832   | Intermat 9966 W45, Hinge base 0 mm, TH 42, For screwing on                  | Int_9966_W45_B0_TH42_9044832  | Page: FFA16_B1_0144 | Yes        | Yes |
| 9044833   | Intermat 9966 W45, Hinge base 0 mm, TH 45, Fix fast installation            | Int_9966_W45_B0_TH45_9044833  | Page: FFA16_B1_0144 | Yes        | Yes |
| 9044834   | Intermat 9966 W45, Hinge base 0 mm, TB 45, Fix fast installation            | Int_9966_W45_B0_TB45_9044834  | Page: FFA16_B1_0144 | Yes        | Yes |
| 9044835   | Intermat 9966 W45, Hinge base 6 mm, TH 42, For screwing on                  | Int_9966_W45_B6_TH42_9044835  | Page: FFA16_B1_0144 | Yes        | Yes |
| 9044836   | Intermat 9966 W45, Hinge base 6 mm, TH 45, Fix fast installation            | Int_9966_W45_B6_TH45_9044836  | Page: FFA16_B1_0144 | Yes        | Yes |
| 9044837   | Intermat 9966 W45, Hinge base 6 mm, TB 45, Fix fast installation            | Int_9966_W45_B6_TB45_9044837  | Page: FFA16_B1_0144 | Yes        | Yes |
| 9044841   | Intermat 9966 W90, Hinge base 5 mm, TH 42, For screwing on                  | Int_9966_W90_B5_TH42_9044841  | Page: FFA16_B1_0150 | Yes        | Yes |
| 9044842   | Intermat 9966 W90, Hinge base 5 mm, TH 45, Fix fast installation            | Int_9966_W90_B5_TH45_9044842  | Page: FFA16_B1_0150 | Yes        | Yes |

| Order no. | Description  | Name_imos                      | Page                 | Work group | DWG |
|-----------|--|--------------------------------|----------------------|------------|-----|
| 9044843   | Intermat 9966 W90, Hinge base 5 mm, TB 45, Fix fast installation                                     | Int_9966_W90_B5_TB45_9044843   | Page: FFA16_B1_0150  | Yes        | Yes |
| 9044858   | Intermat 9966 for doors in thicknesses up to 32 mm, Hinge base 12,5 mm, TH 42, For screwing on       | Int_9966_B12,5_TH42_9044858    | Page: FFA16_B1_0120  | Yes        | Yes |
| 9044859   | Intermat 9966 for doors in thicknesses up to 32 mm, Hinge base 12,5 mm, TH 45, Fix fast installation | Int_9966_B12,5_TH45_9044859    | Page: FFA16_B1_0120  | Yes        | Yes |
| 9044868   | Intermat 9966 for doors in thicknesses up to 32 mm, Hinge base 3 mm, TH 42, For screwing on          | Int_9966_B3_TH42_9044868       | Page: FFA16_B1_0120  | Yes        | Yes |
| 9044869   | Intermat 9966 for doors in thicknesses up to 32 mm, Hinge base 3 mm, TH 45, Fix fast installation    | Int_9966_B3_TH45_9044869       | Page: FFA16_B1_0120  | Yes        | Yes |
| 9044878   | Intermat 9966 for doors in thicknesses up to 32 mm, Hinge base -3,5 mm, TH 42, For screwing on       | Int_9966_B-3,5_TH42_9044878    | Page: FFA16_B1_0120  | Yes        | Yes |
| 9044879   | Intermat 9966 for doors in thicknesses up to 32 mm, Hinge base -3,5 mm, TH 45, Fix fast installation | Int_9966_B-3,5_TH45_9044879    | Page: FFA16_B1_0120  | Yes        | Yes |
| 9044889   | Intermat 9966 for doors in thicknesses up to 32 mm, Hinge base 12,5 mm, TB 45, Fix fast installation | Int_9966_B12,5_TB45_9044889    | Page: FFA16_B1_0120  | Yes        | Yes |
| 9044899   | Intermat 9966 for doors in thicknesses up to 32 mm, Hinge base 3 mm, TB 45, Fix fast installation    | Int_9966_B3_TB45_9044899       | Page: FFA16_B1_0120  | Yes        | Yes |
| 9044909   | Intermat 9966 for doors in thicknesses up to 32 mm, Hinge base -3,5 mm, TB 45, Fix fast installation | Int_9966_B-3,5_TB45_9044909    | Page: FFA16_B1_0120  | Yes        | Yes |
| 9046430   | Screw on adapter for Push to open Magnet   | Screwon_ada_PTO_Magnet_9046430 | Page: FFA08_03_1_123 | Yes        | Yes |
| 9046531   | Push to open Pin, grey   | Pto_Pin_9046531                | Page: MX11_03_1_105  | Yes        | Yes |
| 9051925   | Push to open Universal maxi  | Pto_Universal_maxi_9051925     | Page: MX11_03_1_107  | Yes        | Yes |
| 9071205   | Sensys 8645i, Hinge base 12,5 mm, TH 52, For screwing on   | S_8645i_B12,5_TH52_9071205     | Page: FFA16_B1_0033  | Yes        | Yes |
| 9071206   | Sensys 8645i, Hinge base 3 mm, TH 52, For screwing on  | S_8645i_B3_TH52_9071206        | Page: FFA16_B1_0033  | Yes        | Yes |
| 9071207   | Sensys 8645i, Hinge base -4 mm, TH 52, For screwing on   | S_8645i_B-4_TH52_9071207       | Page: FFA16_B1_0033  | Yes        | Yes |
| 9071208   | Sensys 8645i, Hinge base 12,5 mm, TH 53, For pressing in   | S_8645i_B12,5_TH53_9071208     | Page: FFA16_B1_0033  | Yes        | Yes |
| 9071209   | Sensys 8645i, Hinge base 3 mm, TH 53, For pressing in  | S_8645i_B3_TH53_9071209        | Page: FFA16_B1_0033  | Yes        | Yes |
| 9071210   | Sensys 8645i, Hinge base -4 mm, TH 53, For pressing in   | S_8645i_B-4_TH53_9071210       | Page: FFA16_B1_0033  | Yes        | Yes |
| 9071211   | Sensys 8645i, Hinge base 12,5 mm, TH 54, Flash fast installation                                     | S_8645i_B12,5_TH54_9071211     | Page: FFA13_0032     | Yes        | Yes |
| 9071212   | Sensys 8645i, Hinge base 3 mm, TH 54, Flash fast installation  | S_8645i_B3_TH54_9071212        | Page: FFA13_0032     | Yes        | Yes |

| Order no. | Description  | Name_imos                   | Page                | Work group | DWG |
|-----------|--|-----------------------------|---------------------|------------|-----|
| 9071213   | Sensys 8645i, Hinge base -4 mm, TH 54, Flash fast installation   | S_8645i_B-4_TH54_9071213    | Page: FFA13_0032    | Yes        | Yes |
| 9071220   | Sensys 8645i, Hinge base 12,5 mm, THS 55, Fix fast installation  | S_8645i_B12,5_TH55_9071220  | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071221   | Sensys 8645i, Hinge base 3 mm, THS 55, Fix fast installation     | S_8645i_B3_TH55_9071221     | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071222   | Sensys 8645i, Hinge base -4 mm, THS 55, Fix fast installation    | S_8645i_B-4_TH55_9071222    | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071223   | Sensys 8645i, Hinge base 12,5 mm, TB 52, For screwing on         | S_8645i_B12,5_TB52_9071223  | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071224   | Sensys 8645i, Hinge base 3 mm, TB 52, For screwing on            | S_8645i_B3_TB52_9071224     | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071225   | Sensys 8645i, Hinge base -4 mm, TB 52, For screwing on           | S_8645i_B-4_TB52_9071225    | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071226   | Sensys 8645i, Hinge base 12,5 mm, TB 53, For pressing in         | S_8645i_B12,5_TB53_9071226  | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071227   | Sensys 8645i, Hinge base 3 mm, TB 53, For pressing in            | S_8645i_B3_TB53_9071227     | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071228   | Sensys 8645i, Hinge base -4 mm, TB 53, For pressing in           | S_8645i_B-4_TB53_9071228    | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071229   | Sensys 8645i, Hinge base 12.5 mm, TB 54, Flash fast installation | S_8645i_B12,5_TB_54_9071229 |                     | Yes        | Yes |
| 9071230   | Sensys 8645i, Hinge base 3 mm, TB 54, Flash fast installation    | S_8645i_TB54_B3_9071230     |                     | Yes        | Yes |
| 9071231   | Sensys 8645i, Hinge base -4 mm, TB 54, Flash fast installation   | S_8645i_B-4_TB_54_9071231   |                     | Yes        | Yes |
| 9071238   | Sensys 8645i, Hinge base 12,5 mm, TB 55, Fix fast installation   | S_8645i_B12,5_TB55_9071238  | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071239   | Sensys 8645i, Hinge base 3 mm, TB 55, Fix fast installation      | S_8645i_B3_TB55_9071239     | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071240   | Sensys 8645i, Hinge base -4 mm, TB 55, Fix fast installation     | S_8645i_B-4_TB55_9071240    | Page: FFA16_B1_0033 | Yes        | Yes |
| 9071259   | Sensys 8645, Hinge base 12,5 mm, TH 52, For screwing on          | S_8645_TH52_12,5_9071259    | Page: KSPA14_0034   | Yes        | Yes |
| 9071260   | Sensys 8645, Hinge base 3 mm, TH 52, For screwing on             | S_8645_TH52_3_9071260       | Page: KSPA14_0034   | Yes        | Yes |
| 9071261   | Sensys 8645, Hinge base -4 mm, TH 52, For screwing on            | S_8645_TH52_-4_9071261      | Page: KSPA14_0034   | Yes        | Yes |
| 9071262   | Sensys 8645, Hinge base 12.5 mm, TH 53, For pressing in          | S_8645_B12,5_TH53_9071262   |                     | Yes        | Yes |
| 9071263   | Sensys 8645, Hinge base 3 mm, TH 53, For pressing in             | S_8645_B3_TH53_9071263      |                     | Yes        | Yes |
| 9071264   | Sensys 8645, Hinge base -4 mm, TH 53, For pressing in            | S_8645_B-4_TH53_9071264     |                     | Yes        | Yes |
| 9071274   | Sensys 8645, Hinge base 12,5 mm, THS 55, Fix fast installation   | S_8645_TH55_12,5_9071274    | Page: KSPA14_0034   | Yes        | Yes |
| 9071275   | Sensys 8645, Hinge base 3 mm, THS 55, Fix fast installation      | S_8645_TH55_3_9071275       | Page: KSPA14_0034   | Yes        | Yes |
| 9071276   | Sensys 8645, Hinge base -4 mm, THS 55, Fix fast installation     | S_8645_TH55_-4_9071276      | Page: KSPA14_0034   | Yes        | Yes |
| 9071277   | Sensys 8645, Hinge base 12.5 mm, TB 52, For screwing on          | S_8645_B12,5_TB52_9071277   |                     | Yes        | Yes |
| 9071278   | Sensys 8645, Hinge base 3 mm, TB 52, For screwing on             | S_8645_B3_TB52_9071278      |                     | Yes        | Yes |
| 9071279   | Sensys 8645, Hinge base -4 mm, TB 52, For screwing on            | S_8645_B-4_TB52_9071279     |                     | Yes        | Yes |
| 9071280   | Sensys 8645, Hinge base 12.5 mm, TB 53, For pressing in          | S_8645_B12,5_TB53_9071280   |                     | Yes        | Yes |
| 9071281   | Sensys 8645, Hinge base 3 mm, TB 53, For pressing in             | S_8645_B3_TB53_9071281      |                     | Yes        | Yes |
| 9071282   | Sensys 8645, Hinge base -4 mm, TB 53, For pressing in            | S_8645_B-4_TB53_9071282     |                     | Yes        | Yes |
| 9071292   | Sensys 8645, Hinge base 12,5 mm, TB 55, Fix fast installation    | S_8645_TB55_12,5_9071292    | Page: KSPA14_0034   | Yes        | Yes |

| Order no. | Description  | Name_imos                    | Page                | Work group | DWG |
|-----------|--|------------------------------|---------------------|------------|-----|
| 9071293   | Sensys 8645, Hinge base 3 mm, TB 55, Fix fast installation                 | S_8645_TB55_3_9071293        | Page: KSPA14_0034   | Yes        | Yes |
| 9071294   | Sensys 8645, Hinge base -4 mm, TB 55, Fix fast installation                | S_8645_TB55_-4_9071294       | Page: KSPA14_0034   | Yes        | Yes |
| 9071313   | Sensys 8675, Hinge base 12,5 mm, TH 52, For screwing on                    | S_8675_TH52_12,5_9071313     |                     | Yes        | Yes |
| 9071314   | Sensys 8675, Hinge base 3 mm, TH 52, For screwing on                       | S_8675_TH52_3_9071314        |                     | Yes        | Yes |
| 9071315   | Sensys 8675, Hinge base -4 mm, TH 52, For screwing on                      | S_8675_TH52_-4_9071315       |                     | Yes        | Yes |
| 9071316   | Sensys 8675, Hinge base 12.5 mm, TH 53, For pressing in                    | S_8675_B12,5_TH53_9071316    |                     | Yes        | Yes |
| 9071317   | Sensys 8675, Hinge base 3 mm, TH 53, For pressing in                       | S_8675_B3_TH53_9071317       |                     | Yes        | Yes |
| 9071318   | Sensys 8675, Hinge base -4 mm, TH 53, For pressing in                      | S_8675_B-4_TH53_9071318      |                     | Yes        | Yes |
| 9071328   | Sensys 8675, Hinge base 12,5 mm, THS 55, Fix fast installation             | S_8675_THS55_12,5_9071328    |                     | Yes        | Yes |
| 9071329   | Sensys 8675, Hinge base 3 mm, THS 55, Fix fast installation                | S_8675_THS55_3_9071329       |                     | Yes        | Yes |
| 9071330   | Sensys 8675, Hinge base -4 mm, THS 55, Fix fast installation               | S_8675_THS55_-4_9071330      |                     | Yes        | Yes |
| 9071331   | Sensys 8675, Hinge base 12.5 mm, TB 52, For screwing on                    | S_8675_B12,5_TB52_9071331    |                     | Yes        | Yes |
| 9071332   | Sensys 8675, Hinge base 3 mm, TB 52, For screwing on                       | S_8675_B3_TB52_9071332       |                     | Yes        | Yes |
| 9071333   | Sensys 8675, Hinge base -4 mm, TB 52, For screwing on                      | S_8675_B-4_TB52_9071333      |                     | Yes        | Yes |
| 9071334   | Sensys 8675, Hinge base 12.5 mm, TB 53, For pressing in                    | S_8675_B12,5_TB53_9071334    |                     | Yes        | Yes |
| 9071335   | Sensys 8675, Hinge base 3 mm, TB 53, For pressing in                       | S_8675_B3_TB53_9071335       |                     | Yes        | Yes |
| 9071336   | Sensys 8675, Hinge base -4 mm, TB 53, For pressing in                      | S_8675_B-4_TB53_9071336      |                     | Yes        | Yes |
| 9071346   | Sensys 8675, Hinge base 12,5 mm, TB 55, Fix fast installation              | S_8675_TB55_12,5_9071346     |                     | Yes        | Yes |
| 9071347   | Sensys 8675, Hinge base 3 mm, TB 55, Fix fast installation                 | S_8675_TB55_3_9071347        |                     | Yes        | Yes |
| 9071348   | Sensys 8675, Hinge base -4 mm, TB 55, Fix fast installation                | S_8675_TB55_-4_9071348       |                     | Yes        | Yes |
| 9071422   | Sensys 8638 for aluminium framed doors, base 3 mm, TA 32                   | S_8638i_TA32_3_9071422       | Page: FFA13_0042    | Yes        | Yes |
| 9071575   | Cross mounting plate for screwing on, D = 0,0 mm                           | CMP_to_screw_on_D0_9071575   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071576   | Cross mounting plate for screwing on, D = 1,5 mm                           | CMP_to_screw_on_D1,5_9071576 | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071577   | Cross mounting plate for screwing on, D = 3,0 mm                           | CMP_to_screw_on_D3_9071577   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071578   | Cross mounting plate for screwing on, D = 5,0 mm                           | CMP_to_screw_on_D5_9071578   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071585   | Hettich Direkt with pilot pin and special screws, D = 0,0 mm               | CMP_Direkt_D0_9071585        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071586   | Hettich Direkt with pilot pin and special screws, D = 1,5 mm               | CMP_Direkt_D1,5_9071586      | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071588   | Hettich Direkt with pilot pin and special screws, D = 5,0 mm               | CMP_Direkt_D5_9071588        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071595   | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm | CMP_socket_D0_9071595        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071596   | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm | CMP_socket_D1,5_9071596      | Page: FFA16_B1_0075 | Yes        | Yes |



| Order no. | Description  | Name_imos                    | Page                | Work group | DWG |
|-----------|--|------------------------------|---------------------|------------|-----|
| 9071597   | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm | CMP_socket_D3_9071597        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071598   | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm | CMP_socket_D5_9071598        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071605   | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm | CMP_socket_D0_9071605        | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071606   | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm | CMP_socket_D1,5_9071606      | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071607   | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm | CMP_socket_D3_9071607        | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071608   | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm | CMP_socket_D5_9071608        | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071615   | Cross mounting plate for pressing in, D = 0,0 mm                           | CMP_to_press_in_D0_9071615   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071616   | Cross mounting plate for pressing in, D = 1,5 mm                           | CMP_to_press_in_D1,5_9071616 | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071617   | Cross mounting plate for pressing in, D = 3,0 mm                           | CMP_to_press_in_D3_9071617   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071618   | Cross mounting plate for pressing in, D = 5,0 mm                           | CMP_to_press_in_D5_9071618   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9071625   | Cross mounting plate with premounted Euro screws, D = 0,0 mm               | CMP_Euro_screw_D0_9071625    | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071626   | Cross mounting plate with premounted Euro screws, D = 1,5 mm               | CMP_Euro_screw_D1,5_9071626  | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071627   | Cross mounting plate with premounted Euro screws, D = 3,0 mm               | CMP_Euro_screw_D3_9071627    | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071628   | Cross mounting plate with premounted Euro screws, D = 5,0 mm               | CMP_Euro_screw_D5_9071628    | Page: FFA16_B1_0075 | Yes        | Yes |
| 9071645   | Cross mounting plate with premounted Euro screws, D = 0,0 mm               | CMP_Euro_screw_D0_9071645    | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071646   | Cross mounting plate with premounted Euro screws, D = 1,5 mm               | CMP_Euro_screw_D1,5_9071646  | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071647   | Cross mounting plate with premounted Euro screws, D = 3,0 mm               | CMP_Euro_screw_D3_9071647    | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071648   | Cross mounting plate with premounted Euro screws, D = 5,0 mm               | CMP_Euro_screw_D5_9071648    | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071650   | Hettich Direkt with pilot pin and special screws, D = 0,0 mm               | CMP_Direkt_D0_9071650        | Page: FFA16_B1_0079 | Yes        | Yes |
| 9071651   | Hettich Direkt with pilot pin and special screws, D = 1,5 mm               | CMP_Direkt_D1,5_9071651      | Page: FFA16_B1_0079 | Yes        | Yes |
| 9071652   | Hettich Direkt with pilot pin and special screws, D = 3,0 mm               | CMP_Direkt_D3_9071652        | Page: FFA16_B1_0079 | Yes        | Yes |
| 9071653   | Hettich Direkt with pilot pin and special screws, D = 5,0 mm               | CMP_Direkt_D5_9071653        | Page: FFA16_B1_0079 | Yes        | Yes |
| 9071655   | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm | CMP_socket_D0_9071655        | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071656   | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm | CMP_socket_D1,5_9071656      | Page: FFA16_B1_0077 | Yes        | Yes |

| Order no. | Description   | Name_imos                      | Page                | Work group | DWG |
|-----------|---|--------------------------------|---------------------|------------|-----|
| 9071657   | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm          | CMP_socket_D3_9071657          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071658   | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm          | CMP_socket_D5_9071658          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071660   | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm          | CMP_socket_D0_9071660          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071661   | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm          | CMP_socket_D1,5_9071661        | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071662   | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm          | CMP_socket_D3_9071662          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071663   | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm          | CMP_socket_D5_9071663          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071665   | Cross mounting plate with premounted Euro screws, D = 0,0 mm                        | CMP_Euro_screw_D0_9071665      | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071666   | Cross mounting plate with premounted Euro screws, D = 1,5 mm                        | CMP_Euro_screw_D1,5_9071666    | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071667   | Cross mounting plate with premounted Euro screws, D = 3,0 mm                        | CMP_Euro_screw_D3_9071667      | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071668   | Cross mounting plate with premounted Euro screws, D = 5,0 mm                        | CMP_Euro_screw_D5_9071668      | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071670   | Cross mounting plate with premounted chipboard screws, D = 0,0mm                    | CMP_chipbrd_screw_D0_9071670   | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071671   | Cross mounting plate with premounted chipboard screws, D = 1,5mm                    | CMP_chipbrd_screw_D1,5_9071671 | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071672   | Cross mounting plate with premounted chipboard screws, D = 3,0mm                    | CMP_chipbrd_screw_D3_9071672   | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071673   | Cross mounting plate with premounted chipboard screws, D = 5,0mm                    | CMP_chipbrd_screw_D5_9071673   | Page: FFA16_B1_0078 | Yes        | Yes |
| 9071680   | Cross mounting plate for pressing in, D = 0,0 mm                                    | CMP_to_press_in_D0_9071680     | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071681   | Cross mounting plate for pressing in, D = 1,5 mm                                    | CMP_to_press_in_D1,5_9071681   | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071682   | Cross mounting plate for pressing in, D = 3,0 mm                                    | CMP_to_press_in_D3_9071682     | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071683   | Cross mounting plate for pressing in, D = 5,0 mm                                    | CMP_to_press_in_D5_9071683     | Page: FFA16_B1_0077 | Yes        | Yes |
| 9071687   | Linear mounting plate for screwing on, D = 1,5 mm                                   | Linear_CMP_so_D1,5_9071687     | Page: FFA13_0051    | Yes        | Yes |
| 9071689   | Linear mounting plate for screwing on, D = 5,0 mm                                   | Linear_CMP_so_D5_9071689       | Page: FFA13_0051    | Yes        | Yes |
| 9071697   | Linear mounting plate for pressing in, D = 1,5 mm                                   | Linear_CMP_pi_D1,5_9071697     | Page: FFA13_0051    | Yes        | Yes |
| 9071698   | Linear mounting plate for pressing in, D = 3,0 mm                                   | Linear_CMP_pi_D3_9071698       | Page: FFA13_0051    | Yes        | Yes |
| 9071699   | Linear mounting plate for pressing in, D = 5,0 mm                                   | Linear_CMP_pi_D5_9071699       | Page: FFA13_0051    | Yes        | Yes |
| 9072524   | Sensys 8638i for aluminium framed doors, Hinge base 12,5 mm, TA 32, For screwing on | S_8638i_B12,5_TA32_9072524     | Page: FFA16_B1_0066 | Yes        | Yes |

| Order no. | Description   | Name_imos                      | Page                | Work group | DWG |
|-----------|---|--------------------------------|---------------------|------------|-----|
| 9072525   | Sensys 8638i for aluminium framed doors, Hinge base 3 mm, TA 32, For screwing on  | S_8638i_B3_TA32_9072525        | Page: FFA16_B1_0066 | Yes        | Yes |
| 9072526   | Sensys 8638i for aluminium framed doors, Hinge base -4 mm, TA 32, For screwing on | S_8638i_B-4_TA32_9072526       | Page: FFA16_B1_0066 | Yes        | Yes |
| 9072527   | Sensys 8638, Hinge base 12,5 mm, TA 32, For screwing on                           | S_8638_B12,5_TA32_9072527      | Page: FFA16_B1_0067 | Yes        | Yes |
| 9072528   | Sensys 8638, Hinge base 3 mm, TA 32, For screwing on                              | S_8638_B3_TA32_9072528         | Page: FFA16_B1_0067 | Yes        | Yes |
| 9072529   | Sensys 8638, Hinge base -4 mm, TA 32, For screwing on                             | S_8638_B-4_TA32_9072529        | Page: FFA16_B1_0067 | Yes        | Yes |
| 9072530   | Sensys 8668, Hinge base 12,5 mm, TA 32, For screwing on                           | S_8668_B12,5_TA32_9072530      | Page: FFA16_B1_0068 | Yes        | Yes |
| 9072531   | Sensys 8668, Hinge base 3 mm, TA 32, For screwing on                              | S_8668_B3_TA32_9072531         | Page: FFA16_B1_0068 | Yes        | Yes |
| 9072532   | Sensys 8668, Hinge base -4 mm, TA 32, For screwing on                             | S_8668_B-4_TA32_9072532        | Page: FFA16_B1_0068 | Yes        | Yes |
| 9072543   | Cup TX 32 / 52x9  | Selekta_P2000_cup_TX32_9072543 | Page: FFA16_B1_0248 | Yes        | Yes |
| 9072544   | Cup TX 33 / 52x9  | Selekta_P2000_cup_TX33_9072544 | Page: FFA16_B1_0248 | Yes        | Yes |
| 9072545   | Cup TB 32   | Selekta_P2000_cup_TB32_9072545 | Page: FFA16_B1_0248 | Yes        | Yes |
| 9072546   | Cup TB 33   | Selekta_P2000_cup_TB33_9072546 | Page: FFA16_B1_0248 | Yes        | Yes |
| 9072547   | Selekta Pro 2000, Overlay 15 mm, with expanding sockets                           | Selekta_P2000_15_9072547       | Page: FFA16_B1_0248 | Yes        | Yes |
| 9072555   | Intermat 9943, Hinge base 12.5 mm, TB 42, For screwing on                         | Int_9943_B12,5_TB_42_9072555   |                     | Yes        | Yes |
| 9072558   | Intermat 9943, Hinge base 12.5 mm, TB 48, With premounted expanding sockets       | Int_9943_B12,5_TB_48_9072558   |                     | Yes        | Yes |
| 9072559   | Intermat 9943, Hinge base 3 mm, TB 48, With premounted expanding sockets          | Int_9943_B3_TB_48_9072559      |                     | Yes        | Yes |
| 9072560   | Intermat 9943, Hinge base -3.5 mm, TB 48, With premounted expanding sockets       | Int_9943_B-3,5_TB_48_9072560   |                     | Yes        | Yes |
| 9072563   | Intermat 9973, Hinge base 12.5 mm, TH 43, For pressing in                         | int_9973_B12,5_TH_43_9072563   |                     | Yes        | Yes |
| 9072564   | Intermat 9973, Hinge base 3 mm, TH 43, For pressing in                            | int_9973_B3_TH_43_9072564      |                     | Yes        | Yes |
| 9072565   | Intermat 9973, Hinge base -3.5 mm, TH 43, For pressing in                         | int_9973_B-3,5_TH_43_9072565   |                     | Yes        | Yes |
| 9073568   | Sensys 8645i, Hinge base 3 mm, TH 58, With premounted expanding sockets           | S_8645i_B3_TH_58_9073568       |                     | Yes        | Yes |
| 9073569   | Sensys 8645i, Hinge base -4 mm, TH 58, With premounted expanding sockets          | S_8645i_B-4_TH_58_9073569      |                     | Yes        | Yes |
| 9073572   | Sensys 8645i, Hinge base -4 mm, TB 58, With premounted expanding sockets          | S_8645i_B-4_TB_58_9073572      |                     | Yes        | Yes |
| 9073573   | Sensys 8645i, Hinge base 12.5 mm, TS 58, With premounted expanding sockets        | S_8645i_B12,5_TS_58_9073573    |                     | Yes        | Yes |

| Order no. | Description  | Name_imos                   | Page                | Work group | DWG |
|-----------|--|-----------------------------|---------------------|------------|-----|
| 9073605   | Sensys 8645i, Hinge base 12,5 mm, TH 52, For screwing on         | S_8645i_B12,5_TH52_9073605  | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073606   | Sensys 8645i, Hinge base 3 mm, TH 52, For screwing on            | S_8645i_B3_TH52_9073606     | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073607   | Sensys 8645i, Hinge base -4 mm, TH 52, For screwing on           | S_8645i_B-4_TH52_9073607    | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073608   | Sensys 8645i, Hinge base 12,5 mm, TH 53, For pressing in         | S_8645i_B12,5_TH53_9073608  | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073609   | Sensys 8645i, Hinge base 3 mm, TH 53, For pressing in            | S_8645i_B3_TH53_9073609     | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073610   | Sensys 8645i, Hinge base -4 mm, TH 53, For pressing in           | S_8645i_B-4_TH53_9073610    | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073611   | Sensys 8645i, Hinge base 12,5 mm, TH 54, Flash fast installation | S_8645i_B12,5_TH54_9073611  | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073612   | Sensys 8645i, Hinge base 3 mm, TH 54, Flash fast installation    | S_8645i_B3_TH54_9073612     | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073613   | Sensys 8645i, Hinge base -4 mm, TH 54, Flash fast installation   | S_8645i_B-4_TH54_9073613    | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073614   | Sensys 8645i, Hinge base 12,5 mm, THS 55, Fix fast installation  | S_8645i_B12,5_THS55_9073614 | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073615   | Sensys 8645i, Hinge base 3 mm, THS 55, Fix fast installation     | S_8645i_B3_THS55_9073615    | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073616   | Sensys 8645i, Hinge base -4 mm, THS 55, Fix fast installation    | S_8645i_B-4_THS55_9073616   | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073617   | Sensys 8645i, Hinge base 12,5 mm, TB 52, For screwing on         | S_8645i_B12,5_TB52_9073617  | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073618   | Sensys 8645i, Hinge base 3 mm, TB 52, For screwing on            | S_8645i_B3_TB52_9073618     | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073619   | Sensys 8645i, Hinge base -4 mm, TB 52, For screwing on           | S_8645i_B-4_TB52_9073619    | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073620   | Sensys 8645i, Hinge base 12,5 mm, TB 53, For pressing in         | S_8645i_B12,5_TB53_9073620  | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073621   | Sensys 8645i, Hinge base 3 mm, TB 53, For pressing in            | S_8645i_B3_TB53_9073621     | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073622   | Sensys 8645i, Hinge base -4 mm, TB 53, For pressing in           | S_8645i_B-4_TB53_9073622    | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073623   | Sensys 8645i, Hinge base 12,5 mm, TB 54, Flash fast installation | S_8645i_B12,5_TB54_9073623  | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073624   | Sensys 8645i, Hinge base 3 mm, TB 54, Flash fast installation    | S_8645i_B3_TB54_9073624     | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073625   | Sensys 8645i, Hinge base -4 mm, TB 54, Flash fast installation   | S_8645i_B-4_TB54_9073625    | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073626   | Sensys 8645i, Hinge base 12,5 mm, TB 55, Fix fast installation   | S_8645i_B12,5_TB55_9073626  | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073627   | Sensys 8645i, Hinge base 3 mm, TB 55, Fix fast installation      | S_8645i_B3_TB55_9073627     | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073628   | Sensys 8645i, Hinge base -4 mm, TB 55, Fix fast installation     | S_8645i_B-4_TB55_9073628    | Page: FFA16_B1_0032 | Yes        | Yes |
| 9073629   | Sensys 8645i, Hinge base 12.5 mm, TS 52, For screwing on         | S_8645i_B12,5_TS_52_9073629 |                     | Yes        | Yes |
| 9073630   | Sensys 8645i, Hinge base 3 mm, TS 52, For screwing on            | S_8645i_B3_TS_52_9073630    |                     | Yes        | Yes |
| 9073631   | Sensys 8645i, Hinge base -4 mm, TS 52, For screwing on           | S_8645i_B-4_TS_52_9073631   |                     | Yes        | Yes |
| 9073632   | Sensys 8645i, Hinge base 12.5 mm, TS 53, For pressing in         | S_8645i_B12,5_TS_53_9073632 |                     | Yes        | Yes |
| 9073633   | Sensys 8645i, Hinge base 3 mm, TS 53, For pressing in            | S_8645i_B3_TS_53_9073633    |                     | Yes        | Yes |
| 9073634   | Sensys 8645i, Hinge base -4 mm, TS 53, For pressing in           | S_8645i_B-4_TS_53_9073634   |                     | Yes        | Yes |
| 9073638   | Sensys 8645, Hinge base 12,5 mm, TH 52, For screwing on          | S_8645_B12,5_TH52_9073638   | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073639   | Sensys 8645, Hinge base 3 mm, TH 52, For screwing on             | S_8645_B3_TH52_9073639      | Page: FFA16_B1_0034 | Yes        | Yes |

| Order no. | Description  | Name_imos                  | Page                | Work group | DWG |
|-----------|--|----------------------------|---------------------|------------|-----|
| 9073640   | Sensys 8645, Hinge base -4 mm, TH 52, For screwing on          | S_8645_B-4_TH52_9073640    | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073641   | Sensys 8645, Hinge base 12,5 mm, TH 53, For pressing in        | S_8645_B12,5_TH53_9073641  | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073642   | Sensys 8645, Hinge base 3 mm, TH 53, For pressing in           | S_8645_B3_TH53_9073642     | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073643   | Sensys 8645, Hinge base -4 mm, TH 53, For pressing in          | S_8645_B-4_TH53_9073643    | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073644   | Sensys 8645, Hinge base 12,5 mm, THS 55, Fix fast installation | S_8645_B12,5_THS55_9073644 | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073645   | Sensys 8645, Hinge base 3 mm, THS 55, Fix fast installation    | S_8645_B3_THS55_9073645    | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073646   | Sensys 8645, Hinge base -4 mm, THS 55, Fix fast installation   | S_8645_B-4_THS55_9073646   | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073647   | Sensys 8645, Hinge base 12,5 mm, TB 52, For screwing on        | S_8645_B12,5_TB52_9073647  | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073648   | Sensys 8645, Hinge base 3 mm, TB 52, to screw on               | S_8645_B3_TB_52_9073648    |                     | Yes        | Yes |
| 9073649   | Sensys 8645, Hinge base -4 mm, TB 52, For screwing on          | S_8645_B-4_TB52_9073649    | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073650   | Sensys 8645, Hinge base 12,5 mm, TB 53, For pressing in        | S_8645_B12,5_TB53_9073650  | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073651   | Sensys 8645, Hinge base 3 mm, TB 53, For pressing in           | S_8645_B3_TB53_9073651     | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073652   | Sensys 8645, Hinge base -4 mm, TB 53, For pressing in          | S_8645_B-4_TB53_9073652    | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073653   | Sensys 8645, Hinge base 12,5 mm, TB 55, Fix fast installation  | S_8645_B12,5_TB55_9073653  | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073654   | Sensys 8645, Hinge base 3 mm, TB 55, Fix fast installation     | S_8645_B3_TB55_9073654     | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073655   | Sensys 8645, Hinge base -4 mm, TB 55, Fix fast installation    | S_8645_B-4_TB55_9073655    | Page: FFA16_B1_0034 | Yes        | Yes |
| 9073659   | Sensys 8645, Hinge base 12.5 mm, TS 53, For pressing in        | S_8645_B12,5_TS_53_9073659 |                     | Yes        | Yes |
| 9073662   | Sensys 8675, Hinge base 12,5 mm, TH 52, For screwing on        | S_8675_B12,5_TH52_9073662  | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073663   | Sensys 8675, Hinge base 3 mm, TH 52, For screwing on           | S_8675_B3_TH52_9073663     | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073664   | Sensys 8675, Hinge base -4 mm, TH 52, For screwing on          | S_8675_B-4_TH52_9073664    | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073665   | Sensys 8675, Hinge base 12,5 mm, TH 53, For pressing in        | S_8675_B12,5_TH53_9073665  | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073666   | Sensys 8675, Hinge base 3 mm, TH 53, For pressing in           | S_8675_B3_TH53_9073666     | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073667   | Sensys 8675, Hinge base -4 mm, TH 53, For pressing in          | S_8675_B-4_TH53_9073667    | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073668   | Sensys 8675, Hinge base 12,5 mm, THS 55, Fix fast installation | S_8675_B12,5_THS55_9073668 | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073669   | Sensys 8675, Hinge base 3 mm, THS 55, Fix fast installation    | S_8675_B3_THS55_9073669    | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073670   | Sensys 8675, Hinge base -4 mm, THS 55, Fix fast installation   | S_8675_B-4_THS55_9073670   | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073671   | Sensys 8675, Hinge base 12,5 mm, TB 52, For screwing on        | S_8675_B12,5_TB52_9073671  | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073672   | Sensys 8675, Hinge base 3 mm, TB 52, For screwing on           | S_8675_B3_TB52_9073672     | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073673   | Sensys 8675, Hinge base -4 mm, TB 52, For screwing on          | S_8675_B-4_TB52_9073673    | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073674   | Sensys 8675, Hinge base 12,5 mm, TB 53, For pressing in        | S_8675_B12,5_TB53_9073674  | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073675   | Sensys 8675, Hinge base 3 mm, TB 53, For pressing in           | S_8675_B3_TB53_9073675     | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073676   | Sensys 8675, Hinge base -4 mm, TB 53, For pressing in          | S_8675_B-4_TB53_9073676    | Page: FFA16_B1_0035 | Yes        | Yes |

| Order no. | Description   | Name_imos                    | Page                | Work group | DWG |
|-----------|---|------------------------------|---------------------|------------|-----|
| 9073677   | Sensys 8675, Hinge base 12,5 mm, TB 55, Fix fast installation                                 | S_8675_B12,5_TB55_9073677    | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073678   | Sensys 8675, Hinge base 3 mm, TB 55, Fix fast installation                                    | S_8675_B3_TB55_9073678       | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073679   | Sensys 8675, Hinge base -4 mm, TB 55, Fix fast installation                                   | S_8675_B-4_TB55_9073679      | Page: FFA16_B1_0035 | Yes        | Yes |
| 9073686   | Sensys 8645i, Hinge base 12.5 mm, TH 58, With premounted expanding sockets                    | S_8645i_B12,5_TH_58_9073686  |                     | Yes        | Yes |
| 9073687   | Sensys 8645i, Hinge base 3 mm, TH 58, With premounted expanding sockets                       | S_8645i_B3_TH_58_9073687     |                     | Yes        | Yes |
| 9073690   | Sensys 8645i, Hinge base 3 mm, TB 58, With premounted expanding sockets                       | S_8645i_B3_TB_58_9073690     |                     | Yes        | Yes |
| 9073691   | Sensys 8645i, Hinge base -4 mm, TB 58, With premounted expanding sockets                      | S_8645i_B-4_TB_58_9073691    |                     | Yes        | Yes |
| 9073692   | Sensys 8645i, Hinge base 12.5 mm, TS 58, With premounted expanding sockets                    | S_8645i_B12,5_TS_58_9073692  |                     | Yes        | Yes |
| 9073693   | Sensys 8645i, Hinge base 3 mm, TS 58, With premounted expanding sockets                       | S_8645i_B3_TS_58_9073693     |                     | Yes        | Yes |
| 9073694   | Sensys 8645i, Hinge base -4 mm, TS 58, With premounted expanding sockets                      | S_8645i_B-4_TS_58_9073694    |                     | Yes        | Yes |
| 9073699   | Sensys 8645, Hinge base 3 mm, TB 58, With premounted expanding sockets                        | S_8645_B3_TB_58_9073699      |                     | Yes        | Yes |
| 9073700   | Sensys 8645, Hinge base -4 mm, TB 58, With premounted expanding sockets                       | S_8645_B-4_TB_58_9073700     |                     | Yes        | Yes |
| 9073701   | Sensys 8645, Hinge base 12.5 mm, TS 58, With premounted expanding sockets                     | S_8645_B12,5_TS_58_9073701   |                     | Yes        | Yes |
| 9075005   | Cross mounting plate for screwing on, D = 0,0 mm  | CMP_to_screw_on_D0_9075005   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075006   | Cross mounting plate for screwing on, D = 1,5 mm  | CMP_to_screw_on_D1,5_9075006 | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075007   | Cross mounting plate for screwing on, D = 3,0 mm  | CMP_to_screw_on_D3_9075007   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075008   | Cross mounting plate for screwing on, D = 5,0 mm  | CMP_to_screw_on_D5_9075008   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075015   | Patented Hettich Direkt cross mounting plate with locating pin and special screws, D = 0,0 mm | CMP_Direkt_D0_9075015        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075016   | Patented Hettich Direkt cross mounting plate with locating pin and special screws, D = 1,5 mm | CMP_Direkt_D1,5_9075016      | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075017   | Patented Hettich Direkt cross mounting plate with locating pin and special screws, D = 3,0 mm | CMP_Direkt_D3_9075017        | Page: FFA16_B1_0075 | Yes        | Yes |

| Order no. | Description   | Name_imos                    | Page                | Work group | DWG |
|-----------|---|------------------------------|---------------------|------------|-----|
| 9075018   | Patented Hettich Direkt cross mounting plate with locating pin and special screws, D = 5,0 mm | CMP_Direkt_D5_9075018        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075025   | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm                    | CMP_socket_D0_9075025        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075026   | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm                    | CMP_socket_D1,5_9075026      | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075027   | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm                    | CMP_socket_D3_9075027        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075028   | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm                    | CMP_socket_D5_9075028        | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075035   | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm                    | CMP_socket_D0_9075035        | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075036   | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm                    | CMP_socket_D1,5_9075036      | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075037   | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm                    | CMP_socket_D3_9075037        | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075038   | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm                    | CMP_socket_D5_9075038        | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075045   | Cross mounting plate for pressing in, D = 0,0 mm  | CMP_to_press_in_D0_9075045   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075046   | Cross mounting plate for pressing in, D = 1,5 mm  | CMP_to_press_in_D1,5_9075046 | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075047   | Cross mounting plate for pressing in, D = 3,0 mm  | CMP_to_press_in_D3_9075047   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075048   | Cross mounting plate for pressing in, D = 5,0 mm  | CMP_to_press_in_D5_9075048   | Page: FFA16_B1_0074 | Yes        | Yes |
| 9075055   | Cross mounting plate with premounted Euro screws, D = 0,0 mm                                  | CMP_Euro_screw_D0_9075055    | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075056   | Cross mounting plate with premounted Euro screws, D = 1,5 mm                                  | CMP_Euro_screw_D1,5_9075056  | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075057   | Cross mounting plate with premounted Euro screws, D = 3,0 mm                                  | CMP_Euro_screw_D3_9075057    | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075058   | Cross mounting plate with premounted Euro screws, D = 5,0 mm                                  | CMP_Euro_screw_D5_9075058    | Page: FFA16_B1_0075 | Yes        | Yes |
| 9075060   | Cross mounting plate with premounted Euro screws, D = 0,0 mm                                  | CMP_Euro_screw_D0_9075060    | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075061   | Cross mounting plate with premounted Euro screws, D = 1,5 mm                                  | CMP_Euro_screw_D1,5_9075061  | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075062   | Cross mounting plate with premounted Euro screws, D = 3,0 mm                                  | CMP_Euro_screw_D3_9075062    | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075063   | Cross mounting plate with premounted Euro screws, D = 5,0 mm                                  | CMP_Euro_screw_D5_9075063    | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075065   | Patented Hettich Direkt cross mounting plate with locating pin and special screws, D = 0,0 mm | CMP_Direkt_D0_9075065        | Page: FFA16_B1_0079 | Yes        | Yes |

| Order no. | Description   | Name_imos                      | Page                | Work group | DWG |
|-----------|---|--------------------------------|---------------------|------------|-----|
| 9075066   | Patented Hettich Direkt cross mounting plate with locating pin and special screws, D = 1,5 mm | CMP_Direkt_D1,5_9075066        | Page: FFA16_B1_0079 | Yes        | Yes |
| 9075067   | Patented Hettich Direkt cross mounting plate with locating pin and special screws, D = 3,0 mm | CMP_Direkt_D3_9075067          | Page: FFA16_B1_0079 | Yes        | Yes |
| 9075068   | Patented Hettich Direkt cross mounting plate with locating pin and special screws, D = 5,0 mm | CMP_Direkt_D5_9075068          | Page: FFA16_B1_0079 | Yes        | Yes |
| 9075070   | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm                    | CMP_socket_D0_9075070          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9075071   | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm                    | CMP_socket_D1,5_9075071        | Page: FFA16_B1_0077 | Yes        | Yes |
| 9075072   | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm                    | CMP_socket_D3_9075072          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9075073   | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm                    | CMP_socket_D5_9075073          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9075075   | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm                    | CMP_socket_D0_9075075          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9075076   | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm                    | CMP_socket_D1,5_9075076        | Page: FFA16_B1_0077 | Yes        | Yes |
| 9075077   | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm                    | CMP_socket_D3_9075077          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9075078   | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm                    | CMP_socket_D5_9075078          | Page: FFA16_B1_0077 | Yes        | Yes |
| 9075080   | Cross mounting plate with premounted Euro screws, D = 0,0 mm                                  | CMP_Euro_screw_D0_9075080      | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075081   | Cross mounting plate with premounted Euro screws, D = 1,5 mm                                  | CMP_Euro_screw_D1,5_9075081    | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075082   | Cross mounting plate with premounted Euro screws, D = 3,0 mm                                  | CMP_Euro_screw_D3_9075082      | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075083   | Cross mounting plate with premounted Euro screws, D = 5,0 mm                                  | CMP_Euro_screw_D5_9075083      | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075085   | Cross mounting plate with premounted chipboard screws, D = 0,0mm                              | CMP_chipbrd_screw_D0_9075085   | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075086   | Cross mounting plate with premounted chipboard screws, D = 1,5mm                              | CMP_chipbrd_screw_D1,5_9075086 | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075087   | Cross mounting plate with premounted chipboard screws, D = 3,0mm                              | CMP_chipbrd_screw_D3_9075087   | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075088   | Cross mounting plate with premounted chipboard screws, D = 5,0mm                              | CMP_chipbrd_screw_D5_9075088   | Page: FFA16_B1_0078 | Yes        | Yes |
| 9075090   | Cross mounting plate for pressing in, D = 0,0 mm  | CMP_to_press_in_D0_9075090     | Page: FFA16_B1_0077 | Yes        | Yes |
| 9075091   | Cross mounting plate for pressing in, D = 1,5 mm  | CMP_to_press_in_D1,5_9075091   | Page: FFA16_B1_0077 | Yes        | Yes |



| Order no. | Description   | Name_imos                     | Page                   | Work group | DWG |
|-----------|---|-------------------------------|------------------------|------------|-----|
| 9075092   | Cross mounting plate for pressing in, D = 3,0 mm                      | CMP_to_press_in_D3_9075092    | Page: FFA16_B1_0077    | Yes        | Yes |
| 9075093   | Cross mounting plate for pressing in, D = 5,0 mm                      | CMP_to_press_in_D5_9075093    | Page: FFA16_B1_0077    | Yes        | Yes |
| 9075095   | Linear mounting plate for screwing on, D = 1,5 mm                     | LMP_to_srew_on_D1,5_9075095   | Page: FFA16_B1_0079    | Yes        | Yes |
| 9075096   | Linear mounting plate for screwing on, D = 3,0 mm                     | LMP_to_srew_on_D3_9075096     | Page: FFA16_B1_0079    | Yes        | Yes |
| 9075097   | Linear mounting plate for screwing on, D = 5,0 mm                     | LMP_to_srew_on_D5_9075097     | Page: FFA16_B1_0079    | Yes        | Yes |
| 9075098   | Linear mounting plate for pressing in, D = 1,5 mm                     | LMP_to_press_in_D1,5_9075098  | Page: FFA16_B1_0079    | Yes        | Yes |
| 9075099   | Linear mounting plate for pressing in, D = 3,0 mm                     | LMP_to_press_in_D3_9075099    | Page: FFA16_B1_0079    | Yes        | Yes |
| 9075100   | Linear mounting plate for pressing in, D = 5,0 mm                     | LMP_to_press_in_D5_9075100    | Page: FFA16_B1_0079    | Yes        | Yes |
| 9077431   | Cross mounting plate for screwing on, Distance mm -0,5 mm             | CMP_D-0,5_9077431             | Page:<br>MX11_03_1_134 | Yes        | Yes |
| 9077432   | Cross mounting plate for screwing on, Distance mm 1,5 mm              | CMP_D1,5_9077432              | Page:<br>MX11_03_1_134 | Yes        | Yes |
| 9077433   | Cross mounting plate for screwing on, Distance mm 3,0 mm              | CMP_D3_9077433                | Page:<br>MX11_03_1_134 | Yes        | Yes |
| 9077435   | Cross mounting plate with premounted Euro screws, Distance mm -0,5 mm | CMP_Euro_screw_D-0,5_9077435  | Page:<br>MX11_03_1_134 | Yes        | Yes |
| 9077436   | Cross mounting plate with premounted Euro screws, Distance mm 1,5 mm  | CMP_Euro_screw_D1,5_9077436   | Page:<br>MX11_03_1_134 | Yes        | Yes |
| 9079352   | Glass door hinge  | Glass_door_hinge_230_9079352  | Page: FFA13_0199       | Yes        |     |
| 9079358   | All-glass hinge   | All_Glass_Hinge_9079358       | Page: FFA13_0198       | Yes        |     |
| 9079365   | Special hinge for doors over 10 mm thick                              | Special_purpose_hinge_9079365 | Page: FFA13_0196       | Yes        |     |
| 9079367   | Special hinge for doors over 10 mm thick                              | Special_purpose_hinge_9079367 | Page: FFA13_0196       | Yes        |     |
| 9079368   | Special hinge for doors over 10 mm thick                              | Special_purpose_hinge_9079368 | Page: FFA13_0196       | Yes        |     |
| 9079370   | Special hinge for doors over 10 mm thick                              | Special_purpose_hinge_9079370 | Page: FFA13_0196       | Yes        |     |
| 9079371   | Special hinge for doors over 10 mm thick                              | Special_purpose_hinge_9079371 | Page: FFA13_0196       | Yes        |     |
| 9079397   | Push to open Universal mini   | Pto_Universal_mini_9079397    | Page: FFA13_0145       | Yes        | Yes |
| 9079695   | Cross mounting plate with premounted Euro screws, D = 0,0 mm          | CMP_Euro_screw_D0_9079695     | Page: FFA16_B1_0167    | Yes        | Yes |
| 9079700   | Cross mounting plate with premounted Euro screws, D = 1,5 mm          | CMP_Euro_screw_D1,5_9079700   | Page: FFA16_B1_0167    | Yes        | Yes |
| 9079701   | Cross mounting plate with premounted Euro screws, D = 3,0 mm          | CMP_Euro_screw_D3_9079701     | Page: FFA16_B1_0167    | Yes        | Yes |
| 9079702   | Cross mounting plate with premounted Euro screws, D = 5,0 mm          | CMP_Euro_screw_D5_9079702     | Page: FFA16_B1_0167    | Yes        | Yes |
| 9079703   | Cross mounting plate with premounted Euro screws, D = 8,0 mm          | CMP_Euro_screw_D8_9079703     | Page: FFA16_B1_0167    | Yes        | Yes |
| 9084697   | Intermat 9956, Hinge base 12,5 mm, TH 52, for screwing on             | Int_9956_B12,5_TH52_9084697   | Page: FFA13_0044       | Yes        | Yes |
| 9084698   | Intermat 9956, Hinge base 3 mm, TH 52, for screwing on                | Int_9956_B3_TH52_9084698      | Page: FFA13_0044       | Yes        | Yes |

| Order no. | Description   | Name_imos                   | Page              | Work group | DWG |
|-----------|---|-----------------------------|-------------------|------------|-----|
| 9084701   | Intermat 9956, Hinge base 12,5 mm, TH 53, For pressing in         | Int_9956_B12,5_TH53_9084701 | Page: FFA13_0044  | Yes        | Yes |
| 9084702   | Intermat 9956, Hinge base 3 mm, TH 53, For pressing in            | Int_9956_B3_TH53_9084702    | Page: FFA13_0044  | Yes        | Yes |
| 9084705   | Intermat 9956, Hinge base 12,5 mm, TH 54, Flash fast installation | Int_9956_B12,5_TH54_9084705 | Page: FFA13_0044  | Yes        | Yes |
| 9084706   | Intermat 9956, Hinge base 3 mm, TH 54, Flash fast installation    | Int_9956_B3_TH54_9084706    | Page: FFA13_0044  | Yes        | Yes |
| 9084717   | Intermat 9986, Hinge base 12,5 mm, TH 52, for screwing on         | Int_9986_B12,5_TH52_9084717 |                   | Yes        | Yes |
| 9084725   | Intermat 9956, Hinge base 12,5 mm, TB 52, for screwing on         | Int_9956_B12,5_TB52_9084725 | Page: FFA13_0044  | Yes        | Yes |
| 9084726   | Intermat 9956, Hinge base 3 mm, TB 52, for screwing on            | Int_9956_B3_TB52_9084726    | Page: FFA13_0044  | Yes        | Yes |
| 9084729   | Intermat 9956, Hinge base 12,5 mm, TB 53, For pressing in         | Int_9956_B12,5_TB53_9084729 | Page: FFA13_0044  | Yes        | Yes |
| 9084730   | Intermat 9956, Hinge base 3 mm, TB 53, For pressing in            | Int_9956_B3_TB53_9084730    | Page: FFA13_0044  | Yes        | Yes |
| 9084748   | Intermat 9986, Hinge base 3 mm, TH 52, for screwing on            | Int_9986_B3_TH52_9084748    |                   | Yes        | Yes |
| 9084777   | Intermat 9956, Hinge base 12,5 mm, TH 55, Fix fast installation   | Int_9956_B12,5_TH55_9084777 | Page: FFA13_0044  | Yes        | Yes |
| 9084778   | Intermat 9956, Hinge base 3 mm, TH 55, Fix fast installation      | Int_9956_B3_TH55_9084778    | Page: FFA13_0044  | Yes        | Yes |
| 9084781   | Intermat 9956, Hinge base 12,5 mm, TB 55, Fix fast installation   | Int_9956_B12,5_TB55_9084781 | Page: FFA13_0044  | Yes        | Yes |
| 9084782   | Intermat 9956, Hinge base 3 mm, TB 55, Fix fast installation      | Int_9956_B3_TB55_9084782    | Page: FFA13_0044  | Yes        | Yes |
| 9084991   | Linear mounting plate for pressing in, D = 0,5 mm                 | Linear_CMP_pi_D0,5_9084991  | Page: FFA13_0049  | Yes        | Yes |
| 9084992   | Linear mounting plate for pressing in, D = 3,0 mm                 | Linear_CMP_pi_D3_9084992    | Page: FFA13_0049  | Yes        | Yes |
| 9084993   | Linear mounting plate for screwing on, D = 0,5 mm                 | Linear_CMP_so_D0,5_9084993  | Page: FFA13_0049  | Yes        | Yes |
| 9084994   | Linear mounting plate for screwing on, D = 3,0 mm                 | Linear_CMP_so_D3_9084994    | Page: FFA13_0049  | Yes        | Yes |
| 9084995   | Sensys 8639i, Hinge base 12,5 mm, TH 52, for screwing on          | S_8639i_TH52_12,5_9084995   | Page: FFA13_0034  | Yes        | Yes |
| 9084996   | Sensys 8639i, Hinge base 3 mm, TH 52, for screwing on             | S_8639i_TH52_3_9084996      | Page: FFA13_0034  | Yes        | Yes |
| 9084997   | Sensys 8639i, Hinge base -4 mm, TH 52, for screwing on            | S_8639i_TH52_-4_9084997     | Page: FFA13_0034  | Yes        | Yes |
| 9084999   | Sensys 8639i, Hinge base 3 mm, TH 53, For pressing in             | S_8639i_TH53_3_9084999      | Page: FFA13_0034  | Yes        | Yes |
| 9085000   | Sensys 8639i, Hinge base -4 mm, TH 53, For pressing in            | S_8639i_TH53_-4_9085000     | Page: FFA13_0034  | Yes        | Yes |
| 9085003   | Sensys 8639i, Hinge base -4 mm, TH 54, Flash fast installation    | S_8639i_TH54_-4_9085003     | Page: FFA13_0034  | Yes        | Yes |
| 9085010   | Sensys 8639i, Hinge base 12,5 mm, TB 52, for screwing on          | S_8639i_TB52_12,5_9085010   | Page: FFA13_0034  | Yes        | Yes |
| 9085011   | Sensys 8639i, Hinge base 3 mm, TB 52, for screwing on             | S_8639i_TB52_3_9085011      | Page: FFA13_0034  | Yes        | Yes |
| 9085012   | Sensys 8639i, Hinge base -4 mm, TB 52, for screwing on            | S_8639i_TB52_-4_9085012     | Page: FFA13_0034  | Yes        | Yes |
| 9085014   | Sensys 8639i, Hinge base 3 mm, TB 53, For pressing in             | S_8639i_TB53_3_9085014      | Page: FFA13_0034  | Yes        | Yes |
| 9085015   | Sensys 8639i, Hinge base -4 mm, TB 53, For pressing in            | S_8639i_TB53_-4_9085015     | Page: FFA13_0034  | Yes        | Yes |
| 9085025   | Sensys 8639, Hinge base 12,5 mm, TH 52, for screwing on           | S_8639_TH52_12,5_9085025    | Page: KSPA14_0038 | Yes        | Yes |
| 9085026   | Sensys 8639, Hinge base 3 mm, TH 52, for screwing on              | S_8639_TH52_3_9085026       | Page: KSPA14_0038 | Yes        | Yes |
| 9085027   | Sensys 8639, Hinge base -4 mm, TH 52, for screwing on             | S_8639_TH52_-4_9085027      | Page: KSPA14_0038 | Yes        | Yes |

| Order no. | Description  | Name_imos                    | Page              | Work group | DWG |
|-----------|--|------------------------------|-------------------|------------|-----|
| 9085055   | Sensys 8669, Hinge base 12,5 mm, TH 52, for screwing on            | S_8669_TH52_12,5_9085055     |                   | Yes        | Yes |
| 9085057   | Sensys 8669, Hinge base -4 mm, TH 52, for screwing on              | S_8669_TH52_-4_9085057       |                   | Yes        | Yes |
| 9085104   | Sensys 8639i, Hinge base 3 mm, THS 55, Fix fast installation       | S_8639i_TH55_3_9085104       | Page: FFA13_0034  | Yes        | Yes |
| 9085105   | Sensys 8639i, Hinge base -4 mm, THS 55, Fix fast installation      | S_8639i_TH55_-4_9085105      | Page: FFA13_0034  | Yes        | Yes |
| 9085107   | Sensys 8639i, Hinge base 3 mm, TB 55, Fix fast installation        | S_8639i_TB55_3_9085107       | Page: FFA13_0034  | Yes        | Yes |
| 9085108   | Sensys 8639i, Hinge base -4 mm, TB 55, Fix fast installation       | S_8639i_TB55_-4_9085108      | Page: FFA13_0034  | Yes        | Yes |
| 9085166   | Sensys 8639i W30, Hinge base 2 mm, TH 52, for screwing on          | S_8639i_W30_TH52_2_9085166   | Page: FFA13_0036  | Yes        | Yes |
| 9085168   | Sensys 8639i W45, Hinge base -2 mm, TH 52, for screwing on         | S_8639i_W45_TH52_-2_9085168  | Page: FFA13_0038  | Yes        | Yes |
| 9085170   | Sensys 8639i W90, Hinge base 4 mm, TH 52, for screwing on          | S_8639i_W90_TH52_4_9085170   | Page: FFA13_0040  | Yes        | Yes |
| 9085171   | Sensys 8639i W30, Hinge base 2 mm, TH 53, Press in type            | S_8639i_W30_TH53_2_9085171   | Page: FFA13_0036  | Yes        | Yes |
| 9085173   | Sensys 8639i W45, Hinge base -2 mm, TH 53, Press in type           | S_8639i_W45_TH53_-2_9085173  | Page: FFA13_0038  | Yes        | Yes |
| 9085175   | Sensys 8639i W90, Hinge base 4 mm, TH 53, Press in type            | S_8639i_W90_TH53_4_9085175   | Page: FFA13_0040  | Yes        | Yes |
| 9085176   | Sensys 8639i W30, Hinge base 2 mm, TH 54, Flash fast installation  | S_8639i_W30_TH54_2_9085176   | Page: FFA13_0036  | Yes        | Yes |
| 9085178   | Sensys 8639i W45, Hinge base -2 mm, TH 54, Flash fast installation | S_8639i_W45_TH54_-2_9085178  | Page: FFA13_0038  | Yes        | Yes |
| 9085180   | Sensys 8639i W90, Hinge base 4 mm, TH 54, Flash fast installation  | S_8639i_W90_TH54_4_9085180   | Page: FFA13_0040  | Yes        | Yes |
| 9085191   | Sensys 8639i W30, Hinge base 2 mm, TB 52, for screwing on          | S_8639i_W30_TB52_2_9085191   | Page: FFA13_0036  | Yes        | Yes |
| 9085193   | Sensys 8639i W45, Hinge base -2 mm, TB 52, for screwing on         | S_8639i_W45_TB52_-2_9085193  | Page: FFA13_0038  | Yes        | Yes |
| 9085195   | Sensys 8639i W90, Hinge base 4 mm, TB 52, for screwing on          | S_8639i_W90_TB52_4_9085195   | Page: FFA13_0040  | Yes        | Yes |
| 9085196   | Sensys 8639i W30, Hinge base 2 mm, TB 53, For pressing in          | S_8639i_W30_TB53_2_9085196   | Page: FFA13_0036  | Yes        | Yes |
| 9085198   | Sensys 8639i W45, Hinge base -2 mm, TB 53, For pressing in         | S_8639i_W45_TB53_-2_9085198  | Page: FFA13_0038  | Yes        | Yes |
| 9085200   | Sensys 8639i W90, Hinge base 4 mm, TB 53, For pressing in          | S_8639i_W90_TB53_4_9085200   | Page: FFA13_0040  | Yes        | Yes |
| 9085216   | Sensys 8639 W30, Hinge base 2 mm, TH 52, for screwing on           | S_8639_W30_TH52_2_9085216    | Page: KSPA14_0042 | Yes        | Yes |
| 9085218   | Sensys 8639 W45, Hinge base -2 mm, TH 52, for screwing on          | S_8639_W45_TH52_-2_9085218   | Page: KSPA14_0048 | Yes        | Yes |
| 9085220   | Sensys 8639 W90, Hinge base 4 mm, TH 52, for screwing on           | S_8639_W90_TH52_4_9085220    | Page: KSPA14_0054 | Yes        | Yes |
| 9085266   | Sensys 8669 W30, Hinge base 2 mm, TH 52, for screwing on           | S_8669_W30_TH52_2_9085266    |                   | Yes        | Yes |
| 9085268   | Sensys 9669 W45, Hinge base -2 mm, TH 52, for screwing on          | S_8669_W45_TH52_-2_9085268   |                   | Yes        | Yes |
| 9085270   | Sensys 8669 W90, Hinge base 4 mm, TH 52, for screwing on           | S_8669_W90_TH52_4_9085270    |                   | Yes        | Yes |
| 9085336   | Sensys 8639i W30, Hinge base 2 mm, THS 55, Fix fast installation   | S_8639i_W30_TH55F_2_9085336  | Page: FFA13_0036  | Yes        | Yes |
| 9085338   | Sensys 8639i W45, Hinge base -2 mm, THS 55, Fix fast installation  | S_8639i_W45_TH55F_-2_9085338 | Page: FFA13_0038  | Yes        | Yes |
| 9085340   | Sensys 8639i W90, Hinge base 4 mm, THS 55, Fix fast installation   | S_8639i_W90_TH55F_4_9085340  | Page: FFA13_0040  | Yes        | Yes |
| 9085341   | Sensys 8639i W30, Hinge base 2 mm, TB 55, Fix fast installation    | S_8639i_W30_TB55F_2_9085341  | Page: FFA13_0036  | Yes        | Yes |
| 9085343   | Sensys 8639i W45, Hinge base -2 mm, TB 55, Fix fast installation   | S_8639i_W45_TB55F_-2_9085343 | Page: FFA13_0038  | Yes        | Yes |

| Order no. | Description  | Name_imos                     | Page                | Work group | DWG |
|-----------|--|-------------------------------|---------------------|------------|-----|
| 9085345   | Sensys 8639i W90, Hinge base 4 mm, TB 55, Fix fast installation    | S_8639i_W90_TB55F_4_9085345   | Page: FFA13_0040    | Yes        | Yes |
| 9088016   | Sensys 8639i W30, Hinge base 2 mm, TH 52, For screwing on          | S_8639i_W30_B2_TH52_9088016   | Page: FFA16_B1_0052 | Yes        | Yes |
| 9088019   | Sensys 8639i W45, Hinge base -2 mm, TH 52, For screwing on         | S_8639i_W45_B-2_TH52_9088019  | Page: FFA16_B1_0056 | Yes        | Yes |
| 9088021   | Sensys 8639i W90, Hinge base 4 mm, TH 52, For screwing on          | S_8639i_W90_B4_TH52_9088021   | Page: FFA16_B1_0062 | Yes        | Yes |
| 9088022   | Sensys 8639i W30, Hinge base 2 mm, TB 52, For screwing on          | S_8639i_W30_B2_TB52_9088022   | Page: FFA16_B1_0052 | Yes        | Yes |
| 9088025   | Sensys 8639i W45, Hinge base -2 mm, TB 52, For screwing on         | S_8639i_W45_B-2_TB52_9088025  | Page: FFA16_B1_0056 | Yes        | Yes |
| 9088027   | Sensys 8639i W90, Hinge base 4 mm, TB 52, For screwing on          | S_8639i_W90_B4_TB52_9088027   | Page: FFA16_B1_0062 | Yes        | Yes |
| 9088034   | Sensys 8639i W30, Hinge base 2 mm, TH 53, For pressing in          | S_8639i_W30_B2_TH53_9088034   | Page: FFA16_B1_0052 | Yes        | Yes |
| 9088037   | Sensys 8639i W45, Hinge base -2 mm, TH 53, For pressing in         | S_8639i_W45_B-2_TH53_9088037  | Page: FFA16_B1_0056 | Yes        | Yes |
| 9088039   | Sensys 8639i W90, Hinge base 4 mm, TH 53, For pressing in          | S_8639i_W90_B4_TH53_9088039   | Page: FFA16_B1_0062 | Yes        | Yes |
| 9088040   | Sensys 8639i W30, Hinge base 2 mm, TB 53, For pressing in          | S_8639i_W30_B2_TB53_9088040   | Page: FFA16_B1_0052 | Yes        | Yes |
| 9088043   | Sensys 8639i W45, Hinge base -2 mm, TB 53, For pressing in         | S_8639i_W45_B-2_TB53_9088043  | Page: FFA16_B1_0056 | Yes        | Yes |
| 9088045   | Sensys 8639i W90, Hinge base 4 mm, TB 53, For pressing in          | S_8639i_W90_B4_TB53_9088045   | Page: FFA16_B1_0062 | Yes        | Yes |
| 9088052   | Sensys 8639i W30, Hinge base 2 mm, TH 54, Flash fast installation  | S_8639i_W30_B2_TH54_9088052   | Page: FFA16_B1_0052 | Yes        | Yes |
| 9088055   | Sensys 8639i W45, Hinge base -2 mm, TH 54, Flash fast installation | S_8639i_W45_B-2_TH54_9088055  | Page: FFA16_B1_0056 | Yes        | Yes |
| 9088057   | Sensys 8639i W90, Hinge base 4 mm, TH 54, Flash fast installation  | S_8639i_W90_B4_TH54_9088057   | Page: FFA16_B1_0062 | Yes        | Yes |
| 9088058   | Sensys 8639i W30, Hinge base 2 mm, TB 54, Flash fast installation  | S_8639i_W30_B2_TB54_9088058   | Page: FFA16_B1_0052 | Yes        | Yes |
| 9088061   | Sensys 8639i W45, Hinge base -2 mm, TB 54, Flash fast installation | S_8639i_W45_B-2_TB54_9088061  | Page: FFA16_B1_0056 | Yes        | Yes |
| 9088063   | Sensys 8639i W90, Hinge base 4 mm, TB 54, Flash fast installation  | S_8639i_W90_B4_TB54_9088063   | Page: FFA16_B1_0062 | Yes        | Yes |
| 9088070   | Sensys 8639i W30, Hinge base 2 mm, THS 55, Fix fast installation   | S_8639i_W30_B2_THS55_9088070  | Page: FFA16_B1_0052 | Yes        | Yes |
| 9088073   | Sensys 8639i W45, Hinge base -2 mm, THS 55, Fix fast installation  | S_8639i_W45_B-2_THS55_9088073 | Page: FFA16_B1_0056 | Yes        | Yes |
| 9088075   | Sensys 8639i W90, Hinge base 4 mm, THS 55, Fix fast installation   | S_8639i_W90_B4_THS55_9088075  | Page: FFA16_B1_0062 | Yes        | Yes |
| 9088076   | Sensys 8639i W30, Hinge base 2 mm, TB 55, Fix fast installation    | S_8639i_W30_B2_TB55_9088076   | Page: FFA16_B1_0052 | Yes        | Yes |
| 9088079   | Sensys 8639i W45, Hinge base -2 mm, TB 55, Fix fast installation   | S_8639i_W45_B-2_TB55_9088079  | Page: FFA16_B1_0056 | Yes        | Yes |
| 9088081   | Sensys 8639i W90, Hinge base 4 mm, TB 55, Fix fast installation    | S_8639i_W90_B4_TB55_9088081   | Page: FFA16_B1_0062 | Yes        | Yes |
| 9088100   | Sensys 8639 W30, Hinge base 2 mm, TH 52, For screwing on           | S_8639_W30_B2_TH52_9088100    | Page: FFA16_B1_0053 | Yes        | Yes |
| 9088103   | Sensys 8639 W45, Hinge base -2 mm, TH 52, For screwing on          | S_8639_W45_B-2_TH52_9088103   | Page: FFA16_B1_0057 | Yes        | Yes |
| 9088105   | Sensys 8639 W90, Hinge base 4 mm, TH 52, For screwing on           | S_8639_W90_B4_TH52_9088105    | Page: FFA16_B1_0063 | Yes        | Yes |
| 9088118   | Sensys 8639 W30, Hinge base 2 mm, TH 53, For pressing in           | S_8639_W30_B2_TH53_9088118    | Page: FFA16_B1_0053 | Yes        | Yes |
| 9088121   | Sensys 8639 W45, Hinge base -2 mm, TH 53, For pressing in          | S_8639_W45_B-2_TH53_9088121   | Page: FFA16_B1_0057 | Yes        | Yes |
| 9088123   | Sensys 8639 W90, Hinge base 4 mm, TH 53, For pressing in           | S_8639_W90_B4_TH53_9088123    | Page: FFA16_B1_0063 | Yes        | Yes |
| 9088136   | Sensys 8639 W30, Hinge base 2 mm, THS 55, Fix fast installation    | S_8639_W30_B2_THS55_9088136   | Page: FFA16_B1_0053 | Yes        | Yes |

| Order no. | Description  | Name_imos                    | Page                | Work group | DWG |
|-----------|--|------------------------------|---------------------|------------|-----|
| 9088139   | Sensys 8639 W45, Hinge base -2 mm, THS 55, Fix fast installation | S_8639_W45_B-2_THS55_9088139 | Page: FFA16_B1_0057 | Yes        | Yes |
| 9088141   | Sensys 8639 W90, Hinge base 4 mm, THS 55, Fix fast installation  | S_8639_W90_B4_THS55_9088141  | Page: FFA16_B1_0063 | Yes        | Yes |
| 9088142   | Sensys 8639 W30, Hinge base 2 mm, TB 55, Fix fast installation   | S_8639_W30_B2_TB55_9088142   | Page: FFA16_B1_0053 | Yes        | Yes |
| 9088145   | Sensys 8639 W45, Hinge base -2 mm, TB 55, Fix fast installation  | S_8639_W45_B-2_TB55_9088145  | Page: FFA16_B1_0057 | Yes        | Yes |
| 9088147   | Sensys 8639 W90, Hinge base 4 mm, TB 55, Fix fast installation   | S_8639_W90_B4_TB55_9088147   | Page: FFA16_B1_0063 | Yes        | Yes |
| 9088176   | Sensys 8669 W30, Hinge base 2 mm, TH 52, For screwing on         | S_8669_W30_B2_TH52_9088176   | Page: FFA16_B1_0054 | Yes        | Yes |
| 9088179   | Sensys 8639 W45, Hinge base -2 mm, TH 52, For screwing on        | S_8639_W45_B-2_TH52_9088179  | Page: FFA16_B1_0058 | Yes        | Yes |
| 9088181   | Sensys 8669 W90, Hinge base 4 mm, TH 52, For screwing on         | S_8669_W90_B4_TH52_9088181   | Page: FFA16_B1_0064 | Yes        | Yes |
| 9088194   | Sensys 8669 W30, Hinge base 2 mm, TH 53, For pressing in         | S_8669_W30_B2_TH53_9088194   | Page: FFA16_B1_0054 | Yes        | Yes |
| 9088197   | Sensys 8639 W45, Hinge base -2 mm, TH 53, For pressing in        | S_8639_W45_B-2_TH53_9088197  | Page: FFA16_B1_0058 | Yes        | Yes |
| 9088199   | Sensys 8669 W90, Hinge base 4 mm, TH 53, For pressing in         | S_8669_W90_B4_TH53_9088199   | Page: FFA16_B1_0064 | Yes        | Yes |
| 9088217   | Sensys 8669 W90, Hinge base 4 mm, THS 55, Fix fast installation  | S_8669_W90_B4_THS55_9088217  | Page: FFA16_B1_0064 | Yes        | Yes |
| 9088218   | Sensys 8669 W30, Hinge base 2 mm, TB 55, Fix fast installation   | S_8669_W30_B2_TB55_9088218   | Page: FFA16_B1_0054 | Yes        | Yes |
| 9088221   | Sensys 8639 W45, Hinge base -2 mm, TB 55, Fix fast installation  | S_8639_W45_B-2_TB55_9088221  | Page: FFA16_B1_0058 | Yes        | Yes |
| 9088223   | Sensys 8669 W90, Hinge base 4 mm, TB 55, Fix fast installation   | S_8669_W90_B4_TB55_9088223   | Page: FFA16_B1_0064 | Yes        | Yes |
| 9088242   | Linear mounting plate for pressing in, D = 0,5 mm                | LMP_to_press_in_D0,5_9088242 | Page: FFA16_B1_0076 | Yes        | Yes |
| 9088243   | Linear mounting plate for pressing in, D = 3,0 mm                | LMP_to_press_in_D3_9088243   | Page: FFA16_B1_0076 | Yes        | Yes |
| 9088244   | Linear mounting plate for screwing on, D = 0,5 mm                | LMP_to_srew_on_D0,5_9088244  | Page: FFA16_B1_0076 | Yes        | Yes |
| 9088245   | Linear mounting plate for screwing on, D = 3,0 mm                | LMP_to_srew_on_D3_9088245    | Page: FFA16_B1_0076 | Yes        | Yes |
| 9089585   | Push to open Lock, Anthracite                                    | Pto_Lock_a_9089585           | Page: FFA16_B1_0216 | Yes        | Yes |
| 9089586   | Push to open Pin, For screwing on, Short travel, white           | Pto_Pin_w_9089586            | Page: FFA16_B1_0210 | Yes        | Yes |
| 9089587   | Push to open Pin, For screwing on, Long travel, white            | Pto_Pin_w_9089587            | Page: FFA16_B1_0210 | Yes        | Yes |
| 9089588   | Push to open Pin, for drilling in, Short travel, white           | Pto_Pin_w_9089588            | Page: FFA16_B1_0211 | Yes        | Yes |
| 9089589   | Push to open Pin, for drilling in, Long travel, white            | Pto_Pin_w_9089589            | Page: FFA16_B1_0211 | Yes        | Yes |
| 9089590   | Push to open Magnet, For screwing on, Short travel, white        | Pto_Magnet_w_9089590         | Page: FFA16_B1_0214 | Yes        | Yes |
| 9089591   | Push to open Magnet, For screwing on, Long travel, white         | Pto_Magnet_w_9089591         | Page: FFA16_B1_0214 | Yes        | Yes |
| 9089592   | Push to open Magnet, Drill-in type, Short travel, white          | Pto_Magnet_w_9089592         | Page: FFA16_B1_0215 | Yes        | Yes |
| 9089593   | Push to open Magnet, Drill-in type, Long travel, white           | Pto_Magnet_w_9089593         | Page: FFA16_B1_0215 | Yes        | Yes |
| 9089594   | Push to open Lock, white   | Pto_Lock_w_9089594           | Page: FFA16_B1_0216 | Yes        | Yes |
| 9089595   | Push to open Lock, white   | Pto_Lock_w_9089595           | Page: FFA16_B1_0217 | Yes        | Yes |
| 9089596   | Push to open Pin Strong, for screwing on, Short travel, white    | Pto_Pin_Strong_w_9089596     | Page: FFA16_B1_0212 | Yes        | Yes |
| 9089597   | Push to open Pin Strong, for screwing on, Long travel, white     | Pto_Pin_Strong_w_9089597     | Page: FFA16_B1_0212 | Yes        | Yes |

| Order no. | Description  | Name_imos                    | Page                | Work group | DWG |
|-----------|--|------------------------------|---------------------|------------|-----|
| 9089598   | Push to open Pin Strong, for drilling in, Short travel, white      | Pto_Pin_Strong_w_9089598     | Page: FFA16_B1_0213 | Yes        | Yes |
| 9089599   | Push to open Pin Strong, for drilling in, Long travel, white       | Pto_Pin_Strong_w_9089599     | Page: FFA16_B1_0213 | Yes        | Yes |
| 9089600   | Push to open Pin, For screwing on, Short travel, light grey        | Pto_Pin_lg_9089600           | Page: FFA16_B1_0210 | Yes        | Yes |
| 9089601   | Push to open Pin, For screwing on, Long travel, light grey         | Pto_Pin_lg_9089601           | Page: FFA16_B1_0210 | Yes        | Yes |
| 9089602   | Push to open Pin, for drilling in, Short travel, light grey        | Pto_Pin_lg_9089602           | Page: FFA16_B1_0211 | Yes        | Yes |
| 9089603   | Push to open Pin, for drilling in, Long travel, light grey         | Pto_Pin_lg_9089603           | Page: FFA16_B1_0211 | Yes        | Yes |
| 9089605   | Push to open Magnet, For screwing on, Long travel, light grey      | Pto_Magnet_lg_9089605        | Page: FFA16_B1_0214 | Yes        | Yes |
| 9089606   | Push to open Magnet, Drill-in type, Short travel, light grey       | Pto_Magnet_lg_9089606        | Page: FFA16_B1_0215 | Yes        | Yes |
| 9089607   | Push to open Magnet, Drill-in type, Long travel, light grey        | Pto_Magnet_lg_9089607        | Page: FFA16_B1_0215 | Yes        | Yes |
| 9089608   | Push to open Lock, light grey                                      | Pto_Lock_lg_9089608          | Page: FFA16_B1_0216 | Yes        | Yes |
| 9089609   | Push to open Lock, light grey                                      | Pto_Lock_lg_9089609          | Page: FFA16_B1_0217 | Yes        | Yes |
| 9089610   | Push to open Pin Strong, for screwing on, Short travel, light grey | Pto_Pin_Strong_lg_9089610    | Page: FFA16_B1_0212 | Yes        | Yes |
| 9089611   | Push to open Pin Strong, for screwing on, Long travel, light grey  | Pto_Pin_Strong_lg_9089611    | Page: FFA16_B1_0212 | Yes        | Yes |
| 9089612   | Push to open Pin Strong, for drilling in, Short travel, light grey | Pto_Pin_Strong_lg_9089612    | Page: FFA16_B1_0213 | Yes        | Yes |
| 9089613   | Push to open Pin Strong, for drilling in, Long travel, light grey  | Pto_Pin_Strong_lg_9089613    | Page: FFA16_B1_0213 | Yes        | Yes |
| 9089625   | Push to open Pin, For screwing on, Short travel, Anthracite        | Pto_Pin_a_9089625            | Page: FFA16_B1_0210 | Yes        | Yes |
| 9089627   | Push to open Pin, for drilling in, Short travel, Anthracite        | Pto_Pin_a_9089627            | Page: FFA16_B1_0211 | Yes        | Yes |
| 9089628   | Push to open Pin, for drilling in, Long travel, Anthracite         | Pto_Pin_a_9089628            | Page: FFA16_B1_0211 | Yes        | Yes |
| 9089629   | Push to open Magnet, For screwing on, Short travel, Anthracite     | Pto_Magnet_a_9089629         | Page: FFA16_B1_0214 | Yes        | Yes |
| 9089630   | Push to open Magnet, For screwing on, Long travel, Anthracite      | Pto_Magnet_a_9089630         | Page: FFA16_B1_0214 | Yes        | Yes |
| 9089631   | Push to open Magnet, Drill-in type, Short travel, Anthracite       | Pto_Magnet_a_9089631         | Page: FFA16_B1_0215 | Yes        | Yes |
| 9089632   | Push to open Magnet, Drill-in type, Long travel, Anthracite        | Pto_Magnet_a_9089632         | Page: FFA16_B1_0215 | Yes        | Yes |
| 9089634   | Push to open Lock, Anthracite                                      | Pto_Lock_a_9089634           | Page: FFA16_B1_0217 | Yes        | Yes |
| 9089635   | Push to open Pin Strong, for screwing on, Short travel, anthracite | Pto_Pin_Strong_a_9089635     | Page: FFA16_B1_0212 | Yes        | Yes |
| 9089636   | Push to open Pin Strong, for screwing on, Long travel, anthracite  | Pto_Pin_Strong_a_9089636     | Page: FFA16_B1_0212 | Yes        | Yes |
| 9089637   | Push to open Pin Strong, for drilling in, Short travel, anthracite | Pto_Pin_Strong_a_9089637     | Page: FFA16_B1_0213 | Yes        | Yes |
| 9089638   | Push to open Pin Strong, for drilling in, Long travel, anthracite  | Pto_Pin_Strong_a_9089638     | Page: FFA16_B1_0213 | Yes        | Yes |
| 9090045   | Intermat 9930, Hinge base 24 mm, TH 52, for screwing on            | Int_9930_SD_B24_TH52_9090045 | Page: FFA13_0046    | Yes        | Yes |
| 9090046   | Intermat 9930, Hinge base 24 mm, TH 53, For pressing in            | Int_9930_SD_B24_TH53_9090046 | Page: FFA13_0046    | Yes        | Yes |
| 9090047   | Intermat 9930, Hinge base 24 mm, TH 54, Flash fast installation    | Int_9930_SD_B24_TH54_9090047 | Page: FFA13_0046    | Yes        | Yes |
| 9090048   | Intermat 9930, Hinge base 24 mm, TB 52, for screwing on            | Int_9930_SD_B24_TB52_9090048 | Page: FFA13_0046    | Yes        | Yes |
| 9090049   | Intermat 9930, Hinge base 24 mm, TB 53, For pressing in            | Int_9930_SD_B24_TB53_9090049 | Page: FFA13_0046    | Yes        | Yes |

| Order no. | Description  | Name_imos                     | Page                | Work group | DWG |
|-----------|--|-------------------------------|---------------------|------------|-----|
| 9090053   | Intermat 9930, Hinge base 24 mm, THS 55, Fix fast installation   | Int_9930_SD_B24_TH55_9090053  | Page: FFA13_0046    | Yes        | Yes |
| 9090109   | Intermat 9930, Hinge base 24 mm, TH 52, For screwing on          | Int_9930_SD_B24_TH52_9090109  | Page: FFA16_B1_0070 | Yes        | Yes |
| 9090110   | Intermat 9930, Hinge base 24 mm, TH 53, For pressing in          | Int_9930_SD_B24_TH53_9090110  | Page: FFA16_B1_0070 | Yes        | Yes |
| 9090111   | Intermat 9930, Hinge base 24 mm, TH 54, Flash fast installation  | Int_9930_SD_B24_TH54_9090111  | Page: FFA16_B1_0070 | Yes        | Yes |
| 9090113   | Intermat 9930, Hinge base 24 mm, THS 55, Fix fast installation   | Int_9930_SD_B24_THS55_9090113 | Page: FFA16_B1_0070 | Yes        | Yes |
| 9090115   | Intermat 9930, Hinge base 24 mm, TB 52, For screwing on          | Int_9930_SD_B24_TB52_9090115  | Page: FFA16_B1_0070 | Yes        | Yes |
| 9090116   | Intermat 9930, Hinge base 24 mm, TB 53, For pressing in          | Int_9930_SD_B24_TB53_9090116  | Page: FFA16_B1_0070 | Yes        | Yes |
| 9090117   | Intermat 9930, Hinge base 24 mm, TB 54, Flash fast installation  | Int_9930_SD_B24_TB54_9090117  | Page: FFA16_B1_0070 | Yes        | Yes |
| 9090119   | Intermat 9930, Hinge base 24 mm, TB 55, Fix fast installation    | Int_9930_SD_B24_TB55_9090119  | Page: FFA16_B1_0070 | Yes        | Yes |
| 9090260   | Sensys 8631i, Hinge base 12.5 mm, TH 52, For screwing on         | S_8631i_B12,5_TH52_9090260    |                     | Yes        | Yes |
| 9090261   | Sensys 8631i, Hinge base 12.5 mm, TH 53, For pressing in         | S_8631i_B12,5_TH53_9090261    |                     | Yes        | Yes |
| 9090262   | Sensys 8631i, Hinge base 12.5 mm, TH 54, Flash fast installation | S_8631i_B12,5_TH54_9090262    |                     | Yes        | Yes |
| 9090264   | Sensys 8631i, Hinge base 12.5 mm, TH 56, with prem. Euro screws  | S_8631i_B12,5_TH_56_9090264   |                     | Yes        | Yes |
| 9090270   | Sensys 8631i, Hinge base 3 mm, TH 52, For screwing on            | S_8631i_B3_TH52_9090270       |                     | Yes        | Yes |
| 9090271   | Sensys 8631i, Hinge base 3 mm, TH 53, For pressing in            | S_8631i_B3_TH53_9090271       |                     | Yes        | Yes |
| 9090272   | Sensys 8631i, Hinge base 3 mm, TH 54, Flash fast installation    | S_8631i_B3_TH54_9090272       |                     | Yes        | Yes |
| 9090274   | Sensys 8631i, Hinge base 3 mm, TH 56, with prem. Euro screws     | S_8631i_B3_TH_56_9090274      |                     | Yes        | Yes |
| 9090280   | Sensys 8631i, Hinge base -4 mm, TH 52, For screwing on           | S_8631i_B-4_TH52_9090280      |                     | Yes        | Yes |
| 9090281   | Sensys 8631i, Hinge base -4 mm, TH 53, For pressing in           | S_8631i_B-4_TH53_9090281      |                     | Yes        | Yes |
| 9090282   | Sensys 8631i, Hinge base -4 mm, TH 54, Flash fast installation   | S_8631i_B-4_TH54_9090282      |                     | Yes        | Yes |
| 9090284   | Sensys 8631i, Hinge base -4 mm, TH 56, with prem. Euro screws    | S_8631i_B-4_TH_56_9090284     |                     | Yes        | Yes |
| 9090290   | Sensys 8631i, Hinge base 12.5 mm, TB 52, For screwing on         | S_8631i_B12,5_TB52_9090290    |                     | Yes        | Yes |
| 9090291   | Sensys 8631i, Hinge base 12.5 mm, TB 53, For pressing in         | S_8631i_B12,5_TB53_9090291    |                     | Yes        | Yes |
| 9090292   | Sensys 8631i, Hinge base 12.5 mm, TB 54, Flash fast installation | S_8631i_B12,5_TB54_9090292    |                     | Yes        | Yes |
| 9090300   | Sensys 8631i, Hinge base 3 mm, TB 52, For screwing on            | S_8631i_B3_TB52_9090300       |                     | Yes        | Yes |
| 9090301   | Sensys 8631i, Hinge base 3 mm, TB 53, For pressing in            | S_8631i_B3_TB53_9090301       |                     | Yes        | Yes |
| 9090302   | Sensys 8631i, Hinge base 3 mm, TB 54, Flash fast installation    | S_8631i_B3_TB54_9090302       |                     | Yes        | Yes |
| 9090310   | Sensys 8631i, Hinge base -4 mm, TB 52, For screwing on           | S_8631i_B-4_TB52_9090310      |                     | Yes        | Yes |
| 9090311   | Sensys 8631i, Hinge base -4 mm, TB 53, For pressing in           | S_8631i_B-4_TB53_9090311      |                     | Yes        | Yes |
| 9090312   | Sensys 8631i, Hinge base -4 mm, TB 54, Flash fast installation   | S_8631i_B-4_TB54_9090312      |                     | Yes        | Yes |
| 9090350   | Sensys 8631, Hinge base 12.5 mm, TH 52, For screwing on          | S_8631_B12,5_TH52_9090350     |                     | Yes        | Yes |
| 9090351   | Sensys 8631, Hinge base 12.5 mm, TH 53, For pressing in          | S_8631_B12,5_TH53_9090351     |                     | Yes        | Yes |

| Order no. | Description  | Name_imos                  | Page                | Work group | DWG |
|-----------|--|----------------------------|---------------------|------------|-----|
| 9090360   | Sensys 8631, Hinge base 3 mm, TH 52, For screwing on             | S_8631_B3_TH52_9090360     |                     | Yes        | Yes |
| 9090361   | Sensys 8631, Hinge base 3 mm, TH 53, For pressing in             | S_8631_B3_TH53_9090361     |                     | Yes        | Yes |
| 9090370   | Sensys 8631, Hinge base -4 mm, TH 52, For screwing on            | S_8631_B-4_TH52_9090370    |                     | Yes        | Yes |
| 9090371   | Sensys 8631, Hinge base -4 mm, TH 53, For pressing in            | S_8631_B-4_TH53_9090371    |                     | Yes        | Yes |
| 9090380   | Sensys 8631, Hinge base 12.5 mm, TB 52, For screwing on          | S_8631_B12,5_TB52_9090380  |                     | Yes        | Yes |
| 9090381   | Sensys 8631, Hinge base 12.5 mm, TB 53, For pressing in          | S_8631_B12,5_TB53_9090381  |                     | Yes        | Yes |
| 9090390   | Sensys 8631, Hinge base 3 mm, TB 52, For screwing on             | S_8631_B3_TB52_9090390     |                     | Yes        | Yes |
| 9090391   | Sensys 8631, Hinge base 3 mm, TB 53, For pressing in             | S_8631_B3_TB53_9090391     |                     | Yes        | Yes |
| 9090400   | Sensys 8631, Hinge base -4 mm, TB 52, For screwing on            | S_8631_B-4_TB52_9090400    |                     | Yes        | Yes |
| 9090401   | Sensys 8631, Hinge base -4 mm, TB 53, For pressing in            | S_8631_B-4_TB53_9090401    |                     | Yes        | Yes |
| 9090440   | Sensys 8661, Hinge base 12.5 mm, TH 52, For screwing on          | S_8661_B12,5_TH52_9090440  |                     | Yes        | Yes |
| 9090441   | Sensys 8661, Hinge base 12.5 mm, TH 53, For pressing in          | S_8661_B12,5_TH53_9090441  |                     | Yes        | Yes |
| 9090450   | Sensys 8661, Hinge base 3 mm, TH 52, For screwing on             | S_8661_B3_TH52_9090450     |                     | Yes        | Yes |
| 9090451   | Sensys 8661, Hinge base 3 mm, TH 53, For pressing in             | S_8661_B3_TH53_9090451     |                     | Yes        | Yes |
| 9090460   | Sensys 8661, Hinge base -4 mm, TH 52, For screwing on            | S_8661_B-4_TH52_9090460    |                     | Yes        | Yes |
| 9090461   | Sensys 8661, Hinge base -4 mm, TH 53, For pressing in            | S_8661_B-4_TH53_9090461    |                     | Yes        | Yes |
| 9090470   | Sensys 8661, Hinge base 12.5 mm, TB 52, For screwing on          | S_8661_B12,5_TB52_9090470  |                     | Yes        | Yes |
| 9090471   | Sensys 8661, Hinge base 12.5 mm, TB 53, For pressing in          | S_8661_B12,5_TB53_9090471  |                     | Yes        | Yes |
| 9090480   | Sensys 8661, Hinge base 3 mm, TB 52, For screwing on             | S_8661_B3_TB52_9090480     |                     | Yes        | Yes |
| 9090481   | Sensys 8661, Hinge base 3 mm, TB 53, For pressing in             | S_8661_B3_TB53_9090481     |                     | Yes        | Yes |
| 9090490   | Sensys 8661, Hinge base -4 mm, TB 52, For screwing on            | S_8661_B-4_TB52_9090490    |                     | Yes        | Yes |
| 9090491   | Sensys 8661, Hinge base -4 mm, TB 53, For pressing in            | S_8661_B-4_TB53_9090491    |                     | Yes        | Yes |
| 9091400   | Sensys 8631i, Hinge base 12,5 mm, TH 52, For screwing on         | S_8631i_B12,5_TH52_9091400 | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091401   | Sensys 8631i, Hinge base 12,5 mm, TH 53, For pressing in         | S_8631i_B12,5_TH53_9091401 | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091402   | Sensys 8631i, Hinge base 12,5 mm, TH 54, Flash fast installation | S_8631i_B12,5_TH54_9091402 | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091410   | Sensys 8631i, Hinge base 3 mm, TH 52, For screwing on            | S_8631i_B3_TH52_9091410    | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091411   | Sensys 8631i, Hinge base 3 mm, TH 53, For pressing in            | S_8631i_B3_TH53_9091411    | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091412   | Sensys 8631i, Hinge base 3 mm, TH 54, Flash fast installation    | S_8631i_B3_TH54_9091412    | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091421   | Sensys 8631i, Hinge base -4 mm, TH 53, For pressing in           | S_8631i_B-4_TH53_9091421   | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091422   | Sensys 8631i, Hinge base -4 mm, TH 54, Flash fast installation   | S_8631i_B-4_TH54_9091422   | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091430   | Sensys 8631i, Hinge base 12,5 mm, TB 52, For screwing on         | S_8631i_B12,5_TB52_9091430 | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091431   | Sensys 8631i, Hinge base 12,5 mm, TB 53, For pressing in         | S_8631i_B12,5_TB53_9091431 | Page: FFA16_B1_0038 | Yes        | Yes |



| Order no. | Description  | Name_imos                   | Page                | Work group | DWG |
|-----------|--|-----------------------------|---------------------|------------|-----|
| 9091432   | Sensys 8631i, Hinge base 12,5 mm, TB 54, Flash fast installation           | S_8631i_B12,5_TB54_9091432  | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091436   | Sensys 8631i, Hinge base 12.5 mm, TB 58, With premounted expanding sockets | S_8631i_B12,5_TB_58_9091436 |                     | Yes        | Yes |
| 9091440   | Sensys 8631i, Hinge base 3 mm, TB 52, For screwing on                      | S_8631i_B3_TB52_9091440     | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091441   | Sensys 8631i, Hinge base 3 mm, TB 53, For pressing in                      | S_8631i_B3_TB53_9091441     | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091442   | Sensys 8631i, Hinge base 3 mm, TB 54, Flash fast installation              | S_8631i_B3_TB54_9091442     | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091451   | Sensys 8631i, Hinge base -4 mm, TB 53, For pressing in                     | S_8631i_B-4_TB53_9091451    | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091452   | Sensys 8631i, Hinge base -4 mm, TB 54, Flash fast installation             | S_8631i_B-4_TB54_9091452    | Page: FFA16_B1_0038 | Yes        | Yes |
| 9091490   | Sensys 8631, Hinge base 12,5 mm, TH 52, For screwing on                    | S_8631_B12,5_TH52_9091490   | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091491   | Sensys 8631, Hinge base 12,5 mm, TH 53, For pressing in                    | S_8631_B12,5_TH53_9091491   | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091500   | Sensys 8631, Hinge base 3 mm, TH 52, For screwing on                       | S_8631_B3_TH52_9091500      | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091501   | Sensys 8631, Hinge base 3 mm, TH 53, For pressing in                       | S_8631_B3_TH53_9091501      | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091510   | Sensys 8631, Hinge base -4 mm, TH 52, For screwing on                      | S_8631_B-4_TH52_9091510     | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091511   | Sensys 8631, Hinge base -4 mm, TH 53, For pressing in                      | S_8631_B-4_TH53_9091511     | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091520   | Sensys 8631, Hinge base 12,5 mm, TB 52, For screwing on                    | S_8631_B12,5_TB52_9091520   | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091521   | Sensys 8631, Hinge base 12,5 mm, TB 53, For pressing in                    | S_8631_B12,5_TB53_9091521   | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091530   | Sensys 8631, Hinge base 3 mm, TB 52, For screwing on                       | S_8631_B3_TB52_9091530      | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091531   | Sensys 8631, Hinge base 3 mm, TB 53, For pressing in                       | S_8631_B3_TB53_9091531      | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091540   | Sensys 8631, Hinge base -4 mm, TB 52, For screwing on                      | S_8631_B-4_TB52_9091540     | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091541   | Sensys 8631, Hinge base -4 mm, TB 53, For pressing in                      | S_8631_B-4_TB53_9091541     | Page: FFA16_B1_0039 | Yes        | Yes |
| 9091580   | Sensys 8661, Hinge base 12,5 mm, TH 52, For screwing on                    | S_8661_B12,5_TH52_9091580   | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091581   | Sensys 8661, Hinge base 12,5 mm, TH 53, For pressing in                    | S_8661_B12,5_TH53_9091581   | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091590   | Sensys 8661, Hinge base 3 mm, TH 52, For screwing on                       | S_8661_B3_TH52_9091590      | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091591   | Sensys 8661, Hinge base 3 mm, TH 53, For pressing in                       | S_8661_B3_TH53_9091591      | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091600   | Sensys 8661, Hinge base -4 mm, TH 52, For screwing on                      | S_8661_B-4_TH52_9091600     | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091601   | Sensys 8661, Hinge base -4 mm, TH 53, For pressing in                      | S_8661_B-4_TH53_9091601     | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091610   | Sensys 8661, Hinge base 12,5 mm, TB 52, For screwing on                    | S_8661_B12,5_TB52_9091610   | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091611   | Sensys 8661, Hinge base 12,5 mm, TB 53, For pressing in                    | S_8661_B12,5_TB53_9091611   | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091620   | Sensys 8661, Hinge base 3 mm, TB 52, For screwing on                       | S_8661_B3_TB52_9091620      | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091621   | Sensys 8661, Hinge base 3 mm, TB 53, For pressing in                       | S_8661_B3_TB53_9091621      | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091630   | Sensys 8661, Hinge base -4 mm, TB 52, For screwing on                      | S_8661_B-4_TB52_9091630     | Page: FFA16_B1_0040 | Yes        | Yes |
| 9091631   | Sensys 8661, Hinge base -4 mm, TB 53, For pressing in                      | S_8661_B-4_TB53_9091631     | Page: FFA16_B1_0040 | Yes        | Yes |

| Order no. | Description  | Name_imos                  | Page                | Work group | DWG |
|-----------|--|----------------------------|---------------------|------------|-----|
| 9091641   | Sensys 8661, Hinge base 12.5 mm, TS 53, For pressing in                    | S_8661_B12,5_TS_53_9091641 |                     | Yes        | Yes |
| 9094020   | Sensys 8646i, Hinge base -4 mm, TH 52, For screwing on                     | S_8646i_B-4_TH_52_9094020  |                     | Yes        | Yes |
| 9094270   | Sensys 8646i, Hinge base 12,5 mm, TH 52, For screwing on                   | S_8646i_B12,5_TH52_9094270 | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094271   | Sensys 8646i, Hinge base 12,5 mm, TH 53, For pressing in                   | S_8646i_B12,5_TH53_9094271 | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094276   | Sensys 8646i, Hinge base 12,5 mm, TH 58, With premounted expanding sockets | S_8646i_B12,5_TH58_9094276 | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094280   | Sensys 8646i, Hinge base 3 mm, TH 52, For screwing on                      | S_8646i_B3_TH52_9094280    | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094281   | Sensys 8646i, Hinge base 3 mm, TH 53, For pressing in                      | S_8646i_B3_TH53_9094281    | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094286   | Sensys 8646i, Hinge base 3 mm, TH 58, With premounted expanding sockets    | S_8646i_B3_TH58_9094286    | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094290   | Sensys 8646i, Hinge base -4 mm, TH 52, For screwing on                     | S_8646i_B-4_TH52_9094290   | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094291   | Sensys 8646i, Hinge base -4 mm, TH 53, For pressing in                     | S_8646i_B-4_TH53_9094291   | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094296   | Sensys 8646i, Hinge base -4 mm, TH 58, With premounted expanding sockets   | S_8646i_B-4_TH58_9094296   | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094300   | Sensys 8646i, Hinge base 12,5 mm, TB 52, For screwing on                   | S_8646i_B12,5_TB52_9094300 | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094301   | Sensys 8646i, Hinge base 12,5 mm, TB 53, for pressing in                   | S_8646i_B12,5_TB53_9094301 | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094306   | Sensys 8646i, Hinge base 12,5 mm, TB 58, premounted expanding sockets      | S_8646i_B12,5_TB58_9094306 | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094310   | Sensys 8646i, Hinge base 3 mm, TB 52, For screwing on                      | S_8646i_B3_TB52_9094310    | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094311   | Sensys 8646i, Hinge base 3 mm, TB 53, for pressing in                      | S_8646i_B3_TB53_9094311    | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094316   | Sensys 8646i, Hinge base 3 mm, TB 58, premounted expanding sockets         | S_8646i_B3_TB58_9094316    | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094320   | Sensys 8646i, Hinge base -4 mm, TB 52, For screwing on                     | S_8646i_B-4_TB52_9094320   | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094321   | Sensys 8646i, Hinge base -4 mm, TB 53, for pressing in                     | S_8646i_B-4_TB53_9094321   | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094326   | Sensys 8646i, Hinge base -4 mm, TB 58, premounted expanding sockets        | S_8646i_B-4_TB58_9094326   | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094360   | Sensys 8646, Hinge base 12,5 mm, TH 52, For screwing on                    | S_8646_B12,5_TH52_9094360  | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094361   | Sensys 8646, Hinge base 12,5 mm, TH 53, For pressing in                    | S_8646_B12,5_TH53_9094361  | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094366   | Sensys 8646, Hinge base 12,5 mm, TH 58, With premounted expanding sockets  | S_8646_B12,5_TH58_9094366  | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094370   | Sensys 8646, Hinge base 3 mm, TH 52, For screwing on                       | S_8646_B3_TH52_9094370     | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094371   | Sensys 8646, Hinge base 3 mm, TH 53, For pressing in                       | S_8646_B3_TH53_9094371     | Page: FFA16_B1_0045 | Yes        | Yes |

| Order no. | Description   | Name_imos                 | Page                | Work group | DWG |
|-----------|---|---------------------------|---------------------|------------|-----|
| 9094376   | Sensys 8646, Hinge base 3 mm, TH 58, With premounted expanding sockets    | S_8646_B3_TH58_9094376    | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094380   | Sensys 8646, Hinge base -4 mm, TH 52, For screwing on                     | S_8646_B-4_TH52_9094380   | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094381   | Sensys 8646, Hinge base -4 mm, TH 53, For pressing in                     | S_8646_B-4_TH53_9094381   | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094386   | Sensys 8646, Hinge base -4 mm, TH 58, With premounted expanding sockets   | S_8646_B-4_TH58_9094386   | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094390   | Sensys 8646, Hinge base 12,5 mm, TB 52, For screwing on                   | S_8646_B12,5_TB52_9094390 | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094391   | Sensys 8646, Hinge base 12,5 mm, TB 53, for pressing in                   | S_8646_B12,5_TB53_9094391 | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094396   | Sensys 8646, Hinge base 12,5 mm, TB 58, premounted expanding sockets      | S_8646_B12,5_TB58_9094396 | Page: FFA16_B1_0044 | Yes        | Yes |
| 9094400   | Sensys 8646, Hinge base 3 mm, TB 52, For screwing on                      | S_8646_B3_TB52_9094400    | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094401   | Sensys 8646, Hinge base 3 mm, TB 53, for pressing in                      | S_8646_B3_TB53_9094401    | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094406   | Sensys 8646, Hinge base 3 mm, TB 58, premounted expanding sockets         | S_8646_B3_TB58_9094406    | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094410   | Sensys 8646, Hinge base -4 mm, TB 52, For screwing on                     | S_8646_B-4_TB52_9094410   | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094411   | Sensys 8646, Hinge base -4 mm, TB 53, for pressing in                     | S_8646_B-4_TB53_9094411   | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094416   | Sensys 8646, Hinge base -4 mm, TB 58, premounted expanding sockets        | S_8646_B-4_TB58_9094416   | Page: FFA16_B1_0045 | Yes        | Yes |
| 9094450   | Sensys 8676, Hinge base 12,5 mm, TH 52, For screwing on                   | S_8676_B12,5_TH52_9094450 | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094451   | Sensys 8676, Hinge base 12,5 mm, TH 53, For pressing in                   | S_8676_B12,5_TH53_9094451 | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094456   | Sensys 8676, Hinge base 12,5 mm, TH 58, With premounted expanding sockets | S_8676_B12,5_TH58_9094456 | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094460   | Sensys 8676, Hinge base 3 mm, TH 52, For screwing on                      | S_8676_B3_TH52_9094460    | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094461   | Sensys 8676, Hinge base 3 mm, TH 53, For pressing in                      | S_8676_B3_TH53_9094461    | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094466   | Sensys 8676, Hinge base 3 mm, TH 58, With premounted expanding sockets    | S_8676_B3_TH58_9094466    | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094470   | Sensys 8676, Hinge base -4 mm, TH 52, For screwing on                     | S_8676_B-4_TH52_9094470   | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094471   | Sensys 8676, Hinge base -4 mm, TH 53, For pressing in                     | S_8676_B-4_TH53_9094471   | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094476   | Sensys 8676, Hinge base -4 mm, TH 58, With premounted expanding sockets   | S_8676_B-4_TH58_9094476   | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094480   | Sensys 8676, Hinge base 12,5 mm, TB 52, For screwing on                   | S_8676_B12,5_TB52_9094480 | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094481   | Sensys 8676, Hinge base 12,5 mm, TB 53, for pressing in                   | S_8676_B12,5_TB53_9094481 | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094486   | Sensys 8676, Hinge base 12,5 mm, TB 58, premounted expanding sockets      | S_8676_B12,5_TB58_9094486 | Page: FFA16_B1_0046 | Yes        | Yes |

| Order no. | Description  | Name_imos                   | Page                | Work group | DWG |
|-----------|--|-----------------------------|---------------------|------------|-----|
| 9094490   | Sensys 8676, Hinge base 3 mm, TB 52, For screwing on               | S_8676_B3_TB52_9094490      | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094491   | Sensys 8676, Hinge base 3 mm, TB 53, for pressing in               | S_8676_B3_TB53_9094491      | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094496   | Sensys 8676, Hinge base 3 mm, TB 58, premounted expanding sockets  | S_8676_B3_TB58_9094496      | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094500   | Sensys 8676, Hinge base -4 mm, TB 52, For screwing on              | S_8676_B-4_TB52_9094500     | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094501   | Sensys 8676, Hinge base -4 mm, TB 53, for pressing in              | S_8676_B-4_TB53_9094501     | Page: FFA16_B1_0046 | Yes        | Yes |
| 9094506   | Sensys 8676, Hinge base -4 mm, TB 58, premounted expanding sockets | S_8676_B-4_TB58_9094506     | Page: FFA16_B1_0046 | Yes        | Yes |
| 9099540   | Sensys 8657i, Hinge base 12,5 mm, TH 52, For screwing on           | S_8657i_B12,5_TH52_9099540  | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099541   | Sensys 8657i, Hinge base 12,5 mm, TH 53, For pressing in           | S_8657i_B12,5_TH53_9099541  | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099542   | Sensys 8657i, Hinge base 12,5 mm, TH 54, Flash fast installation   | S_8657i_B12,5_TH54_9099542  | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099543   | Sensys 8657i, Hinge base 12,5 mm, THS 55, Fix fast installation    | S_8657i_B12,5_THS55_9099543 | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099551   | Sensys 8657i, Hinge base 3 mm, TH 53, For pressing in              | S_8657i_B3_TH53_9099551     | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099552   | Sensys 8657i, Hinge base 3 mm, TH 54, Flash fast installation      | S_8657i_B3_TH54_9099552     | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099553   | Sensys 8657i, Hinge base 3 mm, THS 55, Fix fast installation       | S_8657i_B3_THS55_9099553    | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099560   | Sensys 8657i, Hinge base 12,5 mm, TB 52, For screwing on           | S_8657i_B12,5_TB52_9099560  | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099561   | Sensys 8657i, Hinge base 12,5 mm, TB 53, For pressing in           | S_8657i_B12,5_TB53_9099561  | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099562   | Sensys 8657i, Hinge base 12,5 mm, TB 54, Flash fast installation   | S_8657i_B12,5_TB54_9099562  | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099563   | Sensys 8657i, Hinge base 12,5 mm, TB 55, Fix fast installation     | S_8657i_B12,5_TB55_9099563  | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099571   | Sensys 8657i, Hinge base 3 mm, TB 53, For pressing in              | S_8657i_B3_TB53_9099571     | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099572   | Sensys 8657i, Hinge base 3 mm, TB 54, Flash fast installation      | S_8657i_B3_TB54_9099572     | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099573   | Sensys 8657i, Hinge base 3 mm, TB 55, Fix fast installation        | S_8657i_B3_TB55_9099573     | Page: FFA16_B1_0048 | Yes        | Yes |
| 9099600   | Sensys 8657, Hinge base 12,5 mm, TH 52, For screwing on            | S_8657_B12,5_TH52_9099600   | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099601   | Sensys 8657, Hinge base 12,5 mm, TH 53, For pressing in            | S_8657_B12,5_TH53_9099601   | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099603   | Sensys 8657, Hinge base 12,5 mm, THS 55, Fix fast installation     | S_8657_B12,5_THS55_9099603  | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099610   | Sensys 8657, Hinge base 3 mm, TH 52, For screwing on               | S_8657_B3_TH52_9099610      | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099611   | Sensys 8657, Hinge base 3 mm, TH 53, For pressing in               | S_8657_B3_TH53_9099611      | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099613   | Sensys 8657, Hinge base 3 mm, THS 55, Fix fast installation        | S_8657_B3_THS55_9099613     | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099620   | Sensys 8657, Hinge base 12,5 mm, TB 52, For screwing on            | S_8657_B12,5_TB52_9099620   | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099621   | Sensys 8657, Hinge base 12,5 mm, TB 53, For pressing in            | S_8657_B12,5_TB53_9099621   | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099623   | Sensys 8657, Hinge base 12,5 mm, TB 55, Fix fast installation      | S_8657_B12,5_TB55_9099623   | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099630   | Sensys 8657, Hinge base 3 mm, TB 52, For screwing on               | S_8657_B3_TB52_9099630      | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099631   | Sensys 8657, Hinge base 3 mm, TB 53, For pressing in               | S_8657_B3_TB53_9099631      | Page: FFA16_B1_0049 | Yes        | Yes |

| Order no. | Description   | Name_imos                   | Page                | Work group | DWG |
|-----------|---|-----------------------------|---------------------|------------|-----|
| 9099633   | Sensys 8657, Hinge base 3 mm, TB 55, Fix fast installation      | S_8657_B3_TB55_9099633      | Page: FFA16_B1_0049 | Yes        | Yes |
| 9099660   | Sensys 8687, Hinge base 12,5 mm, TH 52, For screwing on         | S_8687_B12,5_TH52_9099660   | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099661   | Sensys 8687, Hinge base 12,5 mm, TH 53, For pressing in         | S_8687_B12,5_TH53_9099661   | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099663   | Sensys 8687, Hinge base 12,5 mm, THS 55, Fix fast installation  | S_8687_B12,5_THS55_9099663  | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099670   | Sensys 8687, Hinge base 3 mm, TH 52, For screwing on            | S_8687_B3_TH52_9099670      | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099671   | Sensys 8687, Hinge base 3 mm, TH 53, For pressing in            | S_8687_B3_TH53_9099671      | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099673   | Sensys 8687, Hinge base 3 mm, THS 55, Fix fast installation     | S_8687_B3_THS55_9099673     | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099680   | Sensys 8687, Hinge base 12,5 mm, TB 52, For screwing on         | S_8687_B12,5_TB52_9099680   | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099681   | Sensys 8687, Hinge base 12,5 mm, TB 53, For pressing in         | S_8687_B12,5_TB53_9099681   | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099683   | Sensys 8687, Hinge base 12,5 mm, TB 55, Fix fast installation   | S_8687_B12,5_TB55_9099683   | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099690   | Sensys 8687, Hinge base 3 mm, TB 52, For screwing on            | S_8687_B3_TB52_9099690      | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099691   | Sensys 8687, Hinge base 3 mm, TB 53, For pressing in            | S_8687_B3_TB53_9099691      | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099693   | Sensys 8687, Hinge base 3 mm, TB 55, Fix fast installation      | S_8687_B3_TB55_9099693      | Page: FFA16_B1_0050 | Yes        | Yes |
| 9099750   | Sensys 8657, Hinge base 12,5 mm, TH 42, For screwing on         | S_8657_B12,5_TH42_9099750   | Page: FFA16_B1_0130 | Yes        | Yes |
| 9099751   | Sensys 8657, Hinge base 12,5 mm, TH 43, For pressing in         | S_8657_B12,5_TH43_9099751   | Page: FFA16_B1_0130 | Yes        | Yes |
| 9099752   | Sensys 8657, Hinge base 12,5 mm, TH 44, Flash fast installation | S_8657_B12,5_TH44_9099752   | Page: FFA16_B1_0130 | Yes        | Yes |
| 9099783   | Sensys 8657, Hinge base 3 mm, TB 45, Fix fast installation      | S_8657_B3_TB45_9099783      | Page: FFA16_B1_0130 | Yes        | Yes |
| 9099810   | Sensys 8687, Hinge base 12,5 mm, TH 42, For screwing on         | S_8687_B12,5_TH42_9099810   | Page: FFA16_B1_0132 | Yes        | Yes |
| 9099813   | Sensys 8687, Hinge base 12,5 mm, THS 45, Fix fast installation  | S_8687_B12,5_THS45_9099813  | Page: FFA16_B1_0132 | Yes        | Yes |
| 9099820   | Sensys 8687, Hinge base 3 mm, TH 42, For screwing on            | S_8687_B3_TH42_9099820      | Page: FFA16_B1_0132 | Yes        | Yes |
| 9132643   | Cross mounting plate with premounted Euro screws, D = 1,5 mm    | CMP_Euro_screw_D1,5_9132643 | Page: FFA16_B1_0167 | Yes        | Yes |
| 9132644   | Cross mounting plate with premounted Euro screws, D = 0,0 mm    | CMP_Euro_screw_D0_9132644   | Page: FFA16_B1_0167 | Yes        | Yes |
| 9132645   | Cross mounting plate with premounted Euro screws, D = 3,0 mm    | CMP_Euro_screw_D3_9132645   | Page: FFA16_B1_0167 | Yes        | Yes |
| 9132646   | Cross mounting plate with premounted Euro screws, D = 5,0 mm    | CMP_Euro_screw_D5_9132646   | Page: FFA16_B1_0167 | Yes        | Yes |
| 9132647   | Cross mounting plate with premounted Euro screws, D = 8,0 mm    | CMP_Euro_screw_D8_9132647   | Page: FFA16_B1_0167 | Yes        | Yes |
| 9155234   | Intermat 9936 Alu, Hinge base 4 mm, TA 22, For screwing on      | Int_9936_B4_TA22_9155234    | Page: KSPA14_0112   | Yes        | Yes |
| 9155235   | Intermat 9936 Alu, Hinge base -2,5 mm, TA 22, For screwing on   | Int_9936_B-2,5_TA22_9155235 | Page: KSPA14_0112   | Yes        | Yes |
| 9155241   | Intermat 9935, Hinge base 18 mm, TH 22 / L, For screwing on     | Int_9935_B18_TH22_9155241   | Page: KSPA14_0086   | Yes        | Yes |
| 9155242   | Intermat 9935, Hinge base 8 mm, TH 22 / L, For screwing on      | Int_9935_B8_TH22_9155242    | Page: KSPA14_0086   | Yes        | Yes |
| 9155243   | Intermat 9935, Hinge base -3 mm, TH 22 / L, For screwing on     | Int_9935_B-3_TH22_9155243   | Page: KSPA14_0086   | Yes        | Yes |

### 3. Connectors with general information

| Order no. | Description   | Name_imos                     | Page                |
|-----------|---|-------------------------------|---------------------|
| 6731      | Pivot hinge   | Pivot_Hinge_6731              | Page: FFA16_B1_0283 |
| 6732      | Pivot hinge   | Pivot_Hinge_6732              | Page: FFA13_0229    |
| 10067     | Cover cap for Seleкта hinge arm                               | Cover_cap_basic_hinge_10067   | Page: FFA16_B1_0256 |
| 10075     | Glass door ornamental cap TB 32                               | Glass_door_ornamen_cap_10075  | Page: FFA16_B1_0254 |
| 13300     | Cover cap for Intermat hinge arm                              | Cover_cap_hinge_arm_13300     | Page: FFA13_0109    |
| 13430     | Aluminium frame profile                                       | Aluminium_frame_profil_13430  | Page: FFA04_03_024  |
| 19639     | Screw on hinge with spring                                    | Screw_on_hinge_19639          | Page: FFA16_B1_0279 |
| 19640     | Screw on hinge without spring                                 | Screw_on_hinge_19640          | Page: FFA16_B1_0279 |
| 19641     | Distance plate 2 mm   | Distance_plate_2mm_19641      | Page: FFA16_B1_0279 |
| 20046     | Screw on hinge with spring                                    | Screw_on_hinge_20046          | Page: FFA16_B1_0280 |
| 20126     | Mini screw on hinge with spring                               | Screw_on_hinge_20126          | Page: FFA16_B1_0281 |
| 20169     | Intermat 9944 Alu, Hinge base 12,5 mm, TA 22, for screwing on | Int_9944_B12,5_TA22_20169     | Page: FFA13_0098    |
| 20170     | Intermat 9944 Alu, Hinge base 3 mm, TA 22, for screwing on    | Int_9944_B3_TA22_20170        | Page: FFA13_0098    |
| 20870     | Glass door hinge ET 150                                       | Glass_door_hinge_ET_150_20870 | Page: FFA16_B1_0266 |
| 20871     | Push handle   | Push_handle_left_20871        | Page: FFA16_B1_0266 |
| 20872     | Push handle   | Push_handle_right_20872       | Page: FFA16_B1_0266 |
| 25204     | Cover cap ø 35 mm, white                                      | Cover_cap_ø35_white_25204     | Page: FFA16_B1_0172 |
| 25205     | Cover cap ø 35 mm, brown                                      | Cover_cap_ø35_brown_25205     | Page: FFA16_B1_0172 |
| 25314     | Glass door handle   | Glass_door_pull_25314         | Page: FFA16_B1_0264 |
| 25315     | Glass door handle   | Glass_door_pull_25315         | Page: FFA13_0202    |
| 31098     | Table hinge 120, polished                                     | Table_hinge_120_31098         | Page: FFA16_B1_0290 |
| 31099     | Table hinge 120, nickel-plated, high-gloss                    | Table_hinge_120_31099         | Page: FFA16_B1_0290 |
| 31101     | Sewing table hinge 130, polished                              | Sewing_table_hinge_130_31101  | Page: FFA16_B1_0289 |
| 31168     | Excellent concealed cylinder hinge, 10 mm                     | Hinge_Excellent_10_31168      | Page: FFA16_B1_0274 |
| 31169     | Excellent concealed cylinder hinge, 12 mm                     | Hinge_Excellent_12_31169      | Page: FFA16_B1_0274 |
| 31170     | Excellent concealed cylinder hinge, 14 mm                     | Hinge_Excellent_14_31170      | Page: FFA16_B1_0274 |
| 31171     | Excellent concealed cylinder hinge, 16 mm                     | Hinge_Excellent_16_31171      | Page: FFA16_B1_0274 |
| 31172     | Excellent concealed cylinder hinge, 18 mm                     | Hinge_Excellent_18_31172      | Page: FFA16_B1_0274 |
| 31173     | Excellent concealed cylinder hinge, 24 mm                     | Hinge_Excellent_24_31173      | Page: FFA16_B1_0274 |
| 31174     | Sepa hinge, 41 mm   | Sepa_41_31174                 | Page: FFA16_B1_0278 |
| 31175     | Sepa hinge, 52 mm   | Sepa_52_31175                 | Page: FFA16_B1_0278 |
| 31176     | Sepa hinge, 88 mm   | Sepa_88_31176                 | Page: FFA16_B1_0278 |

| Order no. | Description   | Name_imos                      | Page                 |
|-----------|---|--------------------------------|----------------------|
| 40221     | Face frame mounting plate for screwing on, D = 0,0 mm               | CMP_D0_40221                   | Page: FFA08_03_1_088 |
| 40242     | Flap hinge Markant 11   | Markant_11_nickel_40242        | Page: FFA16_B1_0285  |
| 40244     | Flap hinge Markant 11   | Markant_11_brass_40244         | Page: FFA13_0235     |
| 40250     | Intermat 9936P W30, Hinge base -10 mm, TH 42, for screwing on       | Int_9936P_W30_B-10_TH42_40250  | Page: FFA13_0132     |
| 40251     | Intermat 9936P W30, Hinge base -10 mm, TH 45, Fix fast installation | Int_9936P_W30_B-10_TH45_40251  | Page: FFA13_0132     |
| 40252     | Intermat 9936P W30, Hinge base -10 mm, TB 45, Fix fast installation | Int_9936P_W30_B-10_TB45_40252  | Page: FFA13_0132     |
| 40259     | Intermat 9936P W45, Hinge base -17 mm, TH 42, for screwing on       | Int_9936P_W45_B-17_TH42_40259  | Page: FFA13_0134     |
| 40260     | Intermat 9936P W45, Hinge base -17 mm, TH 45, Fix fast installation | Int_9936P_W45_B-17_TH45_40260  | Page: FFA13_0134     |
| 40261     | Intermat 9936P W45, Hinge base -17 mm, TB 45, Fix fast installation | Int_9936P_W45_B-17_TB45_40261  | Page: FFA13_0134     |
| 40340     | Decorative caps, type A, high-gloss gold plated                     | Decor_caps_A_gold_hg_40340     | Page: FFA16_B1_0158  |
| 40341     | Decorative caps, type A, high-gloss chrome plated                   | Decor_caps_A_chrome_hg_40341   | Page: FFA16_B1_0158  |
| 40494     | Decorative caps, type B, high-gloss gold plated                     | Decor_caps_B_chrome_hg_40494   | Page: FFA16_B1_0158  |
| 40495     | Decorative caps, type B, high-gloss chrome plated                   | Decor_caps_B_chrome_hg_40495   | Page: FFA16_B1_0158  |
| 40672     | Piano hinge, 20 mm / 3500 mm, nickel plated steel                   | Piano_hinge_20_nickel_40672    | Page: FFA13_0222     |
| 40674     | Piano hinge, 20 mm / 3500 mm, bright stainless steel                | Piano_hinge_20_Ss_40674        | Page: FFA13_0222     |
| 40677     | Piano hinge, 25 mm / 3500 mm, brass plated steel, lacquered         | Piano_hinge_25_brass_lac_40677 | Page: FFA13_0222     |
| 40678     | Piano hinge, 25 mm / 3500 mm, nickel plated steel                   | Piano_hinge_25_nickel_40678    | Page: FFA13_0222     |
| 40680     | Piano hinge, 25 mm / 3500 mm, bright stainless steel                | Piano_hinge_25_Ss_40680        | Page: FFA13_0222     |
| 40689     | Piano hinge, 32 mm / 3500 mm, brass plated steel, lacquered         | Piano_hinge_32_brass_lac_40689 | Page: FFA13_0223     |
| 40691     | Piano hinge, 32 mm / 3500 mm, burnished steel                       | Piano_hinge_32_brunished_40691 | Page: FFA13_0223     |
| 40692     | Piano hinge, 32 mm / 3500 mm, bright stainless steel                | Piano_hinge_32_Ss_40692        | Page: FFA13_0223     |
| 40695     | Piano hinge, 40 mm / 3500 mm, brass plated steel, lacquered         | Piano_hinge_40_brass_lac_40695 | Page: FFA13_0224     |
| 40696     | Piano hinge, 40 mm / 3500 mm, nickel plated steel                   | Piano_hinge_40_nickel_40696    | Page: FFA13_0224     |
| 40698     | Piano hinge, 40 mm / 3500 mm, bright stainless steel                | Piano_hinge_40_Ss_40698        | Page: FFA13_0224     |
| 41294     | Fabrication   | Fabrication_alu_frame_41294    | Page: FFA04_04_051   |
| 41295     | Fabrication for TopLine 22  | Fabrication_TopLine_22_41295   | Page: FFA04_04_087   |
| 41887     | Fabrication for sliding-door fitting WingLine 780 Alu               | Fabrication_WingLine_780_41887 | Page: FFA04_04_157   |
| 42329     | Mirror door hinge Novi  | Mirror_hinge_Novi_42329        | Page: FFA16_B1_0291  |
| 42332     | Table hinge 120, nickel-plated, high-gloss                          | Table_hinge_120_42332          | Page: FFA16_B1_0290  |
| 42335     | Table hinge 120, nickel-plated, high-gloss                          | Table_hinge_120_42335          | Page: FFA16_B1_0290  |
| 42339     | Stabilo 75 hinge, nickel plated brass / white plastic               | Stabilo_75_brass_white_42339   | Page: FFA16_B1_0277  |
| 42384     | Opening angle stop 90° / 135°                                       | Opening_angle_stop_090°_42384  | Page: FFA13_0188     |



| Order no. | Description  | Name_imos                      | Page                |
|-----------|--|--------------------------------|---------------------|
| 42385     | Opening angle stop 90° / 135°                          | Opening_angle_stop_135°_42385  | Page: FFA13_0188    |
| 42557     | Stabilo 72 hinge, all metal, burnished                 | Stabilo_72_burnished_42557     | Page: FFA13_0219    |
| 42581     | Flap hinge   | Flap_hinge_135_polished_42581  | Page: FFA16_B1_0286 |
| 42582     | Flap hinge   | Flap_hinge_137_polished_42582  | Page: FFA16_B1_0286 |
| 42583     | Flap hinge   | Flap_hinge_140_polished_42583  | Page: FFA16_B1_0287 |
| 42584     | Flap hinge   | Flap_hinge_142_polished_42584  | Page: FFA16_B1_0287 |
| 42585     | Flap hinge   | Flap_hinge_135_nickel_pl_42585 | Page: FFA16_B1_0286 |
| 42586     | Flap hinge   | Flap_hinge_137_nickel_pl_42586 | Page: FFA16_B1_0286 |
| 42587     | Flap hinge   | Flap_hinge_140_nickel_pl_42587 | Page: FFA16_B1_0287 |
| 42588     | Flap hinge   | Flap_hinge_142_nickel_pl_42588 | Page: FFA16_B1_0287 |
| 42589     | Sewing table hinge 130, nickel-plated, high-gloss      | Sewing_table_hinge_130_42589   | Page: FFA16_B1_0289 |
| 43036     | Angle adapter for cross mounting plates, 5°            | Angle_adapter_05°_43036        | Page: FFA16_B1_0169 |
| 43037     | Angle adapter for cross mounting plates, 10°           | Angle_adapter_10°_43037        | Page: FFA16_B1_0169 |
| 43038     | Angle adapter for cross mounting plates, 15°           | Angle_adapter_15°_43038        | Page: FFA16_B1_0169 |
| 43039     | Opening angle stop 90° / 115°                          | Opening_angle_stop_090°_43039  | Page: FFA16_B1_0256 |
| 43052     | Opening angle stop 90° / 115°                          | Opening_angle_stop_115°_43052  | Page: FFA16_B1_0256 |
| 44797     | Stabilo 72 hinge, all metal, nickel plated             | Stabilo_72_nickel_44797        | Page: FFA16_B1_0276 |
| 45517     | Optimat Plus 3 FM                                      | Optimat_Plus_3_FM_45517        | Page: FFA13_0213    |
| 46696     | Flap hinge Markant 10                                  | Markant_10_46696               | Page: FFA13_0234    |
| 46848     | Sepa hinge, 39 mm                                      | Sepa_39_46848                  | Page: FFA16_B1_0278 |
| 46849     | Flap hinge Markant 7.1                                 | Markant_7_1_46849              | Page: FFA16_B1_0284 |
| 58123     | Piano hinge, 32 mm / 3500 mm, bright brass             | Piano_hinge_32_brass_bri_58123 | Page: FFA13_0223    |
| 59727     | Piano hinge, 25 mm / 3500 mm, bright brass             | Piano_hinge_25_brass_bri_59727 | Page: FFA13_0222    |
| 60577     | Silent System for clipping on, half overlay            | Damping_Silent_System_60577    | Page: FFA16_B1_0198 |
| 60578     | Silent System for clipping on, inset                   | Damping_Silent_System_60578    | Page: FFA16_B1_0198 |
| 60581     | Silent System hinge cup, full overlay, TH: 52 x 5,5 mm | Silent_System_damper_60581     | Page: FFA16_B1_0199 |
| 60832     | Face frame hinge with spring system                    | Face_frame_hinge_60832         | Page: FFA16_B1_0272 |
| 61755     | Piano hinge, 20 mm / 3500 mm, bright brass             | Piano_hinge_20_brass_bri_61755 | Page: FFA13_0222    |
| 69597     | Perfekt 5737 W45, TH 42, Screw-on type                 | Perfekt_5204_W45_T42_69597     | Page: FFA16_B1_0236 |
| 69599     | Perfekt 5224 W45, TH 42 / S, Screw-on type             | Perfekt_5204_W45_T42_26_69599  | Page: FFA16_B1_0236 |
| 69600     | Perfekt 5204 W45, TU 12 / S, Screw-on type             | Perfekt_5204_W45_T1_69600      | Page: FFA16_B1_0237 |
| 69605     | Perfekt 5734 W90, T 42, Screw-on type                  | Perfekt_5204_W90_T42_69605     | Page: FFA13_0157    |

| Order no. | Description  | Name_imos                      | Page                |
|-----------|--|--------------------------------|---------------------|
| 69607     | Perfekt 5204 W90, TU 12 / S, Screw-on type                         | Perfekt_5204_W90_T1_69607      | Page: FFA16_B1_0239 |
| 69933     | Pivot hinge  | Pivot_hinge_69933              | Page: FFA16_B1_0282 |
| 70051     | Decorative caps type A, black                                      | Decor_caps_A_black_70051       | Page: FFA16_B1_0158 |
| 70052     | Decorative caps type B, black                                      | Decor_caps_B_black_70052       | Page: FFA16_B1_0158 |
| 70712     | Decorative caps, type A, matt nickel plated                        | Decor_caps_A_nickel_matt_70712 | Page: FFA16_B1_0158 |
| 70713     | Decorative caps, type B, matt nickel plated                        | Decor_caps_B_nickel_matt_70713 | Page: FFA16_B1_0158 |
| 71821     | Corner unit hinge 121  | corner_unit_hinge_121_ST_71821 | Page: FFA16_B1_0288 |
| 72134     | Special hinge ET 582   | ET_582_T22_72134               | Page: FFA16_B1_0270 |
| 72889     | Glass door handle  | Glass_door_pull_72889          | Page: FFA13_0204    |
| 72900     | Flap hinge Markant 9   | Markant_9_white_72900          | Page: FFA13_0233    |
| 72901     | Flap hinge Markant 9   | Markant_9_brown_72901          | Page: FFA13_0233    |
| 73928     | Intermat 9936 W30, Hinge base -10 mm, TH 42, For screwing on       | Int_9936_W30_B-10_TH42_73928   | Page: FFA16_B1_0136 |
| 73929     | Intermat 9936 W30, Hinge base -10 mm, TH 43, For pressing in       | Int_9936_W30_B-10_TH43_73929   | Page: FFA16_B1_0136 |
| 73930     | Intermat 9936 W30, Hinge base -10 mm, TB 43, For pressing in       | Int_9936_W30_B-10_TB43_73930   | Page: FFA16_B1_0136 |
| 73932     | Intermat 9936 W45, Hinge base -17 mm, TH 42, For screwing on       | Int_9936_W45_B-17_TH42_73932   | Page: FFA16_B1_0140 |
| 73933     | Intermat 9936 W45, Hinge base -17 mm, TH 43, For pressing in       | Int_9936_W45_B-17_TH43_73933   | Page: FFA16_B1_0140 |
| 73934     | Intermat 9936 W45, Hinge base -17 mm, TB 43, For pressing in       | Int_9936_W45_B-17_TB43_73934   | Page: FFA16_B1_0140 |
| 74684     | Intermat 9936 BV, opening angle 95°, TH 42, For screwing on        | Int_9945_TH42_74684            | Page: FFA16_B1_0164 |
| 77645     | Intermat 9936 W20, Hinge base -9 mm, TH 42, For screwing on        | Int_9936_W20_B-9_TH42_77645    | Page: FFA16_B1_0134 |
| 77682     | Intermat 9936 W20, Hinge base -9 mm, TH 43, For pressing in        | Int_9936_W20_B-9_TH43_77682    | Page: FFA16_B1_0134 |
| 77683     | Intermat 9936 W20, Hinge base -9 mm, TB 43, For pressing in        | Int_9936_W20_B-9_TB43_77683    | Page: FFA16_B1_0134 |
| 77689     | Intermat 9936 W20, Hinge base -9 mm, TB 45, Fix fast installation  | Int_9936_W20_B-9_TB45_77689    | Page: FFA16_B1_0134 |
| 77697     | Intermat 9936 W30, Hinge base -10 mm, TH 45, Fix fast installation | Int_9936_W30_B-10_TH45_77697   | Page: FFA16_B1_0136 |
| 77698     | Intermat 9936 W30, Hinge base -10 mm, TB 45, Fix fast installation | Int_9936_W30_B-10_TB45_77698   | Page: FFA16_B1_0136 |
| 77706     | Intermat 9936 W45, Hinge base -17 mm, TH 45, Fix fast installation | Int_9936_W45_B-17_TH45_77706   | Page: FFA16_B1_0140 |
| 77707     | Intermat 9936 W45, Hinge base -17 mm, TB 45, Fix fast installation | Int_9936_W45_B-17_TB45_77707   | Page: FFA16_B1_0140 |
| 79307     | Intermat 9924 W30, Hinge base -5 mm, TH 42, for screwing on        | Int_9924_W30_B-5_TH42_79307    | Page: FFA13_0088    |
| 79311     | Intermat 9924 W30, Hinge base -5 mm, TH 42, for screwing on        | Int_9924_W45_B-5_TH42_79311    | Page: FFA13_0090    |
| 79317     | Intermat 9904, Hinge base -5 mm                                    | Int_9904_W45_B-5_T1_79317      | Page: FFA13_0094    |
| 79323     | Parallel adapter for cross mounting plates, D = 3.0 mm             | Parallel_adapt_CMP_03_79323    | Page: FFA16_B1_0229 |
| 79324     | Parallel adapter for cross mounting plates, D = 5.0 mm             | Parallel_adapt_CMP_05_79324    | Page: FFA16_B1_0229 |
| 79325     | Parallel adapter for cross mounting plates, D = 10.0 mm            | Parallel_adapt_CMP_10_79325    | Page: FFA16_B1_0229 |

| Order no. | Description  | Name_imos                      | Page                 |
|-----------|--|--------------------------------|----------------------|
| 79349     | Angle adapter for cross mounting plates, 5°                                | Angle_adapter_05°_79349        | Page: FFA16_B1_0169  |
| 79350     | Angle adapter for cross mounting plates, 10°                               | Angle_adapter_10°_79350        | Page: FFA16_B1_0169  |
| 79382     | Face frame mounting plate for screwing on, D = 0,0 mm                      | Face_Frame_mpl_D0_79382        | Page: FFA16_B1_0166  |
| 79383     | Face frame mounting plate for screwing on, D = 4,5 mm                      | Face_Frame_mpl_D4,5_79383      | Page: FFA16_B1_0166  |
| 79406     | Furniture hinge 101, without decorative finial, nickel plated, matt, 50 mm | Brass_hinge_101_wo_df_50_79406 | Page: FFA16_B1_0317  |
| 79412     | Furniture hinge 101, without decorative finial, nickel plated, matt, 75 mm | Brass_hinge_101_wo_df_75_79412 | Page: FFA16_B1_0317  |
| 79414     | Furniture hinge 101, with decorative finial ZK 19, polished, 75 mm         | Brass_hinge_101_w_df_75_79414  | Page: FFA16_B1_0317  |
| 79791     | Opening angle limiter for Intermat 9956,                                   | Opening_angle_limiter_79791    | Page: FFA13_0110     |
| 1001881   | Glass door ornamental cap TH 22  | Glass_door_ornamen_cap_1001881 | Page: FFA13_0186     |
| 1023514   | Centre hinge for clipping on, for folding doors                            | Clip_on_centre_hinge_1023514   | Page: EERU09_338     |
| 1071645   | Cross mounting plate with expanding sockets and special screws, D = 0,0 mm | CMP_socket_D0_1071645          | Page: KSPA14_0122    |
| 1071646   | Cross mounting plate with expanding sockets and special screws, D = 1,5 mm | CMP_socket_D1,5_1071646        | Page: KSPA14_0122    |
| 1071647   | Cross mounting plate with expanding sockets and special screws, D = 3,0 mm | CMP_socket_D3_1071647          | Page: KSPA14_0122    |
| 1071648   | Cross mounting plate with expanding sockets and special screws, D = 5,0 mm | CMP_socket_D5_1071648          | Page: KSPA14_0122    |
| 1071706   | For pressing in cross mounting plate, D = 1,5 mm                           | CMP_to_press_in_D1,5_1071706   | Page: KSPA14_0123    |
| 1071707   | For pressing in cross mounting plate, D = 3,0 mm                           | CMP_to_press_in_D3_1071707     | Page: KSPA14_0123    |
| 1071708   | For pressing in cross mounting plate, D = 5,0 mm                           | CMP_to_press_in_D5_1071708     | Page: KSPA14_0123    |
| 1077338   | Folding door hinge component with pin                                      | Folding_door_hinge_1077338     | Page: AU10_04_4_022  |
| 1077339   | Folding door hinge component   | Folding_door_hinge_1077339     | Page: AU10_04_4_022  |
| 1081304   | Glass door ornamental cap TX 32/52x9                                       | Glass_door_ornamen_cap_1081304 | Page: FFA16_B1_0254  |
| 9001818   | Fixing plate for clip on centre hinge for folding doors                    | Clip_on_centre_hinge_9001818   | Page: EERU09_338     |
| 9006145   | Cross mounting plate with premounted Euro screws, D = 1,5 mm               | CMP_Euro_screws_D1_5_9006145   |                      |
| 9037365   | Cover cap for SlideOn hinge arm  | Slide_on_cover_cap_9037365     | Page: FFA08_03_1_148 |
| 9040835   | Opening angle limiter for Intermat 9943, Limitation from 110° to 85°       | Opening_angle_limiter_9040835  | Page: FFA13_0110     |
| 9040947   | Cover cap for SlideOn hinge arm  | Cover_cap_for_hinge_9040947    | Page: FFA16_B1_0229  |
| 9042839   | Cover cap for Intermat hinge arm (Geprägt mit Hettich Logo)                | Cover_cap_hinge_arm_9042839    | Page: FFA13_0052     |

| Order no. | Description   | Name_imos                      | Page                |
|-----------|---|--------------------------------|---------------------|
| 9043370   | Intermat 9944, Hinge base 12.5 mm, TH 48, With premounted expanding sockets | int_9944_B_12,5TH_48_9043370   |                     |
| 9043381   | Intermat 9944, Hinge base 12.5 mm, TB 48, With premounted expanding sockets | int_9944_B_12,5_TB_48_9043381  |                     |
| 9043753   | Intermat 9936 W90, Hinge base 22 mm, TB 43, For pressing in                 | Int_9936_W90_B22_TB43_9043753  | Page: FFA16_B1_0148 |
| 9044823   | Intermat 9930, Hinge base 24 mm, TH 48, With premounted expanding sockets   | int_9930_B_24_TH_48_9044823    |                     |
| 9044829   | Intermat 9966 W30, Hinge base -10 mm, TH 42, For screwing on                | Int_9966_W30_B-10_TH42_9044829 | Page: FFA16_B1_0138 |
| 9044830   | Intermat 9966 W30, Hinge base -10 mm, TH 45, Fix fast installation          | Int_9966_W30_B-10_TH45_9044830 | Page: FFA16_B1_0138 |
| 9044831   | Intermat 9966 W30, Hinge base -10 mm, TB 45, Fix fast installation          | Int_9966_W30_B-10_TB45_9044831 | Page: FFA16_B1_0138 |
| 9044838   | Intermat 9966 W45, Hinge base -17 mm, TH 42, For screwing on                | Int_9966_W45_B-17_TH42_9044838 | Page: FFA16_B1_0144 |
| 9044839   | Intermat 9966 W45, Hinge base -17 mm, TH 45, Fix fast installation          | Int_9966_W45_B-17_TH45_9044839 | Page: FFA16_B1_0144 |
| 9044840   | Intermat 9966 W45, Hinge base -17 mm, TB 45, Fix fast installation          | Int_9966_W45_B-17_TB45_9044840 | Page: FFA16_B1_0144 |
| 9044844   | Intermat 9936 W90, Hinge base 22 mm, TH 42, For screwing on                 | Int_9936_W90_B22_TH42_9044844  | Page: FFA16_B1_0148 |
| 9044845   | Intermat 9936 W90, Hinge base 22 mm, TH 43, For pressing in                 | Int_9936_W90_B22_TH43_9044845  | Page: FFA16_B1_0148 |
| 9044846   | Intermat 9936 W90, Hinge base 22 mm, TH 45, Fix fast installation           | Int_9936_W90_B22_TH45_9044846  | Page: FFA16_B1_0148 |
| 9044847   | Intermat 9936 W90, Hinge base 22 mm, TB 45, Fix fast installation           | Int_9936_W90_B22_TB45_9044847  | Page: FFA16_B1_0148 |
| 9071468   | Opening angle limiter for Sensys 8645i, Limitation from 110° to 85°         | Open_angle_limiter_110_9071468 | Page: FFA13_0053    |
| 9071469   | Opening angle limiter for Sensys 8639i W, Limitation from 95° to 85°        | Open_angle_limiter_095_9071469 | Page: FFA13_0053    |
| 9071470   | Opening angle limiter for Sensys 8638i, Limitation from 95° to 85°          | Open_angle_limiter_085_9071470 | Page: FFA13_0053    |
| 9072214   | Angle adapter for cross mounting plates, 5°                                 | Angle_adapter_05°_9072214      | Page: FFA13_0052    |
| 9072215   | Angle adapter for cross mounting plates, 10°                                | Angle_adapter_10°_9072215      | Page: FFA13_0052    |
| 9072216   | Angle adapter for cross mounting plates, 15°                                | Angle_adapter_15°_9072216      | Page: FFA13_0052    |
| 9072217   | Angle adapter for cross mounting plates, 20°                                | Angle_adapter_20°_9072217      | Page: FFA13_0052    |
| 9072232   | Parallel adapter for cross mounting plates, D = 12,0 mm                     | Parallel_adapt_CMP_12_9072232  | Page: FFA13_0052    |
| 9072233   | Parallel adapter for cross mounting plates, D = 22,0 mm                     | Parallel_adapt_CMP_22_9072233  | Page: FFA13_0052    |
| 9072533   | Angle adapter for cross mounting plates D =                                 | Angle_adapter_5°_9072533       | Page: FFA16_B1_0080 |

| Order no. | Description  | Name_imos                      | Page                |
|-----------|--|--------------------------------|---------------------|
| 9072534   | Angle adapter for cross mounting platesD =                               | Angle_adapter_10°_9072534      | Page: FFA16_B1_0080 |
| 9072535   | Angle adapter for cross mounting platesD =                               | Angle_adapter_15°_9072535      | Page: FFA16_B1_0080 |
| 9072536   | Angle adapter for cross mounting platesD =                               | Angle_adapter_20°_9072536      | Page: FFA16_B1_0080 |
| 9072537   | Parallel adapter for cross mounting plates, D = 8,0 mm                   | Parallel_adapt_CMP_08_9072537  | Page: FFA16_B1_0080 |
| 9072538   | Parallel adapter for cross mounting plates, D = 12,0 mm                  | Parallel_adapt_CMP_12_9072538  | Page: FFA16_B1_0080 |
| 9072539   | Parallel adapter for cross mounting plates, D = 22,0 mm                  | Parallel_adapt_CMP_22_9072539  | Page: FFA16_B1_0080 |
| 9072540   | Opening angle limiter for Sensys 8645i, Limitation from 110° to 85°      | S_opn_ang_lmtr_8645i_9072540   | Page: FFA16_B1_0082 |
| 9072541   | Opening angle limiter for Sensys 8639i W, Limitation from 95° to 85°     | S_opn_ang_lmtr_8639i_W_9072541 | Page: FFA16_B1_0082 |
| 9072542   | Opening angle limiter for Sensys 8638i, Limitation from 95° to 85°       | S_opn_ang_lmtr_8638i_9072542   | Page: FFA16_B1_0083 |
| 9072548   | Optimat Plus 4 FM  | Optimat_Plus_4_FM_9072548      | Page: FFA16_B1_0273 |
| 9072556   | Intermat 9943, Hinge base 3 mm, TB 42, For screwing on                   | Int_9943_B3_TB_42_9072556      |                     |
| 9072557   | Intermat 9943, Hinge base -3.5 mm, TB 42, For screwing on                | Int_9943_B-3,5_TB_42_9072557   |                     |
| 9072980   | Adapter for reducing drilling depth, for TH 52, TS cup, 1,8 mm           | Adapter_reduce_cup_dep_9072980 | Page: FFA13_0053    |
| 9072981   | Adapter for reducing drilling depth, for TH 52, TS cup, 2,7 mm           | Adapter_reduce_cup_dep_9072981 | Page: FFA13_0053    |
| 9073391   | Minimat 6234 T52/ 38 H   | Minimat_6234_T52_38_H_9073391  | Page: MX11_03_1_130 |
| 9073392   | Minimat 6234 T52/ 38 H   | Minimat_6234_T52_38_H_9073392  | Page: MX11_03_1_130 |
| 9073393   | Minimat 6234 T52/ 38 H   | Minimat_6234_T52_38_H_9073393  | Page: MX11_03_1_130 |
| 9073394   | Minimat 6234 T56/ 38 H   | Minimat_6234_T56_38_H_9073394  | Page: MX11_03_1_130 |
| 9073395   | Minimat 6234 T56/ 38 H   | Minimat_6234_T52_38_H_9073395  | Page: MX11_03_1_130 |
| 9073396   | Minimat 6234 T56/ 38 H   | Minimat_6234_T52_38_H_9073396  | Page: MX11_03_1_130 |
| 9073595   | Adapter for reducing drilling depth, for TH 52, TS cup, 1,8 mm           | Adaptr_RDD_TH52_TS_1,8_9073595 | Page: FFA16_B1_0082 |
| 9073596   | Adapter for reducing drilling depth, for TH 52, TS cup, 2,7 mm           | Adaptr_RDD_TH52_TS_2,7_9073596 | Page: FFA16_B1_0082 |
| 9073597   | Adapter for reducing drilling depth, for TB cup, 1,8 mm                  | Adaptr_RDD_TB1,8_9073597       | Page: FFA16_B1_0082 |
| 9073598   | Adapter for reducing drilling depth, for TB cup, 2,7 mm                  | Adaptr_RDD_TB2,7_9073598       | Page: FFA16_B1_0082 |
| 9073688   | Sensys 8645i, Hinge base -4 mm, TH 58, With premounted expanding sockets | S_8645i_B-4_TH_58_9073688      |                     |
| 9076418   | Fixing screws  | Screw_Ø4x12_9076418            | Page: FFA16_B1_0072 |
| 9076430   | Clothing protection  | Clothing_protection_9076430    | Page: FFA16_B1_0256 |

| Order no. | Description  | Name_imos                      | Page                |
|-----------|--|--------------------------------|---------------------|
| 9076431   | Clothing protection  | Clothing_protection_9076431    | Page: FFA16_B1_0256 |
| 9076460   | Minimat 6204 T1  | Minimat_6204_T1_9076460        | Page: MX11_03_1_132 |
| 9076461   | Minimat 6204 T1  | Minimat_6204_T1_9076461        | Page: MX11_03_1_132 |
| 9076462   | Minimat 6204 T1  | Minimat_6204_T1_9076462        | Page: MX11_03_1_132 |
| 9076738   | Adapter for glue mounting Sensys, TH 52                                | S_TH52_glas_door_adapt_9076738 | Page: FFA16_B1_0072 |
| 9077377   | Adapter for glue mounting Sensys, TB 52                                | S_TB_glas_door_adapt_9077377   | Page: FFA16_B1_0072 |
| 9079379   | Universal opening angle stop up to 120°                                | Universal_open_angl_li_9079379 | Page: FFA13_0188    |
| 9079380   | Universal garment guard  | Universal_garment_guar_9079380 | Page: FFA13_0188    |
| 9079390   | Door-on-door slider fitting for refrigerator surrounds                 | Door_on_door_slider_9079390    | Page: FFA16_B1_0271 |
| 9081657   | Aid for installing opening angle limiter,                              | Mnt_aid_opn_angle_lmtr_9081657 | Page: FFA16_B1_0084 |
| 9081923   | Adapter for glue mounting Sensys, TH 52                                | S_TH52_glas_door_adapt_9081923 | Page: FFA16_B1_0072 |
| 9082604   | Adapter for glue mounting Sensys, TB 52                                | S_TB_glas_door_adapt_9082604   | Page: FFA16_B1_0072 |
| 9082612   | Cover cap for Sensys hinge arm (Neutral)                               | Cover_cap_hinge_arm_9082612    | Page: FFA13_0052    |
| 9082614   | Cover cap for Sensys hinge cup (for TH / TS)                           | Cover_cap_hinge_arm_9082614    | Page: FFA13_0052    |
| 9082774   | Cover cap for Sensys hinge arm (embossed with Hettich Logo)            | Cover_cap_hinge_arm_9082774    | Page: FFA13_0052    |
| 9084643   | Silent System for clipping on, full overlay, half overlay              | Damper_Silent_System_9084643   | Page: FFA13_0045    |
| 9084924   | Cover cap for Sensys hinge cup (for TB)                                | Cover_cap_hinge_arm_9084924    | Page: FFA13_0052    |
| 9084925   | Opening angle limiter for Interimat 9956, Limitation from 165° to 130° | Int_9956_Open_limit_9084925    |                     |
| 9084930   | System 8000 face frame mounting plate for screwing on, D = 0,0 mm      | Face_Frame_mpl_D0_9084930      | Page: FFA13_0049    |
| 9084931   | System 8000 face frame mounting plate for screwing on, D = 4,5 mm      | Face_Frame_mpl_D4,5_9084931    | Page: FFA13_0049    |
| 9085167   | Sensys 8639i W30, Hinge base -16 mm, TH 52, for screwing on            | S_8639i_W30_TH52_-16_9085167   | Page: FFA13_0036    |
| 9085169   | Sensys 8639i W45, Hinge base -25 mm, TH 52, for screwing on            | S_8639i_W45_TH52_-25_9085169   | Page: FFA13_0038    |
| 9085172   | Sensys 8639i W30, Hinge base -16 mm, TH 53, Press in type              | S_8639i_W30_TH53_-16_9085172   | Page: FFA13_0036    |
| 9085174   | Sensys 8639i W45, Hinge base -25 mm, TH 53, Press in type              | S_8639i_W45_TH53_-25_9085174   | Page: FFA13_0038    |
| 9085177   | Sensys 8639i W30, Hinge base -16 mm, TH 54, Flash fast installation    | S_8639i_W30_TH54_-16_9085177   | Page: FFA13_0036    |
| 9085179   | Sensys 8639i W45, Hinge base -25 mm, TH 54, Flash fast installation    | S_8639i_W45_TH54_-25_9085179   | Page: FFA13_0038    |
| 9085192   | Sensys 8639i W30, Hinge base -16 mm, TB 52, for screwing on            | S_8639i_W30_TB52_-16_9085192   | Page: FFA13_0036    |
| 9085194   | Sensys 8639i W45, Hinge base -25 mm, TB 52, for screwing on            | S_8639i_W45_TB52_-25_9085194   | Page: FFA13_0038    |
| 9085197   | Sensys 8639i W30, Hinge base -16 mm, TB 53, For pressing in            | S_8639i_W30_TB53_-16_9085197   | Page: FFA13_0036    |
| 9085199   | Sensys 8639i W45, Hinge base -25 mm, TB 53, For pressing in            | S_8639i_W45_TB53_-25_9085199   | Page: FFA13_0038    |
| 9085201   | Sensys 8639i W30, Hinge base 2 mm, TB 54, Flash fast installation      | S_8639i_W30_B2_TB54_9085201    |                     |
| 9085202   | Sensys 8639i W30, Hinge base -16 mm, TB 54, Flash fast installation    | S_8639i_W30_B-16_TB54_9085202  |                     |

| Order no. | Description   | Name_imos                     | Page                |
|-----------|---|-------------------------------|---------------------|
| 9085203   | Sensys 8639i W45, Hinge base -2 mm, TB 54, Flash fast installation  | S_8639i_W45_B-2_TB54_9085203  |                     |
| 9085204   | Sensys 8639i W45, Hinge base -25 mm, TB 54, Flash fast installation | S_8639i_W45_B-25_TB54_9085204 |                     |
| 9085205   | Sensys 8639i W90, Hinge base 4 mm, TB 54, Flash fast installation   | S_8639i_W90_B4_TB54_9085205   |                     |
| 9085217   | Sensys 8639 W30, Hinge base -16 mm, TH 52, for screwing on          | S_8639_W30_TH52_-16_9085217   | Page: KSPA14_0042   |
| 9085219   | Sensys 8639 W45, Hinge base -25 mm, TH 52, for screwing on          | S_8639_W45_TH52_-25_9085219   | Page: KSPA14_0048   |
| 9085267   | Sensys 8669 W30, Hinge base -16 mm, TH 52, for screwing on          | S_8669_W30_TH52_-16_9085267   |                     |
| 9085269   | Sensys 9669 W45, Hinge base -25 mm, TH 52, for screwing on          | S_8669_W45_TH52_-25_9085269   |                     |
| 9085310   | Sensys 8639i W90, Hinge base 4 mm, TS 52, for screwing on           | S_8639i_W90_B4_TS_52_9085310  |                     |
| 9085337   | Sensys 8639i W30, Hinge base -16 mm, THS 55, Fix fast installation  | S_8639i_W30_TH55F_-16_9085337 | Page: FFA13_0036    |
| 9085339   | Sensys 8639i W45, Hinge base -25 mm, THS 55, Fix fast installation  | S_8639i_W45_TH55F_-25_9085339 | Page: FFA13_0038    |
| 9085342   | Sensys 8639i W30, Hinge base -16 mm, TB 55, Fix fast installation   | S_8639i_W30_TB55F_-16_9085342 | Page: FFA13_0036    |
| 9085344   | Sensys 8639i W45, Hinge base -25 mm, TB 55, Fix fast installation   | S_8639i_W45_TB55F_-25_9085344 | Page: FFA13_0038    |
| 9088017   | Sensys 8639i W30, Hinge base -16 mm, TH 52, For screwing on         | S_8639i_W30_B-16_TH52_9088017 | Page: FFA16_B1_0052 |
| 9088018   | Sensys 8639i W45, Hinge base 9 mm, TH 52, For screwing on           | S_8639i_W45_B9_TH52_9088018   | Page: FFA16_B1_0056 |
| 9088020   | Sensys 8639i W45, Hinge base -25 mm, TH 52, For screwing on         | S_8639i_W45_B-25_TH52_9088020 | Page: FFA16_B1_0056 |
| 9088023   | Sensys 8639i W30, Hinge base -16 mm, TB 52, For screwing on         | S_8639i_W30_B-16_TB52_9088023 | Page: FFA16_B1_0052 |
| 9088024   | Sensys 8639i W45, Hinge base 9 mm, TB 52, For screwing on           | S_8639i_W45_B9_TB52_9088024   | Page: FFA16_B1_0056 |
| 9088026   | Sensys 8639i W45, Hinge base -25 mm, TB 52, For screwing on         | S_8639i_W45_B-25_TB52_9088026 | Page: FFA16_B1_0056 |
| 9088028   | Sensys 8639i W30, Hinge base 2 mm, TS 52, For screwing on           | S_8639i_W30_B2_TS_52_9088028  |                     |
| 9088031   | Sensys 8639i W45, Hinge base -2 mm, TS 52, For screwing on          | S_8639i_W45_B-2_TS_52_9088031 |                     |
| 9088035   | Sensys 8639i W30, Hinge base -16 mm, TH 53, For pressing in         | S_8639i_W30_B-16_TH53_9088035 | Page: FFA16_B1_0052 |
| 9088036   | Sensys 8639i W45, Hinge base 9 mm, TH 53, For pressing in           | S_8639i_W45_B9_TH53_9088036   | Page: FFA16_B1_0056 |
| 9088038   | Sensys 8639i W45, Hinge base -25 mm, TH 53, For pressing in         | S_8639i_W45_B-25_TH53_9088038 | Page: FFA16_B1_0056 |
| 9088041   | Sensys 8639i W30, Hinge base -16 mm, TB 53, For pressing in         | S_8639i_W30_B-16_TB53_9088041 | Page: FFA16_B1_0052 |
| 9088042   | Sensys 8639i W45, Hinge base 9 mm, TB 53, For pressing in           | S_8639i_W45_B9_TB53_9088042   | Page: FFA16_B1_0056 |
| 9088044   | Sensys 8639i W45, Hinge base -25 mm, TB 53, For pressing in         | S_8639i_W45_B-25_TB53_9088044 | Page: FFA16_B1_0056 |
| 9088049   | Sensys 8639i W45, Hinge base -2 mm, TS 53, For pressing in          | S_8639i_W45_B-2_TS_53_9088049 |                     |
| 9088053   | Sensys 8639i W30, Hinge base -16 mm, TH 54, Flash fast installation | S_8639i_W30_B-16_TH54_9088053 | Page: FFA16_B1_0052 |
| 9088054   | Sensys 8639i W45, Hinge base 9 mm, TH 54, Flash fast installation   | S_8639i_W45_B9_TH54_9088054   | Page: FFA16_B1_0056 |
| 9088056   | Sensys 8639i W45, Hinge base -25 mm, TH 54, Flash fast installation | S_8639i_W45_B-25_TH54_9088056 | Page: FFA16_B1_0056 |
| 9088059   | Sensys 8639i W30, Hinge base -16 mm, TB 54, Flash fast installation | S_8639i_W30_B-16_TB54_9088059 | Page: FFA16_B1_0052 |
| 9088060   | Sensys 8639i W45, Hinge base 9 mm, TB 54, Flash fast installation   | S_8639i_W45_B9_TB54_9088060   | Page: FFA16_B1_0056 |

| Order no. | Description   | Name_imos                      | Page                |
|-----------|---|--------------------------------|---------------------|
| 9088062   | Sensys 8639i W45, Hinge base -25 mm, TB 54, Flash fast installation | S_8639i_W45_B-25_TB54_9088062  | Page: FFA16_B1_0056 |
| 9088071   | Sensys 8639i W30, Hinge base -16 mm, THS 55, Fix fast installation  | S_8639i_W30_B-16_THS55_9088071 | Page: FFA16_B1_0052 |
| 9088072   | Sensys 8639i W45, Hinge base 9 mm, THS 55, Fix fast installation    | S_8639i_W45_B9_THS55_9088072   | Page: FFA16_B1_0056 |
| 9088074   | Sensys 8639i W45, Hinge base -25 mm, THS 55, Fix fast installation  | S_8639i_W45_B-25_THS55_9088074 | Page: FFA16_B1_0056 |
| 9088077   | Sensys 8639i W30, Hinge base -16 mm, TB 55, Fix fast installation   | S_8639i_W30_B-16_TB55_9088077  | Page: FFA16_B1_0052 |
| 9088078   | Sensys 8639i W45, Hinge base 9 mm, TB 55, Fix fast installation     | S_8639i_W45_B9_TB55_9088078    | Page: FFA16_B1_0056 |
| 9088080   | Sensys 8639i W45, Hinge base -25 mm, TB 55, Fix fast installation   | S_8639i_W45_B-25_TB55_9088080  | Page: FFA16_B1_0056 |
| 9088101   | Sensys 8639 W30, Hinge base -16 mm, TH 52, For screwing on          | S_8639_W30_B-16_TH52_9088101   | Page: FFA16_B1_0053 |
| 9088102   | Sensys 8639 W45, Hinge base 9 mm, TH 52, For screwing on            | S_8639_W45_B9_TH52_9088102     | Page: FFA16_B1_0057 |
| 9088104   | Sensys 8639 W45, Hinge base -25 mm, TH 52, For screwing on          | S_8639_W45_B-25_TH52_9088104   | Page: FFA16_B1_0057 |
| 9088119   | Sensys 8639 W30, Hinge base -16 mm, TH 53, For pressing in          | S_8639_W30_B-16_TH53_9088119   | Page: FFA16_B1_0053 |
| 9088120   | Sensys 8639 W45, Hinge base 9 mm, TH 53, For pressing in            | S_8639_W45_B9_TH53_9088120     | Page: FFA16_B1_0057 |
| 9088122   | Sensys 8639 W45, Hinge base -25 mm, TH 53, For pressing in          | S_8639_W45_B-25_TH53_9088122   | Page: FFA16_B1_0057 |
| 9088137   | Sensys 8639 W30, Hinge base -16 mm, THS 55, Fix fast installation   | S_8639_W30_B-16_THS55_9088137  | Page: FFA16_B1_0053 |
| 9088138   | Sensys 8639 W45, Hinge base 9 mm, THS 55, Fix fast installation     | S_8639_W45_B9_THS55_9088138    | Page: FFA16_B1_0057 |
| 9088140   | Sensys 8639 W45, Hinge base -25 mm, THS 55, Fix fast installation   | S_8639_W45_B-25_THS55_9088140  | Page: FFA16_B1_0057 |
| 9088143   | Sensys 8639 W30, Hinge base -16 mm, TB 55, Fix fast installation    | S_8639_W30_B-16_TB55_9088143   | Page: FFA16_B1_0053 |
| 9088144   | Sensys 8639 W45, Hinge base 9 mm, TB 55, Fix fast installation      | S_8639_W45_B9_TB55_9088144     | Page: FFA16_B1_0057 |
| 9088146   | Sensys 8639 W45, Hinge base -25 mm, TB 55, Fix fast installation    | S_8639_W45_B-25_TB55_9088146   | Page: FFA16_B1_0057 |
| 9088177   | Sensys 8669 W30, Hinge base -16 mm, TH 52, For screwing on          | S_8669_W30_B-16_TH52_9088177   | Page: FFA16_B1_0054 |
| 9088178   | Sensys 9669 W45, Hinge base 9 mm, TH 52, For screwing on            | S_9669_W45_B9_TH52_9088178     | Page: FFA16_B1_0058 |
| 9088180   | Sensys 9669 W45, Hinge base -25 mm, TH 52, For screwing on          | S_9669_W45_B-25_TH52_9088180   | Page: FFA16_B1_0058 |
| 9088195   | Sensys 8669 W30, Hinge base -16 mm, TH 53, For pressing in          | S_8669_W30_B-16_TH53_9088195   | Page: FFA16_B1_0054 |
| 9088196   | Sensys 9669 W45, Hinge base 9 mm, TH 53, For pressing in            | S_9669_W45_B9_TH53_9088196     | Page: FFA16_B1_0058 |
| 9088198   | Sensys 9669 W45, Hinge base -25 mm, TH 53, For pressing in          | S_9669_W45_B-25_TH53_9088198   | Page: FFA16_B1_0058 |
| 9088212   | Sensys 8669 W30, Hinge base 2 mm, THS 55, Fix fast installation     | S_8669_W30_B2_THS55_9088212    | Page: FFA16_B1_0054 |
| 9088213   | Sensys 8669 W30, Hinge base -16 mm, THS 55, Fix fast installation   | S_8669_W30_B-16_THS55_9088213  | Page: FFA16_B1_0054 |
| 9088214   | Sensys 9669 W45, Hinge base 9 mm, THS 55, Fix fast installation     | S_9669_W45_B9_THS55_9088214    | Page: FFA16_B1_0058 |
| 9088215   | Sensys 8639 W45, Hinge base -2 mm, THS 55, Fix fast installation    | S_8639_W45_B-2_THS55_9088215   | Page: FFA16_B1_0058 |
| 9088216   | Sensys 9669 W45, Hinge base -25 mm, THS 55, Fix fast installation   | S_9669_W45_B-25_THS55_9088216  | Page: FFA16_B1_0058 |



| Order no. | Description   | Name_imos                      | Page                |
|-----------|---|--------------------------------|---------------------|
| 9088219   | Sensys 8669 W30, Hinge base -16 mm, TB 55, Fix fast installation                    | S_8669_W30_B-16_TB55_9088219   | Page: FFA16_B1_0054 |
| 9088220   | Sensys 9669 W45, Hinge base 9 mm, TB 55, Fix fast installation                      | S_9669_W45_B9_TB55_9088220     | Page: FFA16_B1_0058 |
| 9088222   | Sensys 9669 W45, Hinge base -25 mm, TB 55, Fix fast installation                    | S_9669_W45_B-25_TB55_9088222   | Page: FFA16_B1_0058 |
| 9088246   | System 8000 face frame mounting plate for screwing on, D = 0,0 mm                   | Face_Frame_mpl_D0_9088246      | Page: FFA16_B1_0076 |
| 9088247   | System 8000 face frame mounting plate for screwing on, D = 1,5 mm                   | Face_Frame_mpl_D1,5_9088247    | Page: FFA16_B1_0076 |
| 9088248   | System 8000 face frame mounting plate for screwing on, D = 4,5 mm                   | Face_Frame_mpl_D4,5_9088248    | Page: FFA16_B1_0076 |
| 9088249   | Cover cap for Sensys hinge arm (Neutral)  | S_Cover_cap_arm_9088249        | Page: FFA16_B1_0080 |
| 9088250   | Cover cap for Sensys hinge arm (Embossed with Hettich logo)                         | S_Cover_cap_arm_HL_9088250     | Page: FFA16_B1_0080 |
| 9088251   | Cover cap for Sensys hinge cup for TH / TS  | S_Cover_cap_cup_THTS_9088251   | Page: FFA16_B1_0081 |
| 9088252   | Cover cap for Sensys hinge cup for TB   | S_Cover_cap_cup_TB9088252      | Page: FFA16_B1_0081 |
| 9088253   | Opening angle limiter for Intermat 9943, Limitation from 110° to 85°                | Opening_angle_limiter_9088253  | Page: FFA16_B1_0170 |
| 9088254   | Opening angle limiter for Intermat 9936 / 9936 W, Limitation from 95° to 85°        | Opening_angle_limiter_9088254  | Page: FFA16_B1_0170 |
| 9089633   | Designer adapter, Nickel plated   | Designer_adpt_nckl_9089633     | Page: FFA16_B1_0218 |
| 9089664   | Cover cap for Sensys hinge cup (for TH / TS<br/>)                                   | Cover_cap_hinge_cup_9089664    | Page: MX11_03_1_014 |
| 9089666   | Cover cap for Sensys hinge arm (neutral)  | Cover_cap_hinge_arm_9089666    | Page: MX11_03_1_014 |
| 9089667   | Cover cap for Sensys hinge arm (embossed with Hettich Logo)                         | Cover_cap_hinge_arm_HL_9089667 | Page: MX11_03_1_014 |
| 9090748   | Sensys 8639i W45, Hinge base 9 mm, TH 52, for screwing on                           | S_8639i_W45_TH52_9_9090748     | Page: KSPA14_0044   |
| 9090749   | Sensys 8639i W45, Hinge base 9 mm, TH 53, For pressing in                           | S_8639i_W45_TH53_9_9090749     | Page: KSPA14_0044   |
| 9090756   | Opening angle limiter for Sensys 8657i, Limitation from 165° to 105° or 120°        | S_opn_ang_lmtr_8657i_909075    | Page: FFA16_B1_0083 |
| 9090845   | Screw on counterplate, Nickel plated  | Counterplate_nckl_9090845      | Page: FFA16_B1_0219 |
| 9090846   | Counterplate for pressing in, Nickel plated   | Counterplate_nckl_9090846      | Page: FFA16_B1_0219 |
| 9090864   | Opening angle limiter for Sensys 8657i, Limitation from 165° to 90° or 135°         | S_opn_ang_lmtr_8657i_9090864   | Page: FFA16_B1_0083 |
| 9090869   | Counterplate for gluing or screwing on, Nickel plated                               | Counterplate_nckl_9090869      | Page: FFA16_B1_0219 |
| 9090882   | Face frame mounting plate for screwing on, D = 0,0 mm                               | Face_Frame_mpl_D0_9090882      | Page: FFA16_B1_0080 |
| 9090884   | Face frame mounting plate for screwing on, D = 4,5 mm                               | Face_Frame_mpl_D4,5_9090884    | Page: FFA16_B1_0080 |
| 9091015   | Finger guard / For overlay A12 (door / side = 16 / 16 mm) / A14 / A15 / A16         | Finger_guard_A12_9091015       | Page: FFA16_B1_0256 |
| 9091016   | Finger guard / For overlay A5.5 / A6.5 / A11 / A12 (door / side panel = 19 / 16 mm) | Finger_guard_A5,5_9091016      | Page: FFA16_B1_0256 |
| 9091017   | Sensys 8639i W45, Hinge base 9 mm, TH 54, Flash fast installation                   | S_8639i_W45_TH54_9_9091017     | Page: KSPA14_0044   |

| Order no. | Description  | Name_imos                      | Page                |
|-----------|--|--------------------------------|---------------------|
| 9091019   | Sensys 8639i W45, Hinge base 9 mm, TB 52, for screwing on              | S_8639i_W45_TB52_9_9091019     | Page: KSPA14_0044   |
| 9091020   | Sensys 8639i W45, Hinge base 9 mm, TB 53, For pressing in              | S_8639i_W45_TB53_9_9091020     | Page: KSPA14_0044   |
| 9091028   | Sensys 8639i W45, Hinge base 9 mm, TB 55, Fix fast installation        | S_8639i_W45_TB55_9_9091028     | Page: KSPA14_0044   |
| 9091029   | Sensys 8639 W45, Hinge base 9 mm, TH 52, for screwing on               | S_8639_W45_TH52_9_9091029      | Page: KSPA14_0048   |
| 9091420   | Sensys 8631i, Hinge base -4 mm, TH 52, For screwing on                 | S_8631i_B-4_TH52_9091420       | Page: FFA16_B1_0038 |
| 9091450   | Sensys 8631i, Hinge base -4 mm, TB 52, For screwing on                 | S_8631i_B-4_TB52_9091450       | Page: FFA16_B1_0038 |
| 9099550   | Sensys 8657i, Hinge base 3 mm, TH 52, For screwing on                  | S_8657i_B3_TH52_9099550        | Page: FFA16_B1_0048 |
| 9099570   | Sensys 8657i, Hinge base 3 mm, TB 52, For screwing on                  | S_8657i_B3_TB52_9099570        | Page: FFA16_B1_0048 |
| 9099753   | Sensys 8657, Hinge base 12,5 mm, THS 45, Fix fast installation         | S_8657_B12,5_THS45_9099753     | Page: FFA16_B1_0130 |
| 9099760   | Sensys 8657, Hinge base 3 mm, TH 42, For screwing on                   | S_8657_B3_TH42_9099760         | Page: FFA16_B1_0130 |
| 9099761   | Sensys 8657, Hinge base 3 mm, TH 43, For pressing in                   | S_8657_B3_TH43_9099761         | Page: FFA16_B1_0130 |
| 9099762   | Sensys 8657, Hinge base 3 mm, TH 44, Flash fast installation           | S_8657_B3_TH44_9099762         | Page: FFA16_B1_0130 |
| 9099763   | Sensys 8657, Hinge base 3 mm, THS 45, Fix fast installation            | S_8657_B3_THS45_9099763        | Page: FFA16_B1_0130 |
| 9099771   | Sensys 8657, Hinge base 12,5 mm, TB 43, For pressing in                | S_8657_B12,5_TB43_9099771      | Page: FFA16_B1_0130 |
| 9099773   | Sensys 8657, Hinge base 12,5 mm, TB 45, Fix fast installation          | S_8657_B12,5_TB45_9099773      | Page: FFA16_B1_0130 |
| 9099781   | Sensys 8657, Hinge base 3 mm, TB 43, For pressing in                   | S_8657_B3_TB43_9099781         | Page: FFA16_B1_0130 |
| 9099823   | Sensys 8687, Hinge base 3 mm, THS 45, Fix fast installation            | S_8687_B3_THS45_9099823        | Page: FFA16_B1_0132 |
| 9099833   | Sensys 8687, Hinge base 12,5 mm, TB 45, Fix fast installation          | S_8687_B12,5_TB45_9099833      | Page: FFA16_B1_0132 |
| 9099843   | Sensys 8687, Hinge base 3 mm, TB 45, Fix fast installation             | S_8687_B3_TB45_9099843         | Page: FFA16_B1_0132 |
| 9099870   | Cover cap for Sensys zero protrusion hinge (Neutral)                   | S_Cover_cap_zp_hing_9099870    | Page: FFA16_B1_0081 |
| 9099871   | Cover cap for Sensys zero protrusion hinge (Printed with Hettich logo) | S_Cover_cap_zp_hing_HL_9099871 | Page: FFA16_B1_0081 |
| 9100037   | Soft opening for Sensys zero protrusion hinge                          | Soft_opening_9100037           | Page: FFA16_B1_0081 |
| 9100039   | Opening angle limiter for Sensys 8631i, Limitation from 95° to 85°     | S_8631i_Op_angle_limit_9100039 |                     |
| 9100116   | Soft opening for Sensys zero protrusion hinge                          | Soft_opening_9100116           | Page: FFA16_B1_0081 |
| 9101552   | Cover cap for Intermat hinge arm, Nickel plated                        | Cover_cap_arm_nckl_9101552     | Page: FFA16_B1_0169 |
| 9102082   | Cover cap for Intermat hinge arm, Nickel plated                        | Cover_cap_arm_nckl_9102082     | Page: FFA16_B1_0169 |
| 9103006   | Opening angle limiter for Sensys 8631i, Limitation from 95° to 85°     | S_opn_ang_lmtr_8631i_9103006   | Page: FFA16_B1_0083 |
| 9133178   | Recessed hinge, 18 - 25 mm   | Recessed_hinge_18_25mm_9133178 | Page: FFA16_B1_0275 |
| 9133179   | Recessed hinge, 22 - 30 mm   | Recessed_hinge_22_30mm_9133179 | Page: FFA16_B1_0275 |

| Order no. | Description   | Name_imos                      | Page                |
|-----------|---|--------------------------------|---------------------|
| 9133191   | Recessed hinge, 28 - 40 mm  | Recessed_hinge_28_40mm_9133191 | Page: FFA16_B1_0275 |
| 9133192   | Recessed hinge, 35 - 50 mm  | Recessed_hinge_35_50mm_9133192 | Page: FFA16_B1_0275 |
| 9146514   | Silent System hinge cup, full overlay, half overlay, inset, TH: 52 x 5,5 mm | Silent_System_damper_9146514   | Page: FFA16_B1_0199 |

