

Content of the Blum-data-package 2.0

Order-ID	Color	Description
78A9658.T	nickle	CLIP top Angled hinge 45°, 95°, Half overlay appl., unsprung, Boss: Screw-on
78T5550	nickle	CLIP top Angled hinge 45°, 110°, Overlay appl., unsprung, Boss: Screw-on
78A5450.T	nickle	CLIP top Angled hinge -45°, 110°, max. overlay, unsprung, Boss: Screw-on
78A9458.T	-	CLIP top Angled hinge 45°, 95°, max. overlay, unsprung, Boss: Screw-on
Z49L242I	-	Adapter profile, Stainless steel (Inox)
Z49L522I	-	Adapter profile, Stainless steel (Inox)
Z49L322I	-	Adapter profile, Stainless steel (Inox)
Z30N0002.6Z	are white	Adapter, Höhe N = 81,5 mm
Z49L472I	inox-lae-brushed	Adapter profile, Stainless steel (Inox)
Z49L622I	inox-lae-brushed	Adapter profile, Stainless steel (Inox)
Z49L272I	inox-lae-brushed	Adapter profile, Stainless steel (Inox)
Z49L372I	inox-lae-brushed	Adapter profile, Stainless steel (Inox)
Z49L422I	inox-lae-brushed	Adapter profile, Stainless steel (Inox)
Z49L572I	inox-lae-brushed	Adapter profile, Stainless steel (Inox)
Z49L372S	are white	Adapter profile, Steel
Z49L372S	terrablack	Adapter profile, Steel
Z49L472S	are white	Adapter profile, Steel
Z49L472S	terrablack	Adapter profile, Steel
Z49L622S	are white	Adapter profile, Steel
Z49L272S	are white	Adapter profile, Steel
Z49L272S	terrablack	Adapter profile, Steel
Z49L422S	are white	Adapter profile, Steel
Z49L422S	terrablack	Adapter profile, Steel
Z49L572S	are white	Adapter profile, Steel
Z49L572S	terrablack	Adapter profile, Steel
Z49L522S	are white	Adapter profile, Steel
Z49L522S	terrablack	Adapter profile, Steel
Z49L322S	are white	Adapter profile, Steel
Z49L322S	terrablack	Adapter profile, Steel
Z49L242S	are white	Adapter profile, Steel
Z49L242S	terrablack	Adapter profile, Steel
171A5010	-	angled spacer, cruciform, +5° Screw-on version, Spacer thickness: 0.8 mm
171A5040	-	angled spacer, cruciform, +5° Screw-on version, Spacer thickness: 3 mm
171A5070	-	angled spacer, cruciform, +5° Screw-on version, Spacer thickness: 6 mm
171A5500	-	angled spacer, cruciform, -5° Screw-on version, Spacer thickness: 6 mm
20L3200.05	nickle	AVENTOS HL lever arm Lift up, CH 300-350 mm
20L3500.05	nickle	AVENTOS HL lever arm Lift up, CH 350-400 mm
20L3800.05	nickle	AVENTOS HL lever arm Lift up, CH 400-550 mm
20L3900.05	nickle	AVENTOS HL lever arm Lift up, CH 450-580 mm
20S3500.05	-	AVENTOS HS lever arm swing up flap, CH 350-800 mm

Order-ID	Color	Description
21S3500	-	AVENTOS HS lever arm SERVO-DRIVE swing up flap, CH 350-800 mm
21L3200	-	AVENTOS HL lever arm SERVO-DRIVE lift up flap, CH 300-350 mm
21L3500	-	AVENTOS HL lever arm SERVO-DRIVE lift up flap, CH 350-400 mm
21L3800	-	AVENTOS HL lever arm SERVO-DRIVE lift up flap, CH 400-550 mm
21L3900	-	AVENTOS HL lever arm SERVO-DRIVE lift up flap, CH 450-580 mm
20F8000	-	Cover cap big for AVENTOS HF
20S8000	-	Cover cap big for AVENTOS HS
20L8000.01	-	Cover cap big for AVENTOS HL
20K8000	-	Cover cap big for AVENTOS HK
20K4A00A	-	AVENTOS front fixing brackets for narr. alu-frames (HK-S) , zinc
20K4A00	-	AVENTOS front fixing brackets (HK-S), zinc, Lenght: 48.8 mm
20S4200	nickle	AVENTOS front fixing brackets for HS, HK, HL, Steel, Length: 108 mm
20S4200A	nickle	AVENTOS front fixing brackets narrow alu frames for HS, HK, HL, Steel, Length: 1
20S2A00.05	-	AVENTOS HS unit, CH/Type: from 350 mm (2-5 kg) up to 525 mm (2,5-4 kg)
20S2B00.05	-	AVENTOS HS unit, CH/Type: from 350 mm (4.5-9.5 kg) up to 525 mm (3.25-7.5 kg)
20S2C00.05	-	AVENTOS HS unit, CH/Type: from 350 mm (9.25-10.5 kg) up to 525 mm (7.25-15 kg)
20S2D00.05	-	AVENTOS HS unit, CH/Type: from 526 mm (3-6.75 kg) up to 675 mm (3-5.25 kg)
20S2E00.05	-	AVENTOS HS unit, CH/Type: from 526 mm (6.25-13 kg) up to 675 mm (5-11 kg)
20S2F00.05	-	AVENTOS HS unit, CH/Type: from 526 mm (12-16.5 kg) up to 675 mm (9.75-19 kg)
20S2G00.05	-	AVENTOS HS unit, CH/Type: from 676 mm (3.5-8 kg) up to 800 mm (4-7 kg)
20S2H00.05	-	AVENTOS HS unit, CH/Type: from 676 mm (7-13.5 kg) up to 800 mm (6-12.25 kg)
20S2I00.05	-	AVENTOS HS unit, CH/Type: from 676 mm (13-21.5 kg) up to 800 mm (10.5-20 kg)
20L2100.05	-	AVENTOS HL lift mechanism Lift up
20L2300.05	-	AVENTOS HL lift mechanism Lift up
20L2500.05	-	AVENTOS HL lift mechanism Lift up
20L2700.05	-	AVENTOS HL lift mechanism Lift up
20L2900.05	-	AVENTOS HL lift mechanism Lift up
20F2200.05	-	AVENTOS HF lift mechanism for bi-fold lift systems, PF 2600 - 5500 with 2 pcs
20F2500.05	-	AVENTOS HF lift mechanism for bi-fold lift systems, PF 5350 - 10150 with 2 pcs
20F2800.05	-	AVENTOS HF lift mechanism for bi-fold lift systems, PF 9000 - 17250 with 2 pcs
20K2300.05	galvanized	AVENTOS HK lift mechanism Stay lift, PF 480 - 1500 with 2 pcs
20K2500.05	galvanized	AVENTOS HK lift mechanism Stay lift, PF 750 - 2500 with 2 pcs
20K2700.05	galvanized	AVENTOS HK lift mechanism Stay lift, PF 1500 - 4900 with 2 pcs
20K2900.05	galvanized	AVENTOS HK lift mechanism Stay lift, PF 3200 - 9000 with 2 pcs
20K2B00	-	AVENTOS HK small lift mechanism Stay lift, PF 220 - 500 at 2 pcs
20K2C00	-	AVENTOS HK small lift mechanism Stay lift, PF 400 - 1000 at 2 pcs
20K2E00	-	AVENTOS HK small lift mechanism Stay lift, PF 960 - 2215 at 2 pcs
177M5100	nickle	mounting plate f. teleskopic arm, 0 mm, zinc, press in, HA: 2-parts
175M5400	nickle	CLIP Mounting plate, 0 mm, Zinc, Chipboard screws, HA: Two-part
175H5400	nickle	mounting plate f. teleskopic arm, 0 mm, zinc, Spax-screws, HA: Exzenter
20K7A11	-	Opening angle stop for AVENTOS HK-S 75°
20K7A41	-	Opening angle stop for AVENTOS HK-S 100°
21F8000	-	Cover cap big for SERVO-DRIVE for AVENTOS HF
21L8000	-	Cover cap big for SERVO-DRIVE for AVENTOS HL

Order-ID	Color	Description
21S8000	-	Cover cap big for SERVO-DRIVE for AVENTOS HS
21K8000	-	Cover cap big for SERVO-DRIVE for AVENTOS HK
21FA000	-	SERVO-DRIVE for AVENTOS drive unit
21KA000	-	SERVO-DRIVE for AVENTOS drive unit
20F3200	nickle	AVENTOS HF telescopic arm for bi-fold lift systems, CH 480-570 mm
20F3500	nickle	AVENTOS HF telescopic arm for bi-fold lift systems, CH 560-710 mm
20F3800	nickle	AVENTOS HF telescopic arm for bi-fold lift systems, CH 700-900 mm
20F3900	nickle	AVENTOS HF telescopic arm for bi-fold lift systems, CH 760-1040 mm
20K2300T	-	TIP-ON for AVENTOS HK lift mechanism Stay lift, PF 480 - 1500 at 2 pcs
20K2500T	-	TIP-ON for AVENTOS HK lift mechanism Stay lift, PF 750 - 2500 at 2 pcs
20K2700T	-	TIP-ON for AVENTOS HK lift mechanism Stay lift, PF 1500 - 4900 at 2 pcs
20K2900T	-	TIP-ON for AVENTOS HK lift mechanism Stay lift, PF 3200 - 9000 at 2 pcs
Z37L260S.D	are white	BOXCAP TANDEMBOX intivo, NL=270 mm, Steel
Z37L260S.D	terrablack	BOXCAP TANDEMBOX intivo, NL=270 mm, Steel
Z37L260I.D	inox-lae-brushed	BOXCAP TANDEMBOX intivo, NL=270 mm, Stainless steel (Inox)
Z37L290S.D	are white	BOXCAP TANDEMBOX intivo, NL=300 mm, Steel
Z37L290S.D	terrablack	BOXCAP TANDEMBOX intivo, NL=300 mm, Steel
Z37L290I.D	inox-lae-brushed	BOXCAP TANDEMBOX intivo, NL=300 mm, Stainless steel (Inox)
Z37L340S.D	are white	BOXCAP TANDEMBOX intivo, NL=350 mm, Steel
Z37L340S.D	terrablack	BOXCAP TANDEMBOX intivo, NL=350 mm, Steel
Z37L340I.D	inox-lae-brushed	BOXCAP TANDEMBOX intivo, NL=350 mm, Stainless steel (Inox)
Z37L390S.D	R9006 white alu	BOXCAP TANDEMBOX intivo, NL=400 mm, Steel
Z37L390S.D	are white	BOXCAP TANDEMBOX intivo, NL=400 mm, Steel
Z37L390S.D	terrablack	BOXCAP TANDEMBOX intivo, NL=400 mm, Steel
Z37L390I.D	inox-lae-brushed	BOXCAP TANDEMBOX intivo, NL=400 mm, Stainless steel (Inox)
Z37L440S.D	are white	BOXCAP TANDEMBOX intivo, NL=450 mm, Steel
Z37L440S.D	terrablack	BOXCAP TANDEMBOX intivo, NL=450 mm, Steel
Z37L440I.D	inox-lae-brushed	BOXCAP TANDEMBOX intivo, NL=450 mm, Stainless steel (Inox)
Z37L490S.D	R9006 white alu	BOXCAP TANDEMBOX intivo, NL=500 mm, Steel
Z37L490S.D	are white	BOXCAP TANDEMBOX intivo, NL=500 mm, Steel
Z37L490S.D	terrablack	BOXCAP TANDEMBOX intivo, NL=500 mm, Steel
Z37L490I.D	inox-lae-brushed	BOXCAP TANDEMBOX intivo, NL=500 mm, Stainless steel (Inox)
Z37L540S.D	are white	BOXCAP TANDEMBOX intivo, NL=550 mm, Steel
Z37L540S.D	terrablack	BOXCAP TANDEMBOX intivo, NL=550 mm, Steel
Z37L540I.D	inox-lae-brushed	BOXCAP TANDEMBOX intivo, NL=550 mm, Stainless steel (Inox)
Z37L590S.D	R9006 white alu	BOXCAP TANDEMBOX intivo, NL=600 mm, Steel
Z37L590S.D	are white	BOXCAP TANDEMBOX intivo, NL=600 mm, Steel
Z37L590S.D	terrablack	BOXCAP TANDEMBOX intivo, NL=600 mm, Steel
Z37L590I.D	inox-lae-brushed	BOXCAP TANDEMBOX intivo, NL=600 mm, Stainless steel (Inox)
Z37L640S.D	are white	BOXCAP TANDEMBOX intivo, NL=650 mm, Steel
Z37L640S.D	terrablack	BOXCAP TANDEMBOX intivo, NL=650 mm, Steel
Z37L640I.D	inox-lae-brushed	BOXCAP TANDEMBOX intivo, NL=650 mm, Stainless steel (Inox)
970.16E1	R7036 platinum grey	BLUMOTION 970. adapterplate, Cruciform (28/32), Nylon, EXPANDO
970.55E1	nickle	BLUMOTION 970. adapterplate, Cruciform (37/32), Zinc, EXPANDO

Order-ID	Color	Description
970.15E1	R7036 platinum grey	BLUMOTION 970. adapterplate, Cruciform (37/32), Nylon, EXPANDO
970.56E1	nickle	BLUMOTION 970. adapterplate, Cruciform (28/32), Zinc, EXPANDO
9.702.501	R7036 platinum grey	BLUMOTION 970. adapterplate, Cruciform (37/32), Nylon, Chipboard screws
9.705.501	nickle	BLUMOTION 970. adapterplate, Cruciform (37/32), Zinc, Chipboard screws
9.705.201	nickle	BLUMOTION 970. adapterplate, straight (20/32), Zinc, Chipboard screws
9.705.701	nickle	BLUMOTION 970. adapterplate, Cruciform (9.5/32), Zinc, Chipboard screws
9.701.201	R7036 platinum grey	BLUMOTION 970. adapterplate, straight (20/32), Nylon, Chipboard screws
9.701.501	R7036 platinum grey	BLUMOTION 970. adapterplate, Cruciform (37/32), Nylon, Chipboard screws
9.701.701	R7036 platinum grey	BLUMOTION 970. adapterplate, Cruciform (9.5/32), Nylon, Chipboard screws
9.706.701	nickle	BLUMOTION 970. adapterplate, Cruciform (9.5/32), Zinc, Chipboard screws
971A05E0	nickle	BLUMOTION 971A, Cruciform (37/32), Zinc, EXPANDO
971A25E0	nickle	BLUMOTION 971A, Cruciform (37/32), Zinc, EXPANDO
9.701.002	R7037 dust grey	BLUMOTION 970., Drilling, handle side, Nylon
970A1002	R7037 dust grey	BLUMOTION 970A, Drilling, hinge side, Nylon
973A0600	nickle	BLUMOTION 973A, Clip-on, cranked hinges, Steel
973A0700	nickle	BLUMOTION 973A, Clip-on, double cranked hinges, Steel
973A7000	nickle	BLUMOTION 973A, Clip-on, 170°/155° hinges, Zinc
973A9000	nickle	BLUMOTION 973A, Clip-on, CRISTALLO, Steel
973A7360	nickle	BLUMOTION 973A, Clip-on for +30°II, Steel
973A7480	nickle	BLUMOTION 973A, Clip-on for +45°I, Steel
973A7680	nickle	BLUMOTION 973A, Clip-on for +45°II, Steel
973A0500.01	nickle	BLUMOTION 973A, Clip-on, inline hinges, Steel
971A0230	nickle	BLUMOTION 971A, straight (20/32), Zinc, Knock-in
971A2230	nickle	BLUMOTION 971A, straight (20/32), Zinc, Knock-in
971A0500	nickle	BLUMOTION 971A, Cruciform (37/32), Zinc, Chipboard screws
971A2500	nickle	BLUMOTION 971A, Cruciform (37/32), Zinc, Chipboard screws
971A0700	nickle	BLUMOTION 971A, Cruciform (9,5/32), Zinc, Chipboard screws
971A2700	nickle	BLUMOTION 971A, Cruciform (9,5/32), Zinc, Chipboard screws
971A0200	nickle	BLUMOTION 971A, straight (20/32), Zinc, Chipboard screws
971A2200	nickle	BLUMOTION 971A, straight (20/32), Zinc, Chipboard screws
Z30N0002.6Z	R7037 dust grey	Back fixings bracket attachment for sink cabinet, nylon
Z30B000S.04	-	Wooden back fixing for BOX-Systems, Height B = 160 mm
Z30B000S.04	-	Wooden back fixing for BOX-Systems, Height B = 160 mm
Z30B000S.04	-	Wooden back fixing for BOX-Systems, Height B = 160 mm
Z30C000S	-	Wooden back fixing for BOX-Systems, Height C = 192 mm
Z30C000S	-	Wooden back fixing for BOX-Systems, Height C = 192 mm
Z30D000S	-	Wooden back fixing for BOX-Systems, Height D = 224 mm
Z30D000S	-	Wooden back fixing for BOX-Systems, Height D = 224 mm
Z30D000S	-	Wooden back fixing for BOX-Systems, Height D = 224 mm
Z30D000S	-	Wooden back fixing for BOX-Systems, Height D = 224 mm
Z30D000SL	are white	Wooden back fixing for BOX-Systems, Height D = 224 mm
Z30D000SL	terrablack	Wooden back fixing for BOX-Systems, Height D = 224 mm
Z30D000SL	nickle	Wooden back fixing for BOX-Systems, Height D = 224 mm
Z30D000S	-	Bracket for steel back for BOX-systems intivo, height D = 224 mm

Order-ID	Color	Description
Z30K000S	-	Wooden back fixing for BOX-Systems, Height K= 128.5 mm
Z30K000S	-	Wooden back fixing for BOX-Systems, Height K= 128.5 mm
Z30M000S.04	-	Wooden back fixing for BOX-Systems, Height M= 96.5 mm
Z30M000S.04	-	Wooden back fixing for BOX-Systems, Height M= 96.5 mm
Z30M000S.04	-	Wooden back fixing for BOX-Systems, Height M= 96.5 mm
Z30M000S.04	-	Wooden back fixing for BOX-Systems, Height M= 96.5 mm
Z30N000S.04	-	Wooden back fixing for BOX-Systems, Height N= 81.5 mm
Z30N000S.04	-	Wooden back fixing for BOX-Systems, Height N= 81.5 mm
Z30N000S.04	-	Wooden back fixing for BOX-Systems, Height N= 81.5 mm
Z30N000S.04	-	Wooden back fixing for BOX-Systems, Height N= 81.5 mm
Z37H418S.E	R9006 w-alu/dustgrey	BOXSIDE for Nominal Length 450 mm, H=131 mm
Z37H468S.E	R9006 w-alu/dustgrey	BOXSIDE for Nominal Length 500 mm, H=131 mm
Z37H518S.E	R9006 w-alu/dustgrey	BOXSIDE for Nominal Length 550 mm, H=131 mm
Z37H568S.E	R9006 w-alu/dustgrey	BOXSIDE for Nominal Length 600 mm, H=131 mm
Z37H618S.E	R9006 w-alu/dustgrey	BOXSIDE for Nominal Length 650 mm, H=131 mm
Z37H418I.E	inox-brushed/dustgr	BOXSIDE for Nominal Length 450 mm, H=131 mm
Z37H468I.E	inox-brushed/dustgr	BOXSIDE for Nominal Length 500 mm, H=131 mm
Z37H518I.E	inox-brushed/dustgr	BOXSIDE for Nominal Length 550 mm, H=131 mm
Z37H568I.E	inox-brushed/dustgr	BOXSIDE for Nominal Length 600 mm, H=131 mm
Z37H618I.E	inox-brushed/dustgr	BOXSIDE for Nominal Length 650 mm, H=131 mm
Z37H418A.E	E6/Ev1 natural/dustgrey	BOXSIDE for Nominal Length 450 mm, H=132 mm
Z37H468A.E	E6/Ev1 natural/dustgrey	BOXSIDE for Nominal Length 500 mm, H=132 mm
Z37H518A.E	E6/Ev1 natural/dustgrey	BOXSIDE for Nominal Length 550 mm, H=132 mm
Z37H568A.E	E6/Ev1 natural/dustgrey	BOXSIDE for Nominal Length 600 mm, H=132 mm
Z37H618A.E	E6/Ev1 natural/dustgrey	BOXSIDE for Nominal Length 650 mm, H=132 mm
Z37H418S.E	white/R737 dustgrey	BOXSIDE for Nominal Length 450 mm, H=131 mm
Z37H468S.E	white/R737 dustgrey	BOXSIDE for Nominal Length 500 mm, H=131 mm
Z37H518S.E	white/R737 dustgrey	BOXSIDE for Nominal Length 550 mm, H=131 mm
Z37H568S.E	white/R737 dustgrey	BOXSIDE for Nominal Length 600 mm, H=131 mm
Z37H618S.E	white/R737 dustgrey	BOXSIDE for Nominal Length 650 mm, H=131 mm
Z36L002G.S	are white	Z36L BOXCOVER front and back (H =100 mm)
Z36L002G.S	are white	Z36L BOXCOVER front and back (H =100 mm)
70.1563.BL	-	Hinge cover cap, Steel, Screen print, left hand
707.503	-	Hinge cover cap, Steel, plain, 1 piece
70T3504	-	Hinge cover cap, Steel, plain, 1 piece
70.7503.BL	-	Hinged cover, steel, silk screen, one piece
ZSF.3902	-	Front fixing bracket, Symmetrical, INSERTA, for TANDEMBOX
ZSF.3502.02	-	Front fixing bracket, Symmetrical, Screw-on version, for TANDEMBOX
ZSF.3602.02	-	Front fixing bracket, Symmetrical, Knock-in version, for TANDEMBOX
ZIF.70M0	R7037 dust grey	Front fix. brackets right and left hand for inner drawers, comp. with ORGA-LINE
ZIF.72B0	R7037 dust grey	Front fix. brackets right and left hand for inner pull-out with 1-tier gallery,
ZIF.73D0	R7037 dust grey	Front fix. brackets right and left hand for inner pull-out with 2-tier gallery,
ZIF.70K0	R7037 dust grey	Front fix. brackets right and left hand for inner drawers, comp. with ORGA-LINE

Order-ID	Color	Description
ZIF.72CO	R7037 dust grey	Front fix. brackets right and left hand for inner pull-out with 1-tier gallery,
ZIF.80MO	are white	Front fix. brackets right and left hand for inner drawer TANDEMBOX intivo
ZIF.81DO	are white	Front fix. brackets right and left hand for inner pull-out TANDEMBOX intivo
ZSF.5220	galvanized	Front fixing bracket, Symmetrical, Screw-on version, for BOX L height = 101 mm
ZSF.532E	galvanized	Front fixing bracket, Symmetrical, EXPANDO, for BOX L height = 101 mm
ZIF.7008	R7037 dust grey	Handle, Nylon
ZIF.7005	R7037 dust grey	Handles for inner drawers, Nylon
78C4568	-	CRISTALLO adhesion plate, matt-nickel plated, glue-on, rectangular
175H5B00	nickle	CLIP Adapter f. teleskop arm, 0 mm, zinc, screws, HA: eccentric
79T8530	nickle	CLIP top Bi-fold hinge 60°, with spring, Boss: Knock-in
79T8500	nickle	CLIP top Bi-fold hinge 60°, with spring, Boss: Screw-on
79A5490BT	nickle	CLIP top Angled hinge -45°, 110°, max. overlay, with spring, Boss: INSERTA
79A5491BT	nickle	CLIP top Angled hinge -30°, 110°, max. overlay, with spring, Boss: INSERTA
79A5493BT	nickle	CLIP top Angled hinge -15°, 110°, max. overlay, with spring, Boss: INSERTA
79T5590B	nickle	CLIP top Angled hinge 45°, 110°, Overlay appl., with spring, Boss: INSERTA
79A9595BT	nickle	CLIP top Angled hinge 20°, 95°, Overlay appl., with spring, Boss: INSERTA
79A9496BT	nickle	CLIP top Angled hinge 30°, 95°, max. overlay, with spring, Boss: INSERTA
79A9596BT1	nickle	CLIP top Angled hinge 30°, 95°, Overlay appl., with spring, Boss: INSERTA
79A9498BT	nickle	CLIP top Angled hinge 45°, 95°, max. overlay, with spring, Boss: INSERTA
79A9698BT	nickle	CLIP top Angled hinge 45°, 95°, Half overlay appl., with spring, Boss: INSERTA
79A9494BT	nickle	CLIP top Angled hinge 15°, 95°, max. overlay, with spring, Boss: INSERTA
79A5450.T	nickle	CLIP top Angled hinge -45°, 110°, max. overlay, with spring, Boss: Screw-on
79A5451.T	nickle	CLIP top Angled hinge -30°, 110°, max. overlay, with spring, Boss: Screw-on
79A5453.T	nickle	CLIP top Angled hinge -15°, 110°, max. overlay, with spring, Boss: Screw-on
79A9454.T	nickle	CLIP top Angled hinge 15°, 95°, max. overlay, with spring, Boss: Screw-on
79A9555.T	nickle	CLIP top Angled hinge 20°, 95°, Overlay appl., with spring, Boss: Screw-on
79A9456.T	nickle	CLIP top Angled hinge 30°, 95°, max. overlay, with spring, Boss: Screw-on
79A9556.T1	nickle	CLIP top Winkelscharnier 30°, 95°, aufschlagend, mit Feder, Topf: Schrauben
79A9458.T	nickle	CLIP top Angled hinge 45°, 95°, max. overlay, with spring, Boss: Screw-on
79A9658.T	nickle	CLIP top Angled hinge 45°, 95°, Half overlay appl., with spring, Boss: Screw-on
79T5550	nickle	CLIP top Angled hinge 45°, 110°, Overlay appl., with spring, Boss: Screw-on
78A9555.T	nickle	CLIP top Angled hinge 20°, 95°, Overlay appl., unsprung, Boss: Screw-on
78A9556.T	nickle	CLIP top Angled hinge 30°, 95°, Overlay appl., unsprung, Boss: Screw-on
78A5451.T	nickle	CLIP top Angled hinge -30°, 110°, max. overlay, unsprung, Boss: Screw-on
78A5453.T	nickle	CLIP top Angled hinge -15°, 110°, max. overlay, unsprung, Boss: Screw-on
78A9454.T	nickle	CLIP top Angled hinge 15°, 95°, max. overlay, unsprung, Boss: Screw-on
78A9456.T	nickle	CLIP top Angled hinge 30°, 95°, max. overlay, with spring, Boss: Screw-on
79B9658	-	CLIP top BLUMOTION angled hinge 45°, 95°, halbonset, with spring, cup:
79B9698	-	CLIP top BLUMOTION angled hinge 45°, 95°, halbonset, with spring, cup:
71B3590	-	CLIP top BLUMOTION standard hinge 110°, straight, with spring, cup: INSERTA
71B3690	-	CLIP top BLUMOTION standard hinge 110°, 9,5mm cranked, with spring, cup: INSE
73B3590	-	CLIP top BLUMOTION standard hinge 110°, straight, with spring, cup: INSERTA
71B3790	-	CLIP top BLUMOTION standard hinge 110°, 18mm cranked, with spring, cup: INSE
79B3490	-	CLIP top BLUMOTION angled hinge -45°, 110°, max. onset, with spring, cup: I

Order-ID	Color	Description
79B3491	-	CLIP top BLUMOTION angled hinge -30°, 110°, max. onset, with spring, cup: I
79B3493	-	CLIP top BLUMOTION angled hinge -15°, 110°, max. onset, with spring, cup: I
79B9494	-	CLIP top BLUMOTION angled hinge 15°, 95°, max. onset, with spring, cup: INS
79B9595	-	CLIP top BLUMOTION angled hinge 20°, 95°, onset, with spring, cup: INSE
79B9496	-	CLIP top BLUMOTION angled hinge 30°, 95°, max. onset, with spring, cup: INS
79B9596	-	CLIP top BLUMOTION angled hinge 30°, 95°, onset, with spring, cup: INSE
79B9498	-	CLIP top BLUMOTION angled hinge 45°, 95°, max. onset, with spring, cup: INS
79B3598	-	CLIP top BLUMOTION angled hinge 45°, 110°, onset, with spring, cup: INS
71B9590	-	CLIP top BLUMOTION Profile/thick door hinge 95°, straight, with spring, cup: INSERTA
71B9690	-	CLIP top BLUMOTION Profile/thick door hinge 95°, 9,5mm cranked, with spring, cup: INSE
71B9790	-	CLIP top BLUMOTION Profile/thick door hinge 95°, 18mm cranked, with spring, cup: INSER
79B9590	-	CLIP top BLUMOTION blind corner hinge 95°, 3mm cranked, with spring, cup: INSERTA
71B3580	-	CLIP top BLUMOTION standard hinge 110°, straight, with spring, cup: press in
71B3680	-	CLIP top BLUMOTION standard hinge 110°, 9,5mm cranked, with spring, cup: press in
71B3780	-	CLIP top BLUMOTION standard hinge 110°, 18mm cranked, with spring, cup: press in
73B3580	-	CLIP top BLUMOTION standard hinge 110°, straight, with spring, cup: press in
71B9580	-	CLIP top BLUMOTION Profile/thick door hinge 95°, straight, with spring, cup: press in
71B9680	-	CLIP top BLUMOTION Profile/thick door hinge 95°, 9,5mm cranked, with spring, cup: press in
71B9780	-	CLIP top BLUMOTION Profile/thick door hinge 95°, 18mm cranked, with spring, cup: press in
79B9580	-	CLIP top BLUMOTION blind corner hinge 95°, 3mm cranked, with spring, cup: press in
71B3550	-	CLIP top BLUMOTION standard hinge 110°, straight, with spring, cup: screw-on
71B3650	-	CLIP top BLUMOTION standard hinge 110°, 9,5mm cranked, with spring, cup: screw-on
71B3750	-	CLIP top BLUMOTION standard hinge 110°, 18mm cranked, with spring, cup: screw-on
73B3550	-	CLIP top BLUMOTION standard hinge 110°, straight, with spring, cup: screw-on
79B3450	-	CLIP top BLUMOTION angled hinge -45°, 110°, max. onset, with spring, cup: S
79B3451	-	CLIP top BLUMOTION angled hinge -30°, 110°, max. onset, with spring, cup: S
79B3453	-	CLIP top BLUMOTION angled hinge -15°, 110°, max. onset, with spring, cup: S
79B9454	-	CLIP top BLUMOTION angled hinge 15°, 95°, max. onset, with spring, cup: screw
79B9555	-	CLIP top BLUMOTION angled hinge 20°, 95°, onset, with spring, cup: screw-on
79B9456	-	CLIP top BLUMOTION angled hinge 30°, 95°, max. onset, with spring, cup: screw
79B9556	-	CLIP top BLUMOTION angled hinge 30°, 95°, onset, with spring, cup: screw-on
79B9458	-	CLIP top BLUMOTION angled hinge 45°, 95°, max. onset, with spring, cup: screw
79B3558	-	CLIP top BLUMOTION angled hinge 45°, 110°, onset, with spring, cup: screw
71B9550	-	CLIP top BLUMOTION Profile/thick door hinge 95°, straight, with spring, cup: screw-on
71B9650	-	CLIP top BLUMOTION Profile/thick door hinge 95°, 9,5mm cranked, with spring, cup: screw-on
71B9750	-	CLIP top BLUMOTION Profile/thick door hinge 95°, 18mm cranked, with spring, cup: screw-on
79B9550	-	CLIP top BLUMOTION blind corner hinge 95°, 3mm cranked, with spring, cup:
71B950A	-	CLIP top BLUMOTION aluminum-frame hinge 95°, straight with spring, cup: screw-on
71B960A	-	CLIP top BLUMOTION aluminum-frame hinge 95°, 9,5mm cranked, with spring, cup:screw-on
71B970A	-	CLIP top BLUMOTION aluminum-frame hinge 95°, 18mm cranked, with spring, cup:screw-on
71T950A.22	nickle	CLIP top Alu frame door hinge 95°, horizontal, with spring, Boss: Clamp-on
71T960A.22	nickle	CLIP top Alu frame door hinge 95°, 9.5 mm cranked, with spring, Boss: Clamp-on
71T970A.22	nickle	CLIP top Alu frame door hinge 95°, 18 mm cranked, with spring, Boss: Clamp-on
71T950A	nickle	CLIP top Alu frame door hinge 95°, horizontal, with spring, Boss: Screw-on

Order-ID	Color	Description
71T960A	nickle	CLIP top Alu frame door hinge 95°, 9.5 mm cranked, with spring, Boss: Screw-on
71T970A	nickle	CLIP top Alu frame door hinge 95°, 18 mm cranked, with spring, Boss: Screw-on
73T550A	nickle	CLIP top Alu frame door hinge 120°, horizontal, with spring, Boss: Screw-on
71T560A	nickle	CLIP top Alu frame door hinge 120°, 9.5 mm cranked, with spring, Boss: Screw-on
70T950A.TL	nickle	CLIP top Alu frame door hinge 95°, horizontal, unsprung, Boss: Screw-on
71T950AB	nickle	CLIP top Alu frame door hinge 95°, horizontal, with spring, Boss: Screw-on
73T550AB	nickle	CLIP top Alu frame door hinge 120°, horizontal, with spring, Boss: Screw-on
71T970AB	nickle	CLIP top Alu frame door hinge 95°, 18 mm cranked, with spring, Boss: Screw-on
71T560AB	nickle	CLIP top Alu frame door hinge 120°, 9.5 mm cranked, with spring, Boss: Screw-on
71T960AB	nickle	CLIP top Alu frame door hinge 95°, 9.5 mm cranked, with spring, Boss: Screw-on
72T550A.TL	nickle	CLIP top Alu frame door hinge 120°, horizontal, unsprung, Boss: Screw-on
75T4100	black/nickel	CLIP top Glass door hinge 94°, horizontal, with spring, Boss: Screw-on
75T4200	black/nickel	CLIP top Glass door hinge 94°, 9.5 mm cranked, with spring, Boss: Screw-on
75T4300	black/nickel	CLIP top Glass door hinge 94°, 18 mm cranked, with spring, Boss: Screw-on
79A4105.T	black/nickel	CLIP top angled glass door hinge 20°, 94°, Overlay appl., with spring, Boss: Scr
79A4108.T	black/nickel	CLIP top angled glass door hinge 45°, 94°, Overlay appl., with spring, Boss: Scr
75T1590B	nickle	CLIP top standard hinge 107°, horizontal, with spring, Boss: INSERTA
75T1690B	nickle	CLIP top standard hinge 107°, 9.5 mm cranked, with spring, Boss: INSERTA
75T1790B	nickle	CLIP top standard hinge 107°, 18 mm cranked, with spring, Boss: INSERTA
71T5590B	nickle	CLIP top standard hinge 120°, horizontal, with spring, Boss: INSERTA
71T5690B	nickle	CLIP top standard hinge 120°, 9.5 mm cranked, with spring, Boss: INSERTA
73T5590B	nickle	CLIP top standard hinge 120°, horizontal, with spring, Boss: INSERTA
70T5590BTL	nickle	CLIP top standard hinge 120°, horizontal, unsprung, Boss: INSERTA
70T5690BTL	nickle	CLIP top standard hinge 120°, 9.5 mm cranked, unsprung, Boss: INSERTA
74T1790BTL	nickle	CLIP top standard hinge 107°, 18 mm cranked, unsprung, Boss: INSERTA
79T9590B	nickle	CLIP top Blind corner hinge 95°, with spring, Boss: INSERTA
79T9990B37	-	CLIP top Blind corner hinge 95°, with spring, Boss: INSERTA
71T7540N	nickle	CLIP top 0-protrusion hinge 155°, horizontal, with spring, Boss: INSERTA
74T1690BTL	nickle	CLIP top standard hinge 107°, 9.5 mm cranked, unsprung, Boss: INSERTA
72T5590BTL	nickle	CLIP top standard hinge 120°, horizontal, unsprung, Boss: INSERTA
74T1590BTL	nickle	CLIP top standard hinge 107°, horizontal, unsprung, Boss: INSERTA
70T7540NTL	nickle	CLIP top 0-protrusion hinge 155°, horizontal, unsprung, Boss: INSERTA
71T3590	-	CLIP top standard hinge 110°, straight, with spring, cup: INSERTA
71T3690	-	CLIP top standard hinge 110°, 9,5mm cranked, with spring, cup: INSERTA
71T3790	-	CLIP top standard hinge 110°, 18mm cranked, with spring, cup: INSERTA
70T3590.TL	-	CLIP top standard hinge 110°, straight, without spring, cup: INSERTA
70T3690.TL	-	CLIP top standard hinge 110°, 9,5mm cranked, without spring, cup: INSERTA
70T3790.TL	-	CLIP top standard hinge 110°, 18mm cranked, without spring, cup: INSERTA
73T3590	-	CLIP top standard hinge 110°, straight, with spring, cup: INSERTA
72T3590.TL	-	CLIP top standard hinge 110°, straight, without spring, cup: INSERTA
71T7640N	-	CLIP top 0-protrusion hinge 155°, 9,5mm cranked, with spring, cup: INSERTA
71M2780	nickle	CLIP standard hinge 100°, 18 mm cropped, with tongue, cup: press in
75T1580	nickle	CLIP top standard hinge 107°, horizontal, with spring, Boss: Knock-in
75T1680	nickle	CLIP top standard hinge 107°, 9.5 mm cranked, with spring, Boss: Knock-in

Order-ID	Color	Description
75T1780	nickle	CLIP top standard hinge 107°, 18 mm cranked, with spring, Boss: Knock-in
71T5580	nickle	CLIP top standard hinge 120°, horizontal, with spring, Boss: Knock-in
71T5680	nickle	CLIP top standard hinge 120°, 9.5 mm cranked, with spring, Boss: Knock-in
73T5580	nickle	CLIP top standard hinge 120°, horizontal, with spring, Boss: Knock-in
79T9580	nickle	CLIP top Blind corner hinge 95°, with spring, Boss: Knock-in
70T5580.TL	nickle	CLIP top standard hinge 120°, horizontal, unsprung, Boss: Knock-in
71T7530N	nickle	CLIP top 0-protrusion hinge 155°, horizontal, with spring, Boss: Knock-in
70M2580.TL	nickle	CLIP standard hinge 100°, straight, without tongue, cup: press in
70M2680.TL	nickle	CLIP standard hinge 100°, 9,5 mm cropped, without tongue, cup: press in
70M2780.TL	nickle	CLIP standard hinge 100°, 18 mm cropped, without tongue, cup: press in
71M2580	nickle	CLIP standard hinge 100°, straight, with tongue, cup: press in
71M2680	nickle	CLIP standard hinge 100°, 9,5 mm cropped, with tongue, cup: press in
71T0550	nickle	CLIP top Mini hinge 94°, horizontal, with spring, Boss: Screw-on
71T0650	nickle	CLIP top Mini hinge 94°, 9.5 mm cranked, with spring, Boss: Screw-on
71T0750	nickle	CLIP top Mini hinge 94°, 18 mm cranked, with spring, Boss: Screw-on
79A0555.T	nickle	CLIP top angled mini hinge 20°, 94°, Overlay appl., with spring, Boss: Screw-on
79A0558.T	nickle	CLIP top angled mini hinge 45°, 94°, Overlay appl., with spring, Boss: Screw-on
79C450BT	nickle	CLIP top CRISTALLO Mirror door hinge 125°, horizontal, with spring
78C450BT	nickle	CLIP top CRISTALLO Mirror door hinge 125°, horizontal, unsprung
71T3580	-	CLIP top standard hinge 110°, straight, with spring, cup: press in
71T3680	-	CLIP top standard hinge 110°, 9,5mm cranked, with spring, cup: press in
71T3780	-	CLIP top standard hinge 110°, 18mm cranked, with spring, cup: press in
73T3580	-	CLIP top standard hinge 110°, straight, with spring, cup: press in
71T9590B	nickle	CLIP top Profile/thick door hinge 95°, horizontal, with spring, Boss: INSERTA
71T9790B	nickle	CLIP top Profile/thick door hinge 95°, 18 mm cranked, with spring, Boss: INSERTA
71T9690B	nickle	CLIP top Profile/thick door hinge 95°, 9.5 mm cranked, with spring, Boss: INSERT
71T9550	nickle	CLIP top Profile/thick door hinge 95°, horizontal, with spring, Boss: Screw-on
71T9580	nickle	CLIP top Profile/thick door hinge 95°, horizontal, with spring, Boss: Knock-in
71T9680	nickle	CLIP top Profile/thick door hinge 95°, 9.5 mm cranked, with spring, Boss: Knock-
71T9780	nickle	CLIP top Profile/thick door hinge 95°, 18 mm cranked, with spring, Boss: Knock-i
70T9550.TL	nickle	CLIP top Profile/thick door hinge 95°, horizontal, unsprung, Boss: Screw-on
71T9650	nickle	CLIP top Profile/thick door hinge 95°, 9.5 mm cranked, with spring, Boss: Screw-
71T9750	nickle	CLIP top Profile/thick door hinge 95°, 18 mm cranked, with spring, Boss: Screw-o
70T9650.TL	nickle	CLIP top Profile/thick door hinge 95°, 9.5 mm cranked, unsprung, Boss: Screw-on
70T9750.TL	nickle	CLIP top Profile/thick door hinge 95°, 18 mm cranked, unsprung, Boss: Screw-on
71M2750	nickle	CLIP standard hinge 100°, 18 mm cropped, with tongue, cup: Screwn
75T1550	nickle	CLIP top standard hinge 107°, horizontal, with spring, Boss: Screw-on
75T1650	nickle	CLIP top standard hinge 107°, 9.5 mm cranked, with spring, Boss: Screw-on
75T1750	nickle	CLIP top standard hinge 107°, 18 mm cranked, with spring, Boss: Screw-on
71T5550	nickle	CLIP top standard hinge 120°, horizontal, with spring, Boss: Screw-on
71T5650	nickle	CLIP top standard hinge 120°, 9.5 mm cranked, with spring, Boss: Screw-on
73T5550	nickle	CLIP top standard hinge 120°, horizontal, with spring, Boss: Screw-on
79T9550	nickle	CLIP top Blind corner hinge 95°, with spring, Boss: Screw-on
74T1750.TL	nickle	CLIP top standard hinge 107°, 18 mm cranked, unsprung, Boss: Screw-on

Order-ID	Color	Description
70T5550.TL	nickle	CLIP top standard hinge 120°, horizontal, unsprung, Boss: Screw-on
70T5650.TL	nickle	CLIP top standard hinge 120°, 9.5 mm cranked, unsprung, Boss: Screw-on
74T1650.TL	nickle	CLIP top standard hinge 107°, 9.5 mm cranked, unsprung, Boss: Screw-on
71T7500N	nickle	CLIP top 0-protrusion hinge 155°, horizontal, with spring, Boss: Screw-on
72T5550.TL	nickle	CLIP top standard hinge 120°, horizontal, unsprung, Boss: Screw-on
70T7500NTL	nickle	CLIP top 0-protrusion hinge 155°, horizontal, unsprung, Boss: Screw-on
78T9550.TL	nickle	CLIP top Blind corner hinge 95°, unsprung, Boss: Screw-on
70M2550.TL	nickle	CLIP standard hinge 100°, straight, without tongue, cup: Screwn
70M2650.TL	nickle	CLIP standard hinge 100°, 9,5 mm cropped, without tongue, cup: Screwn
74T1550.TL	nickle	CLIP top standard hinge 107°, horizontal, unsprung, Boss: Screw-on
70M2750.TL	nickle	CLIP standard hinge 100°, 18 mm cropped, without tongue, cup: Screwn
71M2550	nickle	CLIP standard hinge 100°, straight, with tongue, cup: Screwn
71M2650	nickle	CLIP standard hinge 100°, 9,5 mm cropped, with tongue, cup: Screwn
71T3550	-	CLIP top standard hinge 110°, straight, with spring, cup: screw-on
71T3650	-	CLIP top standard hinge 110°, 9,5mm cranked, with spring, cup: screw-on
71T3750	-	CLIP top standard hinge 110°, 18mm cranked, with spring, cup: screw-on
70T3650.TL	-	CLIP top standard hinge 110°, 9,5mm cranked, without spring, cup: screw-on
70T3750.TL	-	CLIP top standard hinge 110°, 18mm cranked, without spring, cup: screw-on
73T3550	-	CLIP top standard hinge 110°, straight, with spring, cup: screw-on
72T3550.TL	-	CLIP top standard hinge 110°, straight, without spring, cup: screw-on
71T7600N	-	CLIP top 0-protrusion hinge 155°, 9,5mm cranked, with spring, cup: screw-on
78Z5500T	nickle	CLIP top Intermediate Hinge, straight, without spring, Boss: Screw-on
78Z553ET	nickle	CLIP top Intermediate Hinge AVENTOS HF 134°, without spring, Boss: EXPANDO
78Z550AT	nickle	CLIP top Intermediate Hinge-Alu AVENTOS HF 134°, without spring, Boss: Screw-on
71T6540B	-	CLIP top Wide angle hinge 170°, horizontal, with spring, Boss: INSERTA
70T6540B	nickle	CLIP top Wide angle hinge 170°, horizontal, unsprung, Boss: INSERTA
70T6640B	nickle	CLIP top Wide angle hinge 170°, 9.5 mm cranked, unsprung, Boss: INSERTA
71T6640B	nickle	CLIP top Wide angle hinge 170°, 9.5 mm cranked, with spring, Boss: INSERTA
71T6680	nickle	CLIP top Wide angle hinge 170°, 9.5 mm cranked, with spring, Boss: Knock-in
71T6580	nickle	CLIP top Wide angle hinge 170°, horizontal, with spring, Boss: Knock-in
71T6650	nickle	CLIP top Wide angle hinge 170°, 9.5 mm cranked, with spring, Boss: Screw-on
71T6550	nickle	CLIP top Wide angle hinge 170°, horizontal, with spring, Boss: Screw-on
70T6550	nickle	CLIP top Wide angle hinge 170°, horizontal, unsprung, Boss: Screw-on
70T6650	nickle	CLIP top Wide angle hinge 170°, 9.5 mm cranked, unsprung, Boss: Screw-on
175H5A00	nickle	CLIP Mounting plate, 0 mm, Zinc, screws, HA: Cam
174L6100.05	nickle	CLIP Mounting plate, 0 mm, Steel, Knock-in, HA: Elongated hole
173L8300	nickle	CLIP Mounting plate, 0 mm, Steel, pre-mount. syst. screws, HA: Elongated hole
173L8100.21	nickle	CLIP Mounting plate, 0 mm, Steel, pre-mount. syst. screws, HA: Elongated hole
173L6100	nickle	CLIP Mounting plate, 0 mm, Steel, Chipboard screws, HA: Elongated hole
173S6100	nickle	CLIP Mounting plate, 0 mm, Steel, pre-mount. chipb. screws, HA: Elongated hole
173H7100	nickle	CLIP Mounting plate, 0 mm, Steel, Chipboard screws, HA: Cam
173L8100	nickle	CLIP Mounting plate, 0 mm, Steel, pre-mount. syst. screws, HA: Elongated hole
175H7100	nickle	CLIP Mounting plate, 0 mm, Zinc, Chipboard screws, HA: Two-part
175L8100	nickle	CLIP Mounting plate, 0 mm, Zinc, pre-mount. syst. screws, HA: Elongated hole

Order-ID	Color	Description
175H9100	nickle	CLIP Mounting plate, 0 mm, Zinc, System screws, HA: Two-part
175L8300	nickle	CLIP Mounting plate, 0 mm, Zinc, pre-mount. syst. screws, HA: Elongated hole
175L8100.21	nickle	CLIP Mounting plate, 0 mm, Zinc, pre-mount. syst. screws, HA: Elongated hole
175L6100	nickle	CLIP Mounting plate, 0 mm, Zinc, Chipboard screws, HA: Elongated hole
175L8190.21	nickle	CLIP Mounting plate, 11 mm, Zinc, pre-mount. syst. screws, HA: Elongated hole
175H7190.22	nickle	CLIP Mounting plate, 18 mm, Zinc, Chipboard screws, HA: Two-part
175H9190.22	nickle	CLIP Mounting plate, 18 mm, Zinc, System screws, HA: Two-part
174L6130.05	nickle	CLIP Mounting plate, 3 mm, Steel, Knock-in, HA: Elongated hole
173L6130	nickle	CLIP Mounting plate, 3 mm, Steel, Chipboard screws, HA: Elongated hole
173L8130	nickle	CLIP Mounting plate, 3 mm, Steel, pre-mount. syst. screws, HA: Elongated hole
173L8330	nickle	CLIP Mounting plate, 3 mm, Steel, pre-mount. syst. screws, HA: Elongated hole
173H7130	nickle	CLIP Mounting plate, 3 mm, Steel, Chipboard screws, HA: Cam
175L8130	nickle	CLIP Mounting plate, 3 mm, Zinc, pre-mount. syst. screws, HA: Elongated hole
175L8330	nickle	CLIP Mounting plate, 3 mm, Zinc, pre-mount. syst. screws, HA: Elongated hole
175H7130	nickle	CLIP Mounting plate, 3 mm, Zinc, Chipboard screws, HA: Two-part
175H9130	nickle	CLIP Mounting plate, 3 mm, Zinc, System screws, HA: Two-part
175L6130	nickle	CLIP Mounting plate, 3 mm, Zinc, Chipboard screws, HA: Elongated hole
175H9160	nickle	CLIP Mounting plate, 6 mm, Zinc, System screws, HA: Two-part
175L8190	nickle	CLIP Mounting plate, 9 mm, Zinc, pre-mount. syst. screws, HA: Elongated hole
175H7190	nickle	CLIP Mounting plate, 9 mm, Zinc, Chipboard screws, HA: Two-part
175H9190	nickle	CLIP Mounting plate, 9 mm, Zinc, System screws, HA: Two-part
844.120	Black	glass door hinge boss cover cap, D-shape
844.120	gold-plated	glass door hinge boss cover cap, D-shape
844.120	chrome	glass door hinge boss cover cap, D-shape
844.120	matt-nickel	glass door hinge boss cover cap, D-shape
844.140	Black	glass door hinge boss cover cap, round
844.140	gold-plated	glass door hinge boss cover cap, round
844.140	chrome	glass door hinge boss cover cap, round
844.140	matt-nickel	glass door hinge boss cover cap, round
174E6100.01	nickle	CLIP Mounting plate, 0 mm, Steel, EXPANDO, HA: Elongated hole
174E610Z	nickle	CLIP Mounting plate, 0 mm, Steel, EXPANDO, HA: Elongated hole
174E6300	nickle	CLIP Mounting plate, 0 mm, Steel, EXPANDO, HA: Elongated hole
174H7100E	nickle	CLIP Mounting plate, 0 mm, Steel, EXPANDO, HA: Cam
174H710ZE	nickle	CLIP Mounting plate, 0 mm, Steel, EXPANDO, HA: Cam
174E6130.01	nickle	CLIP Mounting plate, 3 mm, Steel, EXPANDO, HA: Elongated hole
174E6330	nickle	CLIP Mounting plate, 3 mm, Steel, EXPANDO, HA: Elongated hole
174H7130E	nickle	CLIP Mounting plate, 3 mm, Steel, EXPANDO, HA: Cam
174H713ZE	nickle	CLIP Mounting plate, 3 mm, Steel, EXPANDO, HA: Cam
177H5400E	nickle	CLIP Mounting plate, 0 mm, Zinc, EXPANDO, HA: Cam
177H5430E	-	CLIP Mounting plate, 3 mm, Zinc, EXPANDO, HA: Cam
174H7100I	nickle	CLIP Mounting plate, 0 mm, Steel, INSERTA, HA: Cam
174H7130I	nickle	CLIP Mounting plate, 3 mm, Steel, INSERTA, HA: Cam
175H5400	nickle	CLIP Mounting plate, 0 mm, Zinc, Chipboard screws, HA: Cam
177H5100	nickle	CLIP Mounting plate, 0 mm, Zinc, Knock-in, HA: Cam

Order-ID	Color	Description
177M5100	nickle	CLIP Mounting plate, 0 mm, Zinc, Knock-in, HA: Two-part
175M5400	nickle	CLIP Mounting plate, 0 mm, Zinc, Chipboard screws, HA: Two-part
175H5400	nickle	CLIP Mounting plate, 0 mm, Zinc, Chipboard screws, HA: Cam
177H5130	nickle	CLIP Mounting plate, 3 mm, Zinc, Knock-in, HA: Cam
177M5130	nickle	CLIP Mounting plate, 3 mm, Zinc, Knock-in, HA: Two-part
175H5430	nickle	CLIP Mounting plate, 3 mm, Zinc, Chipboard screws, HA: Cam
71M2590B	nickle	CLIP standard hinge 100°, straight, with tongue, cup: INSERTA
71M2690B	nickle	CLIP standard hinge 100°, 9,5 mm cropped, with tongue, cup: INSERTA
71M2790B	nickle	CLIP standard hinge 100°, 18 mm cropped, with tongue, cup: INSERTA
20Q091Z	E6/Ev1 nature	Connecting piece for cross stabiliser up & over lift system, Alu, length: 91 mm
20Q091ZA	E6/Ev1 nature	Connecting piece for cross stabiliser lift up, Alu, length: 91 mm
ZTU.00Z0	R7037 dust grey	corner connector for two gallery rails
ZTU.00Z0	R9001 creme white	corner connector for two gallery rails
ZTU.00D0	R7037 dust grey	corner connector with three gallery front fixings
ZTU.00D0	R9001 creme white	corner connector with three gallery front fixings
-	R7037 dust grey	corner connector for two gallery rails
-	R9001 creme white	corner connector for two gallery rails
-	R7037 dust grey	corner connector with three gallery front fixings
-	R9001 creme white	corner connector with three gallery front fixings
90M2503	nickle	Hinge cover cap, Steel, plain, Symmetrical
90M2603	nickle	Hinge cover cap, Steel, plain, Symmetrical
806.507	nickle	Hinge cover cap, Steel, plain, Symmetrical
94M3603	nickle	Hinge cover cap, Steel, plain, Symmetrical
90M2503.BP	nickle	Hinge cover cap, Steel, stamped, Symmetrical
90M2603.BL	nickle	Hinge cover cap, Steel, Screen print, Right
90M2603.BL	nickle	Hinge cover cap, Steel, Screen print, left hand
80.6507.BL	nickle	Hinge cover cap, Steel, Screen print, Symmetrical
701.503	nickle	Hinge cover cap, Steel, plain, 1 piece
701.563	nickle	Hinge cover cap, Steel, plain, 1 piece
701.663	nickle	Hinge cover cap, Steel, plain, 1 piece
70.1503.BP	nickle	Hinge cover cap, Steel, stamped, 1 piece
70.1663.BL	nickle	Hinge cover cap, Steel, Screen print, left hand
70.1663.BL	nickle	Hinge cover cap, Steel, Screen print, Right
70T1504	nickle	Hinge cover cap, Steel, plain, 1 piece
560H2500C	-	TANDEM plus Full extension, 30 kg, NL=250 mm for locking device
561H2601C	-	TANDEM plus full extension, 30 kg, NL=260 mm with pegs, right
551H2601	-	TANDEM Single extension, 30 kg, NL=260 mm With pegs, Right
560H2700C	-	TANDEM plus Full extension, 30 kg, NL=270 mm for locking device
550H2700.03	-	TANDEM Single extension, 30 kg, NL=270 mm for locking device
561H2851C	-	TANDEM plus full extension, 30 kg, NL=285 mm with pegs, right
551H2851	-	TANDEM Single extension, 30 kg, NL=285 mm With pegs, Right
560H3000C	-	TANDEM plus Full extension, 30 kg, NL=300 mm for locking device
550H3000.03	-	TANDEM Single extension, 30 kg, NL=300 mm for locking device
561H3101A	-	TANDEM plus full extension, 30 kg, NL=310 mm with pegs, right

Order-ID	Color	Description
561H3101C	-	TANDEM plus full extension, 30 kg, NL=310 mm with pegs, right
551H3101	-	TANDEM Single extension, 30 kg, NL=310 mm With pegs, Right
560H3200C	-	TANDEM plus Full extension, 30 kg, NL=320 mm for locking device
561H3351A	-	TANDEM plus full extension, 30 kg, NL=335 mm with pegs, right
561H3351C	-	TANDEM plus full extension, 30 kg, NL=335 mm with pegs, right
551H3351	-	TANDEM Single extension, 30 kg, NL=335 mm With pegs, Right
560H3500C	-	TANDEM plus Full extension, 30 kg, NL=350 mm for locking device
550H3500.03	-	TANDEM Single extension, 30 kg, NL=350 mm for locking device
561H3601C	-	TANDEM plus full extension, 30 kg, NL=360 mm with pegs, right
551H3601	-	TANDEM Single extension, 30 kg, NL=360 mm With pegs, Right
560H3800C	-	TANDEM plus Full extension, 30 kg, NL=380 mm for locking device
561H3851C	-	TANDEM plus full extension, 30 kg, NL=385 mm with pegs, right
551H3851	-	TANDEM Single extension, 30 kg, NL=385 mm With pegs, Right
560H4000C	-	TANDEM plus Full extension, 30 kg, NL=400 mm for locking device
550H4000.03	-	TANDEM Single extension, 30 kg, NL=400 mm for locking device
561H4101C	-	TANDEM plus full extension, 30 kg, NL=410 mm with pegs, right
551H4101	-	TANDEM Single extension, 30 kg, NL=410 mm With pegs, Right
560H4200C	-	TANDEM plus Full extension, 30 kg, NL=420 mm for locking device
561H4351C	-	TANDEM plus full extension, 30 kg, NL=435 mm with pegs, right
551H4351	-	TANDEM Single extension, 30 kg, NL=435 mm With pegs, Right
560H4500C	-	TANDEM plus Full extension, 30 kg, NL=450 mm for locking device
566H4500C	-	TANDEM plus Full extension, 50 kg, NL=450 mm for locking device
550H4500.03	-	TANDEM Single extension, 30 kg, NL=450 mm for locking device
561H4601C	-	TANDEM plus full extension, 30 kg, NL=460 mm with pegs, right
551H4601	-	TANDEM Single extension, 30 kg, NL=460 mm With pegs, Right
560H4800C	-	TANDEM plus Full extension, 30 kg, NL=480 mm for locking device
561H4851C	-	TANDEM plus full extension, 30 kg, NL=485 mm with pegs, right
551H4851	-	TANDEM Single extension, 30 kg, NL=485 mm With pegs, Right
560H5000C	-	TANDEM plus Full extension, 30 kg, NL=500 mm for locking device
566H5000C	-	TANDEM plus Full extension, 50 kg, NL=500 mm for locking device
550H5000.03	-	TANDEM Single extension, 30 kg, NL=500 mm for locking device
561H5101C	-	TANDEM plus full extension, 30 kg, NL=510 mm with pegs, right
551H5101	-	TANDEM Single extension, 30 kg, NL=510 mm With pegs, Right
560H5200C	-	TANDEM plus Full extension, 30 kg, NL=520 mm for locking device
566H5200C	-	TANDEM plus Full extension, 50 kg, NL=520 mm for locking device
561H5351C	-	TANDEM plus full extension, 30 kg, NL=535 mm with pegs, right
551H5351	-	TANDEM Single extension, 30 kg, NL=535 mm With pegs, Right
560H5500C	-	TANDEM plus Full extension, 30 kg, NL=550 mm for locking device
566H5500C	-	TANDEM plus Full extension, 50 kg, NL=550 mm for locking device
550H5500.03	-	TANDEM Single extension, 30 kg, NL=550 mm for locking device
561H5601C	-	TANDEM plus full extension, 30 kg, NL=560 mm with pegs, right
551H5601	-	TANDEM Single extension, 30 kg, NL=560 mm With pegs, Right
566H5800C	-	TANDEM plus Full extension, 50 kg, NL=580 mm for locking device
566H6000C	-	TANDEM plus Full extension, 50 kg, NL=600 mm for locking device

Order-ID	Color	Description
550H6000.03	-	TANDEM Single extension, 30 kg, NL=600 mm for locking device
566H6500C	-	TANDEM plus Full extension, 50 kg, NL=650 mm for locking device
550H6500.03	-	TANDEM Single extension, 30 kg, NL=650 mm for locking device
560H2500B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=250 mm for locking device
561H2601B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=260 mm with peg assembly, Right
551H2601B	-	TANDEM BLUMOTION single extension, 30 kg, NL=260 mm with pegs
560H2700B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=270 mm for locking device
550H2700B	-	TANDEM BLUMOTION single extension, 30 kg, NL=270 mm for locking device
561H2851B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=285 mm with peg assembly, Right
551H2851B	-	TANDEM BLUMOTION single extension, 30 kg, NL=285 mm with pegs
560H3000B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=300 mm for locking device
550H3000B	-	TANDEM BLUMOTION single extension, 30 kg, NL=300 mm for locking device
561H3101B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=310 mm with peg assembly, Right
551H3101B	-	TANDEM BLUMOTION single extension, 30 kg, NL=310 mm with pegs
560H3200B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=320 mm for locking device
561H3351B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=335 mm with peg assembly, Right
551H3351B	-	TANDEM BLUMOTION single extension, 30 kg, NL=335 mm with pegs
560H3500B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=350 mm for locking device
550H3500B	-	TANDEM BLUMOTION single extension, 30 kg, NL=350 mm for locking device
561H3601B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=360 mm with peg assembly, Right
551H3601B	-	TANDEM BLUMOTION single extension, 30 kg, NL=360 mm with pegs
560H3800B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=380 mm for locking device
561H3851B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=385 mm with peg assembly, Right
551H3851B	-	TANDEM BLUMOTION single extension, 30 kg, NL=385 mm with pegs
560H4000B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=400 mm for locking device
550H4000B	-	TANDEM BLUMOTION single extension, 30 kg, NL=400 mm for locking device
561H4101B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=410 mm with peg assembly, Right
551H4101B	-	TANDEM BLUMOTION single extension, 30 kg, NL=410 mm with pegs
560H4200B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=420 mm for locking device
561H4351B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=435 mm with peg assembly, Left
551H4351B	-	TANDEM BLUMOTION single extension, 30 kg, NL=435 mm with pegs
560H4500B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=450 mm for locking device
566H4500B01	-	TANDEM plus BLUMOTION full extension, 50 kg, NL=450 mm for locking device
550H4500B	-	TANDEM BLUMOTION single extension, 30 kg, NL=450 mm for locking device
561H4601B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=460 mm with peg assembly, Right
551H4601B	-	TANDEM BLUMOTION single extension, 30 kg, NL=460 mm with pegs
560H4800B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=480 mm for locking device
561H4851B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=485 mm with peg assembly, Right
551H4851B	-	TANDEM BLUMOTION single extension, 30 kg, NL=485 mm with pegs
560H5000B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=500 mm for locking device
566H5000B01	-	TANDEM plus BLUMOTION full extension, 50 kg, NL=500 mm for locking device
550H5000B	-	TANDEM BLUMOTION single extension, 30 kg, NL=500 mm for locking device
561H5101B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=510 mm with peg assembly, Right
551H5101B	-	TANDEM BLUMOTION single extension, 30 kg, NL=510 mm with pegs

Order-ID	Color	Description
560H5200B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=520 mm for locking device
566H5200B01	-	TANDEM plus BLUMOTION full extension, 50 kg, NL=520 mm for locking device
561H5351B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=535 mm with peg assembly, Right
551H5351B	-	TANDEM BLUMOTION single extension, 30 kg, NL=535 mm with pegs
566H5500B	-	TANDEM plus Full extension, 50 kg, NL=550 mm for locking device
560H5500B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=550 mm for locking device
550H5500B	-	TANDEM BLUMOTION single extension, 30 kg, NL=550 mm for locking device
561H5601B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=560 mm with peg assembly, Right
551H5601B	-	TANDEM BLUMOTION single extension, 30 kg, NL=560 mm with pegs
566H5800B01	-	TANDEM plus BLUMOTION full extension, 50 kg, NL=580 mm for locking device
566H6000B01	-	TANDEM plus BLUMOTION full extension, 50 kg, NL=600 mm for locking device
566H6500B01	-	TANDEM plus BLUMOTION full extension, 50 kg, NL=650 mm for locking device
566H7000B01	-	TANDEM plus BLUMOTION full extension, 50 kg, NL=700 mm for locking device
566H7500B01	-	TANDEM plus BLUMOTION full extension, 50 kg, NL=750 mm for locking device
560H3500BU	-	TANDEM plus full extension Blumatic, 30 kg, NL=350 mm for locking device
550H3500BU	-	TANDEM single extension Blumatic, 30 kg, NL=350 mm for locking device
560H4000BU	-	TANDEM plus full extension Blumatic, 30 kg, NL=400 mm for locking device
550H4000BU	-	TANDEM single extension Blumatic, 30 kg, NL=400 mm for locking device
559.2701T	galvanized	TANDEMBOX plus TIP-ON, cabinet profile, full extension, 20 kg, NL=270 mm
559.3001T	galvanized	TANDEMBOX plus TIP-ON, cabinet profile, full extension, 20 kg, NL=300 mm
559.3501T	galvanized	TANDEMBOX plus TIP-ON, cabinet profile, full extension, 30 kg, NL=350 mm
559.4001T	galvanized	TANDEMBOX plus TIP-ON, cabinet profile, full extension, 30 kg, NL=400 mm
559.4501T	galvanized	TANDEMBOX plus TIP-ON, cabinet profile, full extension, 50 kg, NL=450 mm
559.5001T	galvanized	TANDEMBOX plus TIP-ON, cabinet profile, full extension, 50 kg, NL=500 mm
559.5501T	galvanized	TANDEMBOX plus TIP-ON, cabinet profile, full extension, 50 kg, NL=550 mm
559.6001T	galvanized	TANDEMBOX plus TIP-ON, cabinet profile, full extension, 50 kg, NL=600 mm
559.6501T	galvanized	TANDEMBOX plus TIP-ON, cabinet profile, full extension, 50 kg, NL=650 mm
558.2701B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 30 kg, NL=270 mm
558.3001B	-	TANDEMBOX plus BLUMOTION cabinet profile, full extension, 30 kg, NL=300 mm
558.3501B01	galvanized	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 30 kg, NL=350 mm
558.4001B01	galvanized	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 30 kg, NL=400 mm
558.4501B01	galvanized	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 30 kg, NL=450 mm
559.4501B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 50 kg, NL=450 mm
556.4501B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 65 kg, NL=450 mm
558.5001B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 30 kg, NL=500 mm
559.5001B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 50 kg, NL=500 mm
556.5001B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 65 kg, NL=500 mm
558.5501B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 30 kg, NL=550 mm
559.5501B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 50 kg, NL=550 mm
556.5501B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 65 kg, NL=550 mm
559.6001B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 50 kg, NL=600 mm
556.6001B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 65 kg, NL=600 mm
559.6501B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 50 kg, NL=650 mm
556.6501B	-	TANDEMBOX plus BLUMOTION, cabinet profile, full extension, 65 kg, NL=650 mm

Order-ID	Color	Description
Z40L0002	R7037 dust grey	Cross divider attachment intivo, Nylon, 1 piece
Z40L0002	are white	Cross divider attachment intivo, Nylon, 1 piece
Z40H0002.R	R7037 dust grey	Cross divider connector for gallery, Nylon, 1 piece
ZIF.82D8	are white	Gallery connector for front connection inner drawer, Nylon
ZRU.00Z0.01	R7037 dust grey	Cross gallery connector for two gallery rails
ZRU.00Z0.01	R9001 creme white	Cross gallery connector for two gallery rails
ZRU.00Z0.01	White	Cross gallery connector for two gallery rails
20Q1061U	E6/Ev1 nature	Cross stabiliser Up and over lift system, Alu, Length: 1061 mm
20Q1061UA	E6/Ev1 nature	Cross stabiliser Lift up, Alu, Length: 1061 mm
560H6000C	-	TANDEM plus full extension, 30 kg, NL=600 mm for locking device
560H6000B	-	TANDEM plus BLUMOTION full extension, 30 kg, NL=600 mm for locking device
Z10M200S	-	SERVO-DRIVE power cable, Brasilien, with power plug NBR 6147, 2 Meter
Z10M200S.01	-	SERVO-DRIVE power cable, Brasilien, with power plug NBR 14136, 2 Meter
Z31L1036A	are white	Front section, Length: 1036.3 mm
Z31L1036AN	are white	Front section, Length: 1036.3 mm
Z96.10E1	-	Z96.Front stabilisation, 1 piece, EXPANDO-Version, for TANDEMBOX
2.951.000	-	Front adjustment fitting, 1 piece, pressing in
Z31A1081A	R9006 white alu	Front section, Length: 1081 mm
Z31A1081A	White	Front section, Length: 1081 mm
Z31A1081A	nickle	Front section, Length: 1081 mm
Z31A1081A	E6/Ev1 nature	Front section, Length: 1081 mm
ZRG.1046Z	-	non-adjustable gallery, Length: 1046.3 mm
ZRG.1094U	-	non-adjustable gallery, Length: 1094 mm
ZRG.1094U	-	non-adjustable gallery, Length: 1094 mm
ZRG.1094U	-	non-adjustable gallery, Length: 1094 mm
ZRG.1094U	-	non-adjustable gallery, Length: 1094 mm
ZRG.296V.IC	-	Adjustable gallery for Nominal Length 350 mm
ZRG.296V.IC	-	Adjustable gallery for Nominal Length 350 mm
ZRG.296V.IC	-	Adjustable gallery for Nominal Length 350 mm
ZRG.296V.IC	-	Adjustable gallery for Nominal Length 350 mm
ZRE.363A.ID	-	Adjustable gallery for Nominal Length 400 mm
ZRG.346V.IC	-	Adjustable gallery for Nominal Length 400 mm
ZRG.346V.IC	-	Adjustable gallery for Nominal Length 400 mm
ZRG.346V.IC	-	Adjustable gallery for Nominal Length 400 mm
ZRG.346V.IC	-	Adjustable gallery for Nominal Length 400 mm
ZRE.413A.ID	-	Adjustable gallery for Nominal Length 450 mm
ZRG.396V.IC	-	Adjustable gallery for Nominal Length 450 mm
ZRG.396V.IC	-	Adjustable gallery for Nominal Length 450 mm
ZRG.396V.IC	-	Adjustable gallery for Nominal Length 450 mm
ZRG.396V.IC	-	Adjustable gallery for Nominal Length 450 mm
ZRE.443A.ID	-	Adjustable gallery for Nominal Length 480 mm
ZRE.463A.ID	-	Adjustable gallery for Nominal Length 500 mm
ZRG.446V.IC	-	Adjustable gallery for Nominal Length 500 mm
ZRG.446V.IC	-	Adjustable gallery for Nominal Length 500 mm

Order-ID	Color	Description
ZRG.446V.IC	-	Adjustable gallery for Nominal Length 500 mm
ZRG.446V.IC	-	Adjustable gallery for Nominal Length 500 mm
ZRE.483A.ID	-	Adjustable gallery for Nominal Length 520 mm
ZRE.513A.ID	-	Adjustable gallery for Nominal Length 550 mm
ZRG.496V.IC	-	Adjustable gallery for Nominal Length 550 mm
ZRG.496V.IC	-	Adjustable gallery for Nominal Length 550 mm
ZRG.496V.IC	-	Adjustable gallery for Nominal Length 550 mm
ZRG.496V.IC	-	Adjustable gallery for Nominal Length 550 mm
ZRE.543A.ID	-	Adjustable gallery for Nominal Length 580 mm
ZRE.563A.ID	-	Adjustable gallery for Nominal Length 600 mm
ZRG.546V.IC	-	Adjustable gallery for Nominal Length 600 mm
ZRG.546V.IC	-	Adjustable gallery for Nominal Length 600 mm
ZRG.546V.IC	-	Adjustable gallery for Nominal Length 600 mm
ZRG.546V.IC	-	Adjustable gallery for Nominal Length 600 mm
ZRE.613A.ID	-	Adjustable gallery for Nominal Length 650 mm
ZRG.596V.IC	-	Adjustable gallery for Nominal Length 650 mm
ZRG.596V.IC	-	Adjustable gallery for Nominal Length 650 mm
ZRG.596V.IC	-	Adjustable gallery for Nominal Length 650 mm
ZRG.596V.IC	-	Adjustable gallery for Nominal Length 650 mm
ZRU.00F0	R7037 dust grey	Gallery division single tiered
ZRU.00F0	R9001 creme white	Gallery division single tiered
ZRU.00F0	White	Gallery division single tiered
ZIF.80M7	-	handle + carrier for internal drawer,plastic
ZIF.80M7	-	handle + carrier for internal drawer,plastic
ZIF.80M5	-	Handles for inner drawers, Nylon
ZIF.80M5	-	Handles for inner drawers, Nylon
ZRM.5500	R7037 dust grey	METAFILE hanging rail complete
ZRM.5500	R9001 creme white	METAFILE hanging rail complete
T51.7000	natural	Rear fixing bracket for TANDEM Pull-out surround, symmetrical
358K4002S	R9006 w-alu/dustgrey	TANDEMBOX side K=115 mm, 30 kg, NL=400 mm, Steel
358K4002S	white/R737 dustgrey	TANDEMBOX side K=115 mm, 30 kg, NL=400 mm, Steel
358K4502S	R9006 w-alu/dustgrey	TANDEMBOX side K=115 mm, 30 kg, NL=450 mm, Steel
358K4502S	white/R737 dustgrey	TANDEMBOX side K=115 mm, 30 kg, NL=450 mm, Steel
358K5002S	R9006 w-alu/dustgrey	TANDEMBOX side K=115 mm, 30 kg, NL=500 mm, Steel
358K5002S	white/R737 dustgrey	TANDEMBOX side K=115 mm, 30 kg, NL=500 mm, Steel
358K5502S	R9006 w-alu/dustgrey	TANDEMBOX side K=115 mm, 30 kg, NL=550 mm, Steel
358K5502S	white/R737 dustgrey	TANDEMBOX side K=115 mm, 30 kg, NL=550 mm, Steel
359K6002S	R9006 w-alu/dustgrey	TANDEMBOX side K=115 mm, 50 kg, NL=600 mm, Steel
359K6002S	white/R737 dustgrey	TANDEMBOX side K=115 mm, 50 kg, NL=600 mm, Steel
359K6502S	R9006 w-alu/dustgrey	TANDEMBOX side K=115 mm, 50 kg, NL=650 mm, Steel
359K6502S	white/R737 dustgrey	TANDEMBOX side K=115 mm, 50 kg, NL=650 mm, Steel
358L2702SA2	arewhite/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=270 mm, Steel
358L2702IA2	inox-brushed/dustgr	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=270 mm, Stainless steel (Inox
358L3002SA2	arewhite/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=300 mm, Steel

Order-ID	Color	Description
358L3002IA2	inox-brushed/dustgr	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=300 mm, Stainless steel (Inox
358L3502SA2	arewhite/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=350 mm, Steel
358L3502IA2	inox-brushed/dustgr	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=350 mm, Stainless steel (Inox
358L4002SA2	arewhite/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=400 mm, Steel
358L4002IA2	inox-brushed/dustgr	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=400 mm, Stainless steel (Inox
358L4502SA2	arewhite/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=450 mm, Steel
358L4502SA2	terrablack/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=450 mm, Steel
358L4502IA2	inox-brushed/dustgr	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=450 mm, Stainless steel (Inox
358L5002SA2	arewhite/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=500 mm, Steel
358L5002SA2	terrablack/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=500 mm, Steel
358L5002IA2	inox-brushed/dustgr	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=500 mm, Stainless steel (Inox
358L5502SA2	arewhite/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=550 mm, Steel
358L5502SA2	terrablack/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=550 mm, Steel
358L5502IA2	inox-brushed/dustgr	TANDEMBOX intivo drawer side L = 101 mm, 30 kg, NL=550 mm, Stainless steel (Inox
359L6002SA2	arewhite/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 50 kg, NL=600 mm, Steel
359L6002SA2	terrablack/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 50 kg, NL=600 mm, Steel
359L6002IA2	inox-brushed/dustgr	TANDEMBOX intivo drawer side L = 101 mm, 50 kg, NL=600 mm, Stainless steel (Inox
359L6502SA2	arewhite/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 50 kg, NL=650 mm, Steel
359L6502SA2	terrablack/dustgrey	TANDEMBOX intivo drawer side L = 101 mm, 50 kg, NL=650 mm, Steel
359L6502IA2	inox-brushed/dustgr	TANDEMBOX intivo drawer side L = 101 mm, 50 kg, NL=650 mm, Stainless steel (Inox
T51.1700.04	-	locking device component for TANDEM wooden drawer, left hand
T51.1700.04	Orange	locking device component for TANDEM wooden drawer, Right
358M2702S	R9006 w-alu/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=270 mm, Steel
358M2702S	white/R737 dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=270 mm, Steel
358M2702A	E6/Ev1 natural/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=270 mm, Alu
358M2702I	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=270 mm, Stainless steel (Inox
358M2702SA	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=270 mm, Steel
358M2702IA	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=270 mm, Stainless steel (Inox)
358M3002S	R9006 w-alu/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=300 mm, Steel
358M3002S	white/R737 dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=300 mm, Steel
358M3002A	E6/Ev1 natural/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=300 mm, Alu
358M3002I	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=300 mm, Stainless steel (Inox)
358M3002SA	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=300 mm, Steel
358M3002IA	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=300 mm, Stainless steel (Inox)
358M3502S	R9006 w-alu/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=350 mm, Steel
358M3502S	white/R737 dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=350 mm, Steel
358M3502A	E6/Ev1 natural/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=350 mm, Alu
358M3502I	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=350 mm, Stainless steel (Inox)
358M3502SA	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=350 mm, Steel
358M3502IA	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=350 mm, Stainless steel (Inox)
358M4002S	R9006 w-alu/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=400 mm, Steel
358M4002S	white/R737 dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=400 mm, Steel
358M4002A	E6/Ev1 natural/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=400 mm, Alu

Order-ID	Color	Description
358M4002I	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=400 mm, Stainless steel (Inox)
358M4002SA	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=400 mm, Steel
358M4002IA	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=400 mm, Stainless steel (Inox)
358M4502S	R9006 w-alu/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=450 mm, Steel
358M4502S	white/R737 dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=450 mm, Steel
358M4502A	E6/Ev1 natural/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=450 mm, Alu
358M4502I	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=450 mm, Stainless steel (Inox)
358M4504SG	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=450 mm, Steel
358M4504SG	terrablack/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=450 mm, Steel
358M4502SA	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=450 mm, Steel
358M4502IA	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=450 mm, Stainless steel (Inox)
358M5002S	R9006 w-alu/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=500 mm, Steel
358M5002S	white/R737 dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=500 mm, Steel
358M5002A	E6/Ev1 natural/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=500 mm, Alu
358M5002I	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=500 mm, Stainless steel (Inox)
358M5004SG	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=500 mm, Steel
358M5004SG	terrablack/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=500 mm, Steel
358M5002SA	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=500 mm, Steel
358M5002IA	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=500 mm, Stainless steel (Inox)
358M5502S	R9006 w-alu/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=550 mm, Steel
358M5502S	white/R737 dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=550 mm, Steel
358M5502A	E6/Ev1 natural/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=550 mm, Alu
358M5502I	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=550 mm, Stainless steel (Inox)
358M5504SG	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=550 mm, Steel
358M5504SG	terrablack/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=550 mm, Steel
358M5502SA	arewhite/dustgrey	TANDEMBOX side M=83 mm, 30 kg, NL=550 mm, Steel
358M5502IA	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 30 kg, NL=550 mm, Stainless steel (Inox)
358M6004SG	arewhite/dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=600 mm, steel
358M6004SG	terrablack/dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=600 mm, steel
358M6504SG	arewhite/dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=650 mm, steel
358M6504SG	terrablack/dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=650 mm, steel
359M6002I	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 50 kg, NL=600 mm, Stainless steel (Inox)
359M6002A	E6/Ev1 natural/dustgrey	TANDEMBOX side M=83 mm, 50 kg, NL=600 mm, Alu
359M6002S	R9006 w-alu/dustgrey	TANDEMBOX side M=83 mm, 50 kg, NL=600 mm, Steel
359M6002S	white/R737 dustgrey	TANDEMBOX side M=83 mm, 50 kg, NL=600 mm, Steel
359M6002SA	arewhite/dustgrey	TANDEMBOX side M=83 mm, 50 kg, NL=600 mm, Steel
359M6002IA	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 50 kg, NL=600 mm, Stainless steel (Inox)
359M6502S	R9006 w-alu/dustgrey	TANDEMBOX side M=83 mm, 50 kg, NL=650 mm, Steel
359M6502S	white/R737 dustgrey	TANDEMBOX side M=83 mm, 50 kg, NL=650 mm, Steel
359M6502A	E6/Ev1 natural/dustgrey	TANDEMBOX side M=83 mm, 50 kg, NL=650 mm, Alu
359M6502I	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 50 kg, NL=650 mm, Stainless steel (Inox)
359M6502SA	arewhite/dustgrey	TANDEMBOX side M=83 mm, 50 kg, NL=650 mm, Steel
359M6502IA	inox-brushed/dustgr	TANDEMBOX side M=83 mm, 50 kg, NL=650 mm, Stainless steel (Inox)

Order-ID	Color	Description
358N4002S	R9006 w-alu/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=400 mm, Steel
358N4002S	white/R737 dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=400 mm, Steel
358N4002A	E6/Ev1 natural/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=400 mm, Alu
358N4002I	inox-brushed/dustgr	TANDEMBOX side N=68 mm, 30 kg, NL=400 mm, Stainless steel (Inox)
358N4002SA	arewhite/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=400 mm, Steel
358N4002IA	inox-brushed/dustgr	TANDEMBOX side N=68 mm, 30 kg, NL=400 mm, Stainless steel (Inox)
358N4502S	R9006 w-alu/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=450 mm, Steel
358N4502S	white/R737 dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=450 mm, Steel
358N4502A	E6/Ev1 natural/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=450 mm, Alu
358N4502I	inox-brushed/dustgr	TANDEMBOX side N=68 mm, 30 kg, NL=450 mm, Stainless steel (Inox)
358N4502SA	arewhite/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=450 mm, Steel
358N4502IA	inox-brushed/dustgr	TANDEMBOX side N=68 mm, 30 kg, NL=450 mm, Stainless steel (Inox)
358N5002S	R9006 w-alu/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=500 mm, Steel
358N5002S	white/R737 dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=500 mm, Steel
358N5002A	E6/Ev1 natural/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=500 mm, Alu
358N5002I	inox-brushed/dustgr	TANDEMBOX side N=68 mm, 30 kg, NL=500 mm, Stainless steel (Inox)
358N5002SA	arewhite/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=500 mm, Steel
358N5002IA	inox-brushed/dustgr	TANDEMBOX side N=68 mm, 30 kg, NL=500 mm, Stainless steel (Inox)
358N5502S	R9006 w-alu/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=550 mm, Steel
358N5502S	white/R737 dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=550 mm, Steel
358N5502A	E6/Ev1 natural/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=550 mm, Alu
358N5502I	inox-brushed/dustgr	TANDEMBOX side N=68 mm, 30 kg, NL=550 mm, Stainless steel (Inox)
358N5502SA	arewhite/dustgrey	TANDEMBOX side N=68 mm, 30 kg, NL=550 mm, Steel
358N5502IA	inox-brushed/dustgr	TANDEMBOX side N=68 mm, 30 kg, NL=550 mm, Stainless steel (Inox)
Z40H1077A	R9006 white alu	ORGA-LINE cross dividers for cutting to size, alu, 1077 mm
Z40H1077A	White	ORGA-LINE cross dividers for cutting to size, alu, 1077 mm
Z40H1077A	nickle	ORGA-LINE cross dividers for cutting to size, alu, 1077 mm
ZFL.30BFI4	-	ORGA-LINE Bottle pull-out TBX intivo, NL=450 mm, CW=300 mm
ZFL.27BFS6	-	ORGA-LINE bottle pull-out TBX intivo, NL=500 mm, CW=275 mm
ZFL.27BFS6	-	ORGA-LINE bottle pull-out TBX intivo, NL=500 mm, CW=275 mm
ZFL.30BFI6	-	ORGA-LINE Bottle pull-out TBX intivo, NL=500 mm, CW=300 mm
ZFL.27BFI6	-	ORGA-LINE bottle pull-out TBX intivo, NL=500 mm, CW=275 mm
ZFL.27BFS7	-	ORGA-LINE bottle pull-out TBX intivo, NL=550 mm, CW=275 mm
ZFL.27BFS7	-	ORGA-LINE bottle pull-out TBX intivo, NL=550 mm, CW=275 mm
ZFL.30BFI7	-	ORGA-LINE Bottle pull-out TBX intivo, NL=550 mm, CW=300 mm
ZFL.27BFI7	-	ORGA-LINE bottle pull-out TBX intivo, NL=550 mm, CW=275 mm
ZFL.27BFS8	-	ORGA-LINE bottle pull-out TBX intivo, NL=600 mm, CW=275 mm
ZFL.27BFS8	-	ORGA-LINE bottle pull-out TBX intivo, NL=600 mm, CW=275 mm
ZFL.30BFI8	-	ORGA-LINE Flaschenauszug TBX intivo, NL=600 mm, KB=300 mm
ZFL.27BFI8	-	ORGA-LINE bottle pull-out TBX intivo, NL=600 mm, CW=275 mm
ZFL.27BFS9	-	ORGA-LINE bottle pull-out TBX intivo, NL=650 mm, CW=275 mm
ZFL.27BFS9	-	ORGA-LINE bottle pull-out TBX intivo, NL=650 mm, CW=275 mm
ZFL.30BFI9	-	ORGA-LINE Bottle pull-out TBX intivo, NL=650 mm, CW=300 mm

Order-ID	Color	Description
ZFL.27BFI9	-	ORGA-LINE bottle pull-out TBX intivo, NL=650 mm, CW=275 mm
Z40H1077S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 1077 mm
Z40H1077S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 1077 mm
Z40H1077I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 1077 mm
Z40L1077A	are white	ORGA-LINE Cross divider profile intivo 1077 mm
Z40L1077A	terrablack	ORGA-LINE Cross divider profile intivo 1077 mm
Z40L1077A	nickle	ORGA-LINE Cross divider profile intivo 1077 mm
Z40H152S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 152 mm
Z40H152S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 152 mm
Z40H152I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 152 mm
Z40H177S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 177 mm
Z40H177S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 177 mm
Z40H177I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 177 mm
Z40H277S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 277 mm
Z40H277S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 277 mm
Z40H277I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 277 mm
Z40H327S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 327 mm
Z40H327S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 327 mm
Z40H327I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 327 mm
Z40H377S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 377 mm
Z40H377S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 377 mm
Z40H377I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 377 mm
Z40H427S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 427 mm
Z40H427S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 427 mm
Z40H427I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 427 mm
Z40H477S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 477 mm
Z40H477S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 477 mm
Z40H477I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 477 mm
Z40H677S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 677 mm
Z40H677S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 677 mm
Z40H677I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 677 mm
Z40H777S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 777 mm
Z40H777S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 777 mm
Z40H777I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 777 mm
Z40H877S	R9006 w-alu/dustgrey	ORGA-LINE cross divider high fronted pull-out 877 mm
Z40H877S	white/R737 dustgrey	ORGA-LINE cross divider high fronted pull-out 877 mm
Z40H877I	inox-brushed/dustgr	ORGA-LINE cross divider high fronted pull-out 877 mm
Z40H000A	R7037 dust grey	Cross divider attachment, Nylon, 1 piece
ZSZ.02F0	-	ORGA-LINE foil_cutter für Aluminum foil
ZSZ.01F0	-	ORGA-LINE foil_cutter für cling film
Z46L420I	-	ORGA-LINE Dividing wall intivo, for NL=450 mm, Height: 151 mm, Screw-on
Z46L420S	are white	ORGA-LINE Dividing wall intivo, for NL=450 mm, Height: 151 mm, Screw-on
Z46L420S	terrablack	ORGA-LINE Dividing wall intivo, for NL=450 mm, Height: 151 mm, Screw-on
Z46L470S	terrablack	ORGA-LINE Dividing wall intivo, for NL=500 mm, Height: 151 mm, Screw-on

Order-ID	Color	Description
Z46L470I	-	ORGA-LINE Dividing wall intivo, for NL=500 mm, Height: 151 mm, Screw-on
Z46L470S	are white	ORGA-LINE Dividing wall intivo, for NL=500 mm, Height: 151 mm, Screw-on
Z46L520S	are white	ORGA-LINE Dividing wall intivo, for NL=550 mm, Height: 151 mm, Screw-on
Z46L520S	terrablack	ORGA-LINE Dividing wall intivo, for NL=550 mm, Height: 151 mm, Screw-on
Z46L520I	-	ORGA-LINE Dividing wall intivo, for NL=550 mm, Height: 151 mm, Screw-on
Z46L570S	are white	ORGA-LINE Dividing wall intivo, for NL=600 mm, Height: 151 mm, Screw-on
Z46L570S	terrablack	ORGA-LINE Dividing wall intivo, for NL=600 mm, Height: 151 mm, Screw-on
Z46L570I	-	ORGA-LINE Dividing wall intivo, for NL=600 mm, Height: 151 mm, Screw-on
Z46L620S	are white	ORGA-LINE Dividing wall intivo, for NL=650 mm, Height: 151 mm, Screw-on
Z46L620S	terrablack	ORGA-LINE Dividing wall intivo, for NL=650 mm, Height: 151 mm, Screw-on
Z46L620I	-	ORGA-LINE Dividing wall intivo, for NL=650 mm, Height: 151 mm, Screw-on
ZFL.10BUS4	R737dustgr/R737dugr	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=1000 mm
ZFL.10BUS4	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=1000 mm
ZFL.10BUS6	R9006 w-alu/dustgrey	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=1000
ZFL.10BUS6	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=1000
ZFL.10BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=1000 mm
ZFL.10BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=1000 mm
ZFL.12BUS4	R737dustgr/R737dugr	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=1200 mm
ZFL.12BUS4	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=1200 mm
ZFL.12BUS6	R9006 w-alu/dustgrey	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=1200
ZFL.12BUS6	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=1200
ZFL.12BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=1200 mm
ZFL.12BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=1200 mm
ZFL.27BUS4	R737dustgr/R737dugr	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=275
ZFL.27BUS4	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=275
ZFL.27BUS6	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=275 mm
ZFL.30BUS4	R737dustgr/R737dugr	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=300
ZFL.30BUS4	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=300
ZFL.30BUS6	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=300 mm
ZFL.40BUS4	R737dustgr/R737dugr	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=400
ZFL.40BUS4	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=400
ZFL.40BUS6	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=400 mm
ZFL.45BUS4	R737dustgr/R737dugr	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=450
ZFL.45BUS4	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=450
ZFL.45BUS6	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=450 mm
ZFL.50BUS4	R737dustgr/R737dugr	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=500
ZFL.50BUS4	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=450-480 mm, KB=500
ZFL.50BUS6	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=500 mm
ZFL.55BUS4	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=550 mm
ZFL.55BUS6	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=550 mm
ZFL.60BUS4	R737dustgr/R737dugr	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=600 mm
ZFL.60BUS4	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=600 mm

Order-ID	Color	Description
ZFL.60BUS6	R9006 w-alu/dustgrey	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=600
ZFL.60BUS6	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=600
ZFL.80BUS4	R737dustgr/R737dugr	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=800 mm
ZFL.80BUS4	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=800 mm
ZFL.80BUS6	R9006 w-alu/dustgrey	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=800
ZFL.80BUS6	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=800
ZFL.90BUS4	R737dustgr/R737dugr	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=900 mm
ZFL.90BUS4	arewhite/arewhite	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=900 mm
ZFL.90BUS6	R9006 w-alu/dustgrey	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=900
ZFL.90BUS6	arewhite/arewhite	ORGA-LINE Universal-Set für TANDEMBOX intivo Frontauszug, NL=500-650 mm, KB=900
ZSZ.02M0	inox-brushed/dustgr	ORGA-LINE Knife holder
Z43H100S.01	R9006 w-alu/dustgrey	ORGA-LINE lateral divider high fronted pull-out, Steel
Z43H100S.01	white/R737 dustgrey	ORGA-LINE lateral divider high fronted pull-out, Steel
Z43H100I.01	inox-brushed/dustgr	ORGA-LINE lateral divider high fronted pull-out, Stainless steel (Inox)
Z43L100S	arewhite/arewhite	ORGA-LINE Longside divider high fronted pull-out intivo, Steel
Z43L100S	terrablack/black	ORGA-LINE Longside divider high fronted pull-out intivo, Steel
Z43L100I	-	ORGA-LINE Longside divider high fronted pull-out intivo, Steel
ZTH.0350	R7037 dust grey	ORGA-LINE Plate-holder
ZHI.450SI65	inox-brushed/dustgr	ORGA-LINE Side part, Stainless steel (Inox)
ZHI.500SI65	inox-brushed/dustgr	ORGA-LINE Side part, Stainless steel (Inox)
ZHI.550SI65	inox-brushed/dustgr	ORGA-LINE Side part, Stainless steel (Inox)
ZHI.450SS65	R9006 w-alu/dustgrey	ORGA-LINE Side part, Steel
ZHI.500SS65	R9006 w-alu/dustgrey	ORGA-LINE Side part, Steel
ZHI.550SS65	R9006 w-alu/dustgrey	ORGA-LINE Side part, Steel
ZSI.10VKI4	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=450 mm, Cabinet width: 1000 mm
ZSI.60VKI4	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=450 mm, Cabinet width: 600 mm
ZSI.80VKI4	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=450 mm, Cabinet width: 800 mm
ZSI.90VKI4	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=450 mm, Cabinet width: 900 mm
ZSI.10VKI6	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=500 mm, Cabinet width: 1000 mm
ZSI.60VKI6	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=500 mm, Cabinet width: 600 mm
ZSI.80VKI6	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=500 mm, Cabinet width: 800 mm
ZSI.90VKI6	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=500 mm, Cabinet width: 900 mm
ZSI.10VKI7	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=550 mm, Cabinet width: 1000 mm
ZSI.60VKI7	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=550 mm, Cabinet width: 600 mm
ZSI.80VKI7	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=550 mm, Cabinet width: 800 mm
ZSI.90VKI7	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=550 mm, Cabinet width: 900 mm
ZSI.10VKI8	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=600 mm, Cabinet width: 1000 mm
ZSI.60VKI8	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=600 mm, Cabinet width: 600 mm
ZSI.80VKI8	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=600 mm, Cabinet width: 800 mm
ZSI.90VKI8	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=600 mm, Cabinet width: 900 mm
ZSI.10VKI9	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=650 mm, Cabinet width: 1000 mm
ZSI.60VKI9	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=650 mm, Cabinet width: 600 mm
ZSI.80VKI9	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=650 mm, Cabinet width: 800 mm

Order-ID	Color	Description
ZSI.90VKI9	inox-brushed/dustgr	ORGA-LINE Odds and Ends / TANDEMBOX, NL=650 mm, Cabinet width: 900 mm
Z48.30B0I4	inox-polished/grey	ORGA-LINE steel bottom, Nominal Length: 450 mm, Stainless steel (Inox)
Z48.30B0I6	inox-polished/grey	ORGA-LINE steel bottom, Nominal Length: 500 mm, Stainless steel (Inox)
Z48.27B0I6	inox-polished/grey	ORGA-LINE steel bottom, Nominal Length: 500 mm, Stainless steel (Inox)
Z48.27B0I7	inox-polished/grey	ORGA-LINE steel bottom, Nominal Length: 550 mm, Stainless steel (Inox)
Z48.30B0I7	inox-polished/grey	ORGA-LINE steel bottom, Nominal Length: 550 mm, Stainless steel (Inox)
Z48.30B0I8	inox-polished/grey	ORGA-LINE steel bottom, Nominal Length: 600 mm, Stainless steel (Inox)
Z48.27B0I8	inox-polished/grey	ORGA-LINE steel bottom, Nominal Length: 600 mm, Stainless steel (Inox)
Z48.30B0I9	inox-polished/grey	ORGA-LINE steel bottom, Nominal Length: 650 mm, Stainless steel (Inox)
Z48.27B0I9	inox-polished/grey	ORGA-LINE steel bottom, Nominal Length: 650 mm, Stainless steel (Inox)
ZHI.387BI1	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEM, NL=450 mm
ZHI.387BI3	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEM, NL=450 mm
ZHI.437BI1	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEM, NL=500 mm
ZHI.437BI3	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEM, NL=500 mm
ZHI.487BI1	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEM, NL=550 mm
ZHI.487BI3	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEM, NL=550 mm
ZHI.387KI2	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEM, NL=450 mm
ZHI.387MI3	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEM, NL=450 mm
ZHI.387KI4	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEM, NL=450 mm
ZHI.387TI5	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes, filling / TANDEM, NL=450 mm
ZHI.437KI2	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEM, NL=500 mm
ZHI.437MI3	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEM, NL=500 mm
ZHI.437KI4	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEM, NL=500 mm
ZHI.437TI5	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes, filling / TANDEM, NL=500 mm
ZHI.487KI2	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEM, NL=550 mm
ZHI.487MI3	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEM, NL=550 mm
ZHI.487KI4	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEM, NL=550 mm
ZHI.487TI5	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes, filling / TANDEM, NL=550 mm
ZHI.387FI1	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEM, NL=450 mm
ZHI.387FI2	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEM, NL=450 mm
ZHI.387FI3	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEM, NL=450 mm
ZHI.437FI1	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEM, NL=500 mm
ZHI.437FI2	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEM, NL=500 mm
ZHI.437FI3	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEM, NL=500 mm
ZHI.487FI1	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEM, NL=550 mm
ZHI.487FI2	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEM, NL=550 mm
ZHI.487FI3	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEM, NL=550 mm
ZSI.450BI2N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm
ZSI.450BI1N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm
ZSI.450BI3E	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm
ZSI.450BI3N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm
ZSI.10VEI4	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm, Cabinet width: 1000 mm
ZSI.10VUI4	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=450 mm, Cabinet width: 1000 mm
ZSI.12VEI4	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm, Cabinet width: 1200 mm

Order-ID	Color	Description
ZSI.12VUI4	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=450 mm, Cabinet width: 1200 mm
ZSI.45VEI4	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm, Cabinet width: 450 mm
ZSI.50VEI4	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm, Cabinet width: 500 mm
ZSI.55VEI4	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm, Cabinet width: 550 mm
ZSI.60VEI4	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm, Cabinet width: 600 mm
ZSI.60VUI4	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=450 mm, Cabinet width: 600 mm
ZSI.80VEI4	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm, Cabinet width: 800 mm
ZSI.80VUI4	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=450 mm, Cabinet width: 800 mm
ZSI.90VEI4	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=450 mm, Cabinet width: 900 mm
ZSI.90VUI4	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=450 mm, Cabinet width: 900 mm
ZSI.500BI3	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm
ZSI.500BI2N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm
ZSI.500BI1N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm
ZSI.500BI3E	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm
ZSI.10VEI6	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm, Cabinet width: 1000 mm
ZSI.10VUI6	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=500 mm, Cabinet width: 1000 mm
ZSI.12VEI6	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm, Cabinet width: 1200 mm
ZSI.12VUI6	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=500 mm, Cabinet width: 1200 mm
ZSI.45VEI6	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm, Cabinet width: 450 mm
ZSI.50VEI6	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm, Cabinet width: 500 mm
ZSI.55VEI6	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm, Cabinet width: 550 mm
ZSI.60VEI6	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm, Cabinet width: 600 mm
ZSI.60VUI6	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=500 mm, Cabinet width: 600 mm
ZSI.80VEI6	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm, Cabinet width: 800 mm
ZSI.80VUI6	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=500 mm, Cabinet width: 800 mm
ZSI.90VEI6	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=500 mm, Cabinet width: 900 mm
ZSI.90VUI6	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=500 mm, Cabinet width: 900 mm
ZSI.550BI3	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm
ZSI.550BI2N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm
ZSI.550BI1N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm
ZSI.10VEI7	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm, Cabinet width: 1000 mm
ZSI.45VEI7	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm, Cabinet width: 450 mm
ZSI.10VUI7	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=550 mm, Cabinet width: 1000 mm
ZSI.12VEI7	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm, Cabinet width: 1200 mm
ZSI.12VUI7	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=550 mm, Cabinet width: 1200 mm
ZSI.50VEI7	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm, Cabinet width: 500 mm
ZSI.55VEI7	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm, Cabinet width: 550 mm
ZSI.60VEI7	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm, Cabinet width: 600 mm
ZSI.60VUI7	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=550 mm, Cabinet width: 600 mm
ZSI.80VEI7	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm, Cabinet width: 800 mm
ZSI.80VUI7	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=550 mm, Cabinet width: 800 mm
ZSI.90VEI7	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=550 mm, Cabinet width: 900 mm
ZSI.90VUI7	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=550 mm, Cabinet width: 900 mm
ZSI.600BI3	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm

Order-ID	Color	Description
ZSI.600BI1N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm
ZSI.600BI2N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm
ZSI.10VEI8	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm, Cabinet width: 1000 mm
ZSI.10VUI8	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=600 mm, Cabinet width: 1000 mm
ZSI.12VEI8	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm, Cabinet width: 1200 mm
ZSI.12VUI8	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=600 mm, Cabinet width: 1200 mm
ZSI.45VEI8	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm, Cabinet width: 450 mm
ZSI.50VEI8	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm, Cabinet width: 500 mm
ZSI.55VEI8	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm, Cabinet width: 550 mm
ZSI.60VEI8	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm, Cabinet width: 600 mm
ZSI.60VUI8	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=600 mm, Cabinet width: 600 mm
ZSI.80VEI8	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm, Cabinet width: 800 mm
ZSI.80VUI8	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=600 mm, Cabinet width: 800 mm
ZSI.90VEI8	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=600 mm, Cabinet width: 900 mm
ZSI.90VUI8	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=600 mm, Cabinet width: 900 mm
ZSI.650BI3	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm
ZSI.650BI1N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm
ZSI.650BI2N	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm
ZSI.10VEI9	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm, Cabinet width: 1000 mm
ZSI.10VUI9	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=650 mm, Cabinet width: 1000 mm
ZSI.12VEI9	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm, Cabinet width: 1200 mm
ZSI.12VUI9	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=650 mm, Cabinet width: 1200 mm
ZSI.45VEI9	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm, Cabinet width: 450 mm
ZSI.50VEI9	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm, Cabinet width: 500 mm
ZSI.55VEI9	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm, Cabinet width: 550 mm
ZSI.60VEI9	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm, Cabinet width: 600 mm
ZSI.60VUI9	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=650 mm, Cabinet width: 600 mm
ZSI.80VEI9	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm, Cabinet width: 800 mm
ZSI.80VUI9	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=650 mm, Cabinet width: 800 mm
ZSI.90VEI9	inox-brushed/dustgr	ORGA-LINE Cutlery insert / TANDEMBOX, NL=650 mm, Cabinet width: 900 mm
ZSI.90VUI9	inox-brushed/dustgr	ORGA-LINE Universal / TANDEMBOX, NL=650 mm, Cabinet width: 900 mm
ZFI.30BZI4N	inox-brushed/dustgr	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=450 mm, CW=starting
ZFI.30BZS4N	R9006 w-alu/dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=450 mm, CW=starting
ZFI.30BZS4N	white/R737 dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=450 mm, CW=starting
ZFL.30BFS4	arewhite/arewhite	ORGA-LINE Bottle pull-out TBX intivo, NL=450 mm, CW=300 mm
ZFI.30BZI6N	inox-brushed/dustgr	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=500 mm, CW=starting
ZFI.30BZS6N	R9006 w-alu/dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=500 mm, CW=starting
ZFI.30BZS6N	white/R737 dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=500 mm, CW=starting
ZFL.30BFS6	arewhite/arewhite	ORGA-LINE Bottle pull-out TBX intivo, NL=500 mm, CW=300 mm
ZFI.30BZI7N	inox-brushed/dustgr	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=550 mm, CW=starting
ZFI.30BZS7N	white/R737 dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=550 mm, CW=starting
ZFI.30BZS7N	R9006 w-alu/dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=550 mm, CW=starting
ZFL.30BFS7	arewhite/arewhite	ORGA-LINE Bottle pull-out TBX intivo, NL=550 mm, CW=300 mm
ZFI.30BZI8N	inox-brushed/dustgr	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=600 mm, CW=starting

Order-ID	Color	Description
ZFI.30BZS8N	white/R737 dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=600 mm, CW=starting
ZFI.30BZS8N	R9006 w-alu/dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=600 mm, CW=starting
ZFL.30BFS8	R737dustgr/R737dustgr	ORGA-LINE Flaschenauszug TBX intivo, NL=600 mm, KB=300 mm
ZFL.30BFS8	arewhite/arewhite	ORGA-LINE Flaschenauszug TBX intivo, NL=600 mm, KB=300 mm
ZFI.30BZ19N	inox-brushed/dustgr	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=650 mm, CW=starting
ZFI.30BZS9N	R9006 w-alu/dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=650 mm, CW=starting
ZFI.30BZS9N	white/R737 dustgrey	ORGA-LINE Comb. bottle pull-out (pantry items + bottles), NL=650 mm, CW=starting
ZFL.30BFS9	arewhite/arewhite	ORGA-LINE Bottle pull-out TBX intivo, NL=650 mm, CW=300 mm
ZSI.450MI3	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=450 mm
ZSI.450KI2N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=450 mm
ZSI.450MI3E	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=450 mm
ZSI.450KI3N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=450 mm
ZSI.450KI4N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=450 mm
ZSI.500MI3	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=500 mm
ZSI.500KI4	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=500 mm
ZSI.500MI3E	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=500 mm
ZSI.500KI2N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=500 mm
ZSI.500KI3N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=500 mm
ZSI.550MI3	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=550 mm
ZSI.550KI4	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=550 mm
ZSI.550KI2N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=550 mm
ZSI.550KI3N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=550 mm
ZSI.600MI3	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=600 mm
ZSI.600KI4	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=600 mm
ZSI.600KI2N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=600 mm
ZSI.600KI3N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=600 mm
ZSI.650MI3	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=650 mm
ZSI.650KI4	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=650 mm
ZSI.650KI2N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=650 mm
ZSI.650KI3N	inox-brushed/dustgr	ORGA-LINE Utensil divider + boxes / TANDEMBOX, NL=650 mm
ZFZ.30G0I	inox-brushed/dustgr	ORGA-LINE Spice holder, after Cabinet width 300 mm
ZSI.450F13	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=450 mm
ZSI.450F12N	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=450 mm
ZSI.500F13	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=500 mm
ZSI.500F12N	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=500 mm
ZSI.550F13	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=550 mm
ZSI.550F12N	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=550 mm
ZSI.600F13	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=600 mm
ZSI.600F12N	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=600 mm
ZSI.650F13	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=650 mm
ZSI.650F12N	inox-brushed/dustgr	ORGA-LINE Utensil divider / TANDEMBOX, NL=650 mm
Z46C420S.E2	R9006 white alu	ORGA-LINE Dividing wall, for NL=450 mm, Height: 165 mm, Screw-on
Z46C420S.E2	White	ORGA-LINE Dividing wall, for NL=450 mm, Height: 165 mm, Screw-on
Z46C420I.E2	inox-lae-brushed	ORGA-LINE Dividing wall, for NL=450 mm, Height: 165 mm, Screw-on

Order-ID	Color	Description
Z46C470S.E2	R9006 white alu	ORGA-LINE Dividing wall, for NL=500 mm, Height: 165 mm, Screw-on
Z46C470S.E2	White	ORGA-LINE Dividing wall, for NL=500 mm, Height: 165 mm, Screw-on
Z46C470I.E2	inox-lae-brushed	ORGA-LINE Dividing wall, for NL=500 mm, Height: 165 mm, Screw-on
Z46C520I.E2	inox-lae-brushed	ORGA-LINE Dividing wall, for NL=550 mm, Height: 165 mm, Screw-on
Z46C520S.E2	R9006 white alu	ORGA-LINE Dividing wall, for NL=550 mm, Height: 165 mm, Screw-on
Z46C520S.E2	White	ORGA-LINE Dividing wall, for NL=550 mm, Height: 165 mm, Screw-on
Z46C570S.E2	R9006 white alu	ORGA-LINE Dividing wall, for NL=600 mm, Height: 165 mm, Screw-on
Z46C570S.E2	White	ORGA-LINE Dividing wall, for NL=600 mm, Height: 165 mm, Screw-on
Z46C570I.E2	inox-lae-brushed	ORGA-LINE Dividing wall, for NL=600 mm, Height: 165 mm, Screw-on
Z46C620S.E2	R9006 white alu	ORGA-LINE Dividing wall, for NL=650 mm, Height: 165 mm, Screw-on
Z46C620S.E2	White	ORGA-LINE Dividing wall, for NL=650 mm, Height: 165 mm, Screw-on
Z46C620I.E2	inox-lae-brushed	ORGA-LINE Dividing wall, for NL=650 mm, Height: 165 mm, Screw-on
ZFL.60BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=600 mm
ZFL.80BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=800 mm
ZFL.90BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=900 mm
ZFL.30BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=300 mm
ZFL.40BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=400 mm
ZFL.45BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=450 mm
ZFL.50BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=500 mm
ZFL.55BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=550 mm
ZFL.60BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=600 mm
ZFL.80BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=800 mm
ZFL.90BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=900 mm
ZFL.30BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=300 mm
ZFL.40BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=400 mm
ZFL.45BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=450 mm
ZFL.50BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=500 mm
ZFL.55BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=550 mm
ZFL.27BUI4	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=450-480 mm, CW=275 mm
ZFL.27BUI6	-	ORGA-LINE Universal set for TANDEMBOX intivo, NL=500-650 mm, CW=275 mm
741.103	Black	Opening angle stop 86°
706.103	Black	Opening angle stop 130°
Z10D7101	-	SERVO-DRIVE adapter bracket 1 tier, Nylon
Z10D7201	-	SERVO-DRIVE adapter bracket 2 tier, Nylon
Z10D6252	-	SERVO-DRIVE Attachment bracket adapter with pre-fitted top, steel
Z10D01E0	-	SERVO-DRIVE Support profile bottom / top, plastic
Z10D01EA	-	SERVO-DRIVE Support profile bottom / rear, plastic
Z10D01EA	-	SERVO-DRIVE Support profile bottom / rear, plastic
Z10D5210	-	SERVO-DRIVE attachment for bracket profilehorizontal, Nylon
Z10D5210	-	SERVO-DRIVE attachment for bracket profilehorizontal, Nylon
Z10D01E0	-	SERVO-DRIVE Support profile bottom / top, plastic
Z10T1170A	-	SERVO-DRIVE bracket profile, internal cabinet height 1170 mm, for cutting to size, Alu
Z10T650AA	-	SERVO-DRIVE bracket profile, internal cabinet height 660 mm, Alu
Z10T700AA	-	SERVO-DRIVE bracket profile, internal cabinet height 710 mm, Alu

Order-ID	Color	Description
Z10T710AA21	-	SERVO-DRIVE bracket profile, internal cabinet height 720 mm, Alu
Z10T750AA	-	SERVO-DRIVE bracket profile, internal cabinet height 760 mm, Alu
Z10T800AA	-	SERVO-DRIVE bracket profile, internal cabinet height 810 mm, Alu
Z10NG000	-	SERVO-DRIVE Transformer unit housing, base fixing, Nylon
Z10NG100	-	SERVO-DRIVE Transformer unit housing, panel fixing, Nylon
Z10K0009	-	SERVO-DRIVE Flex, Nylon
Z10NG110	-	SERVO-DRIVE Transformer unit housing, panel fixing, Nylon
Z1Q126ZA	-	Stabilizing cross connector for SERVO-DRIVE lift up, aluminum, length:
Z1Q126Z	-	Stabilizing cross connector for high-lift system SERVO-DRIVE, aluminum, Length
Z10V100E	-	SERVO-DRIVE Connecting node
Z10A3000.01	-	SERVO-DRIVE drive unit
Z10K800AE	-	SERVO-DRIVE electrical cable, 8 meter
Z10M200A	-	SERVO-DRIVE power cable, Argentinien, with power plug IRAM 2073, 2006, 2 Meter
Z10M200K	-	SERVO-DRIVE power cable, Australien, with power plug AS 3112, 2 Meter
Z10M200L	-	SERVO-DRIVE power cable, Chile, with power plug COAK 23-50, 2 Meter
Z10M200C	-	SERVO-DRIVE power cable, Schweiz, with power plug SEV 6534-2, 2 Meter
Z10M200N	-	SERVO-DRIVE power cable, China, with power plug, 2 Meter
Z10M200T	-	SERVO-DRIVE power cable, Taiwan, with power plug CNS 10917/CNS 690, 2 Meter
Z10M200D	-	SERVO-DRIVE power cable, Dänemark, with power plug DS 107-2-D1, 2 Meter
Z10M200E.OS	-	SERVO-DRIVE power cable, Europa, without Stecker, 2 Meter
Z10M200E	-	SERVO-DRIVE power cable, Europa, with power plug CEE 7/7, 2 Meter
Z10M200I	-	SERVO-DRIVE power cable, Israel, with power plug SI 32, 2 Meter
Z10M200H	-	SERVO-DRIVE power cable, Indien, with power plug IS 1293/IEC 60884-1, 2 Meter
Z10M200J	-	SERVO-DRIVE power cable, Japan, with power plug JIS 8303 CII, 2 Meter
Z10M200Z	-	SERVO-DRIVE power cable, Südafrika, with power plug SABS 164-1:1997, 2 Meter
Z10M200B	-	SERVO-DRIVE power cable, United Kingdom, with power plug BS 1363/A, 2 Meter
Z10M200U	-	SERVO-DRIVE power cable, USA/Kanada, with power plug NEMA 5-15 / CS 22.2N°42, 2 Me
Z10M200U.OS	-	SERVO-DRIVE power cable, USA, without Stecker, 2 Meter
Z10A3H00	-	SERVO-DRIVE Trigger guidance, Nylon
Z10NE020D	-	SERVO-DRIVE transformer, 72 W, ES / IT / PT
Z10NE020B	-	SERVO-DRIVE transformer, 72 W, DK / EN / FI / NO / SV
Z10NE020G	-	SERVO-DRIVE transformer, 72 W, EN (US) / ES / FR
Z10NE020A	-	SERVO-DRIVE transformer, 72 W, DE / EN / FR / IT / NL
Z10NE020H	-	SERVO-DRIVE transformer, 72 W, EN / ZH
Z10NE020E	-	SERVO-DRIVE transformer, 72 W, CS / HU / PL / SK
Z10NE020C	-	SERVO-DRIVE transformer, 72 W, EL / EN / HR / SL / SR / TR
Z10NG120	-	SERVO-DRIVE Transformer unit housing, panel fixing, Nylon
Z10NE020F	-	SERVO-DRIVE transformer, 72 W, BG / ET / LT / LV / RO / RU
9.932.000	Black	Blum-Distance bumper, drilling diameter10 mm, knock-in
9.930.530	R7037 dust grey	Silencer cylindrical- Mounting: drilling and knock-in
993.0830.01	-	Silencer cylindrical- Mounting: drilling and knock-in
Z10K120S	-	SERVO-DRIVE Synchronisation cable, 1.2 meter
Z10K160S	-	SERVO-DRIVE Synchronisation cable, 1.6 meter
Z10K008S	-	SERVO-DRIVE Synchronisation cable, 0.08 meter

Order-ID	Color	Description
Z10T1143B	-	SERVO-DRIVE bracket profile horizontal for cutting to size, Alu
Z10NE050.01	Black	SERVO-DRIVE Transformer, 100 W
Z10NE010.01	Black	SERVO-DRIVE Transformer, 70 W
T55.889W	-	Half-round shaft, for TANDEM and TANDEM TAZ 550H/551H VAZ 560H/561H, KW = 1200 mm, Al
ZST.450BB	-	Side stabilisation TANDEMBOX plus 450 mm
ZST.500BB	-	Side stabilisation TANDEMBOX plus 500 mm
ZST.550BB	-	Side stabilisation TANDEMBOX plus 550 mm
ZST.600BB	-	Side stabilisation TANDEMBOX plus 600 mm
ZST.650BB	-	Side stabilisation TANDEMBOX plus 650 mm
Z37G1050D	-	Design element - front, TANDEMBOX intivo, glass, CW=1200 mm
Z37G1044D	-	Design element - front, TANDEMBOX intivo, glass, CW=1200 mm
Z37G1050D	-	Design element - front, TANDEMBOX intivo, glass, CW=1200 mm
Z37G1044D	-	Design element - front, TANDEMBOX intivo, glass, CW=1200 mm
Z37G150D	clear	Design element - front, TANDEMBOX intivo, glass, CW=300 mm
Z37G144D	clear	Design element - front, TANDEMBOX intivo, glass, CW=300 mm
Z37G150D	-	Design element - front, TANDEMBOX intivo, glass, CW=300 mm
Z37G144D	satın	Design element - front, TANDEMBOX intivo, glass, CW=300 mm
Z37G250D	-	Design element - front, TANDEMBOX intivo, glass, CW=400 mm
Z37G244D	-	Design element - front, TANDEMBOX intivo, glass, CW=400 mm
Z37G250D	-	Design element - front, TANDEMBOX intivo, glass, CW=400 mm
Z37G244D	-	Design element - front, TANDEMBOX intivo, glass, CW=400 mm
Z37G300D	-	Design element - front, TANDEMBOX intivo, glass, CW=450 mm
Z37G294D	-	Design element - front, TANDEMBOX intivo, glass, CW=450 mm
Z37G300D	-	Design element - front, TANDEMBOX intivo, glass, CW=450 mm
Z37G294D	-	Design element - front, TANDEMBOX intivo, glass, CW=450 mm
Z37G350D	-	Design element - front, TANDEMBOX intivo, glass, CW=500 mm
Z37G350D	-	Design element - front, TANDEMBOX intivo, glass, CW=500 mm
Z37G344D	-	Design element - front, TANDEMBOX intivo, glass, CW=500 mm
Z37G344D	-	Design element - front, TANDEMBOX intivo, glass, CW=500 mm
Z37G450D	-	Design element - front, TANDEMBOX intivo, glass, CW=600 mm
Z37G444D	-	Design element - front, TANDEMBOX intivo, glass, CW=600 mm
Z37G450D	-	Design element - front, TANDEMBOX intivo, glass, CW=600 mm
Z37G444D	-	Design element - front, TANDEMBOX intivo, glass, CW=600 mm
Z37G750D	-	Design element - front, TANDEMBOX intivo, glass, CW=900 mm
Z37G744D	-	Design element - front, TANDEMBOX intivo, glass, CW=900 mm
Z37G750D	-	Design element - front, TANDEMBOX intivo, glass, CW=900 mm
Z37G744D	-	Design element - front, TANDEMBOX intivo, glass, CW=900 mm
Z37G210D	clear	Design element - side, TANDEMBOX intivo, glass, NL=270 mm
Z37G210D	satın	Design element - side, TANDEMBOX intivo, glass, NL=270 mm
Z37G240D	clear	Design element - side, TANDEMBOX intivo, glass, NL=300 mm
Z37G240D	satın	Design element - side, TANDEMBOX intivo, glass, NL=300 mm
Z37G290D	clear	Design element - side, TANDEMBOX intivo, glass, NL=350 mm
Z37G290D	satın	Design element - side, TANDEMBOX intivo, glass, NL=350 mm
Z37G340D	clear	Design element - side, TANDEMBOX intivo, glass, NL=400 mm

Order-ID	Color	Description
Z37G340D	satın	Design element - side, TANDEMBOX intivo, glass, NL=400 mm
Z37G390D	clear	Design element - side, TANDEMBOX intivo, glass, NL=450 mm
Z37G390D	satın	Design element - side, TANDEMBOX intivo, glass, NL=450 mm
Z37G440D	clear	Design element - side, TANDEMBOX intivo, glass, NL=500 mm
Z37G440D	satın	Design element - side, TANDEMBOX intivo, glass, NL=500 mm
Z37G490D	clear	Design element - side, TANDEMBOX intivo, glass, NL=550 mm
Z37G490D	satın	Design element - side, TANDEMBOX intivo, glass, NL=550 mm
Z37G540D	clear	Design element - side, TANDEMBOX intivo, glass, NL=600 mm
Z37G540D	satın	Design element - side, TANDEMBOX intivo, glass, NL=600 mm
Z37G590D	clear	Design element - side, TANDEMBOX intivo, glass, NL=650 mm
Z37G590D	satın	Design element - side, TANDEMBOX intivo, glass, NL=650 mm
358M4504SG	R9006 w-alu/dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=450 mm, steel
358M4504SG	white/R737 dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=450 mm, steel
358M4504IG	inox-brushed/dustgr	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=450 mm, stainless steel
358M5004SG	R9006 w-alu/dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=500 mm, steel
358M5004SG	white/R737 dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=500 mm, steel
358M5004IG	inox-brushed/dustgr	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=500 mm, stainless steel
358M5504SG	R9006 w-alu/dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=550 mm, steel
358M5504SG	white/R737 dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=550 mm, steel
358M5504IG	inox-brushed/dustgr	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=550 mm, stainless steel
358M6004SG	R9006 w-alu/dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=600 mm, steel
358M6004SG	white/R737 dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=600 mm, steel
358M6004IG	inox-brushed/dustgr	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=600 mm, stainless steel
358M6504SG	R9006 w-alu/dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=650 mm, steel
358M6504SG	white/R737 dustgrey	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=650 mm, steel
358M6504IG	inox-brushed/dustgr	TANDEMBOX sink drawer side M = 83 mm, 30 kg, NL=650 mm, stainless steel
ZFZ.40G0I	inox-brushed/dustgr	ORGA-LINE Spice holder, after Cabinet width 400 mm
ZFZ.45G0I	inox-brushed/dustgr	ORGA-LINE Spice holder, after Cabinet width 450 mm
Z30D174S.6	-	Steel back for TANDEMBOX, Height D = 224mm, 201.5 mm - 202.4 mm
Z30N557S.6Z	-	Steel back for TANDEMBOX, Height N = 81,5mm
Z30N757S.6Z	-	Steel back for TANDEMBOX, Height N = 81,5 mm, with adapter for sink-drawer
Z30D124S.6	-	Steel back for TANDEMBOX, Height D = 224mm, 151.5 mm - 152.4 mm
Z36H000G1	R7037 dust grey	Glass BOXSIDE attachment front, Nylon, right and left hand
-	are white	Z36L BOXCOVER front and back (H=100 mm)
-	are white	Z36L BOXCOVER front and back (H=100 mm)
Z36H000G.02	R7037 dust grey	Glass attachment front + back, nylon, right and left
ZIF.7007	R7037 dust grey	Handle and latch for inner drawer, nylon, RAL 7037 dust grey
ZSF.3902	-	Front fixing bracket, Symmetrical, INSERTA, for TANDEMBOX
ZSF.3502.02	-	Front fixing bracket, Symmetrical, Screw-on version, for TANDEMBOX
ZSF.3602.02	-	Front fixing bracket, Symmetrical, Knock-in version, for TANDEMBOX
Z30B239S.6	-	Steel back for TANDEMBOX, Height B = 160 mm, 266.5 mm - 267.4 mm
Z30B339S.6	-	Steel back for TANDEMBOX, Height B = 160 mm, 366.5 mm - 367.4 mm
Z30B439S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 466.5 mm - 467.4 mm
Z30B539S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 566.5 mm - 567.4 mm

Order-ID	Color	Description
Z30B839S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 866.5 mm - 867.4 mm
Z30B840S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 867.5 mm - 868.4 mm
Z30B840S.6	White	Steel back for TANDEMBOX, Height B = 160 mm, 867.5 mm - 868.4 mm
Z30B540S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 567.5 mm - 568.4 mm
Z30B540S.6	White	Steel back for TANDEMBOX, Height B = 160 mm, 567.5 mm - 568.4 mm
Z30B440S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 467.5 mm - 468.4 mm
Z30B440S.6	White	Steel back for TANDEMBOX, Height B = 160 mm, 467.5 mm - 468.4 mm
Z30B390S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 417.5 mm - 418.4 mm
Z30B390S.6	White	Steel back for TANDEMBOX, Height B = 160 mm, 417.5 mm - 418.4 mm
Z30B340S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 367.5 mm - 368.4 mm
Z30B340S.6	White	Steel back for TANDEMBOX, Height B = 160 mm, 367.5 mm - 368.4 mm
Z30B240S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 267.5 mm - 268.4 mm
Z30B240S.6	White	Steel back for TANDEMBOX, Height B = 160 mm, 267.5 mm - 268.4 mm
Z30B215S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 242.5 mm - 243.4 mm
Z30B215S.6	White	Steel back for TANDEMBOX, Height B = 160 mm, 242.5 mm - 243.4 mm
Z30B490S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 517.5 mm - 518.4 mm
Z30B490S.6	White	Steel back for TANDEMBOX, Height B = 160 mm, 517.5 mm - 518.4 mm
Z30B234S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 261.5 mm - 262.4 mm
Z30B334S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 361.5 mm - 362.4 mm
Z30B384S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 411.5 mm - 412.4 mm
Z30B434S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 461.5 mm - 462.4 mm
Z30B534S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 561.5 mm - 562.4 mm
Z30B734S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 761.5 mm - 762.4 mm
Z30B834S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 861.5 mm - 862.4 mm
Z30B934S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 961.5 mm - 962.4 mm
Z30B235S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 262.5 mm - 263.4 mm
Z30B385S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 412.5 mm - 413.4 mm
Z30B535S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 562.5 mm - 563.4 mm
Z30B835S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 862.5 mm - 863.4 mm
Z30B435S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 462.5 mm - 463.4 mm
Z30B284S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 311.5 mm - 312.4 mm
Z30B335S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 362.5 mm - 363.4 mm
Z30B735S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 762.5 mm - 763.4 mm
Z30B935S.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 962.5 mm - 963.4 mm
Z30B1134.6	R9006 white alu	Steel back for TANDEMBOX, Height B = 160 mm, 1161.5 mm - 1162.4 mm
Z30D389S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 416.5 mm - 417.4 mm
Z30D339S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 366.5 mm - 367.4 mm
Z30D439S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 466.5 mm - 467.4 mm
Z30D539S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 566.5 mm - 567.4 mm
Z30D839S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 866.5 mm - 867.4 mm
Z30D385S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 412.5 mm - 413.4 mm
Z30D535S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 562.5 mm - 563.4 mm
Z30D835S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 862.5 mm - 863.4 mm
Z30D233S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 260.5 mm - 261.4 mm

Order-ID	Color	Description
Z30D333S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 360.5 mm - 361.4 mm
Z30D383S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 410.5 mm - 411.4 mm
Z30D533S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 560.5 mm - 561.4 mm
Z30D833S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 860.5 mm - 861.4 mm
Z30D235S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 262.5 mm - 263.4 mm
Z30D1139.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 1166.5 mm - 1167.4 mm
Z30D239S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 266.5 mm - 267.4 mm
Z30D433S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 460.5 mm - 461.4 mm
Z30D483S.6	R9006 white alu	Stahlrückwand für TANDEMBOX, Höhe D = 224 mm, 510.5 mm - 511.4 mm
Z30D489S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 516.5 mm - 517.4 mm
Z30D1133.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 1160.5 mm - 1161.4 mm
Z30D335S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 362.5 mm - 363.4 mm
Z30D735S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 762.5 mm - 763.4 mm
Z30D435S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 462.5 mm - 463.4 mm
Z30D935S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 962.5 mm - 963.4 mm
Z30D215S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 242.5 mm - 243.4 mm
Z30D215S.6	White	Steel back for TANDEMBOX, Height D = 224 mm, 242.5 mm - 243.4 mm
Z30D240S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 267.5 mm - 268.4 mm
Z30D240S.6	White	Steel back for TANDEMBOX, Height D = 224 mm, 267.5 mm - 268.4 mm
Z30D340S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 367.5 mm - 368.4 mm
Z30D340S.6	White	Steel back for TANDEMBOX, Height D = 224 mm, 367.5 mm - 368.4 mm
Z30D390S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 417.5 mm - 418.4 mm
Z30D390S.6	White	Steel back for TANDEMBOX, Height D = 224 mm, 417.5 mm - 418.4 mm
Z30D440S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 467.5 mm - 468.4 mm
Z30D440S.6	White	Steel back for TANDEMBOX, Height D = 224 mm, 467.5 mm - 468.4 mm
Z30D490S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 517.5 mm - 518.4 mm
Z30D490S.6	White	Steel back for TANDEMBOX, Height D = 224 mm, 517.5 mm - 518.4 mm
Z30D540S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 567.5 mm - 568.4 mm
Z30D540S.6	White	Steel back for TANDEMBOX, Height D = 224 mm, 567.5 mm - 568.4 mm
Z30D840S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 867.5 mm - 868.4 mm
Z30D840S.6	White	Steel back for TANDEMBOX, Height D = 224 mm, 867.5 mm - 868.4 mm
Z30D1140.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 1167.5 mm - 1168.4 mm
Z30D1134.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 1161.5 mm - 1162.4 mm
Z30D234S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 261.5 mm - 262.4 mm
Z30D334S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 361.5 mm - 362.4 mm
Z30D384S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 411.5 mm - 412.4 mm
Z30D434S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 461.5 mm - 462.4 mm
Z30D534S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 561.5 mm - 562.4 mm
Z30D734S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 761.5 mm - 762.4 mm
Z30D834S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 861.5 mm - 862.4 mm
Z30D934S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 961.5 mm - 962.4 mm
Z30D284S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 311.5 mm - 312.4 mm
Z30D484S.6	R9006 white alu	Steel back for TANDEMBOX, Height D = 224 mm, 511.5 mm - 512.4 mm
Z30D120S.6S	are white	Steel back for TANDEMBOX, Height D = 224 mm, 147.5 mm - 148.4 mm

Order-ID	Color	Description
Z30M239S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 266.5 mm - 267.4 mm
Z30M339S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 366.5 mm - 367.4 mm
Z30M389S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 416.5 mm - 417.4 mm
Z30M439S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 466.5 mm - 467.4 mm
Z30M539S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 566.5 mm - 567.4 mm
Z30M233S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 260.5 mm - 261.4 mm
Z30M333S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 360.5 mm - 361.4 mm
Z30M383S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 410.5 mm - 411.4 mm
Z30M433S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 460.5 mm - 461.4 mm
Z30M533S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 560.5 mm - 561.4 mm
Z30M483S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 510.5 mm - 511.4 mm
Z30M240S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 267.5 mm - 268.4 mm
Z30M240S.6	White	Steel back for TANDEMBOX, Height M= 96.5 mm, 267.5 mm - 268.4 mm
Z30M340S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 367.5 mm - 368.4 mm
Z30M340S.6	White	Steel back for TANDEMBOX, Height M= 96.5 mm, 367.5 mm - 368.4 mm
Z30M390S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 417.5 mm - 418.4 mm
Z30M390S.6	White	Steel back for TANDEMBOX, Height M= 96.5 mm, 417.5 mm - 418.4 mm
Z30M440S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 467.5 mm - 468.4 mm
Z30M440S.6	White	Steel back for TANDEMBOX, Height M= 96.5 mm, 467.5 mm - 468.4 mm
Z30M540S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 567.5 mm - 568.4 mm
Z30M540S.6	White	Steel back for TANDEMBOX, Height M= 96.5 mm, 567.5 mm - 568.4 mm
Z30M489S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 516.5 mm - 517.4 mm
Z30M839S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 866.5 mm - 867.4 mm
Z30M215S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 242.5 mm - 243.4 mm
Z30M215S.6	White	Steel back for TANDEMBOX, Height M= 96.5 mm, 242.5 mm - 243.4 mm
Z30M490S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 517.5 mm - 518.4 mm
Z30M490S.6	White	Steel back for TANDEMBOX, Height M= 96.5 mm, 517.5 mm - 518.4 mm
Z30M840S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 867.5 mm - 868.4 mm
Z30M840S.6	White	Steel back for TANDEMBOX, Height M= 96.5 mm, 867.5 mm - 868.4 mm
Z30M234S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 261.5 mm - 262.4 mm
Z30M284S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 311.5 mm - 312.4 mm
Z30M334S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 361.5 mm - 362.4 mm
Z30M384S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 411.5 mm - 412.4 mm
Z30M434S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 461.5 mm - 462.4 mm
Z30M484S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 511.5 mm - 512.4 mm
Z30M534S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 561.5 mm - 562.4 mm
Z30M734S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 761.5 mm - 762.4 mm
Z30M834S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 861.5 mm - 862.4 mm
Z30M934S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 961.5 mm - 962.4 mm
Z30M833S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 860.5 mm - 861.4 mm
Z30M385S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 412.5 mm - 413.4 mm
Z30M535S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 562.5 mm - 563.4 mm
Z30M235S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 262.5 mm - 263.4 mm
Z30M835S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 862.5 mm - 863.4 mm

Order-ID	Color	Description
Z30M335S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 362.5 mm - 363.4 mm
Z30M435S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 462.5 mm - 463.4 mm
Z30M1134.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 1161.5 mm - 1162.4 mm
Z30M1139.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 1166.5 mm - 1167.4 mm
Z30M1133.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 1160.5 mm - 1161.4 mm
Z30M735S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 762.5 mm - 763.4 mm
Z30M935S.6	R9006 white alu	Steel back for TANDEMBOX, Height M= 96.5 mm, 962.5 mm - 963.4 mm
566H7000C01	-	TANDEM plus full extension, 50 kg, NL=700 mm for locking device
566H7500C01	-	TANDEM plus full extension, 50 kg, NL=750 mm for locking device
Z55S1350E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S1600E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S1850E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S2100E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S2350E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S2600E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S2850E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S3100E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S3350E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S3600E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S3850E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S4100E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
Z55S4350E	R737dustgrey/zinc	TIP-ON synchronisation unit for 359x TANDEMBOX plus
T55.1150S	-	TIP-ON for TANDEM single extension 550H
T55.3150S	-	TIP-ON for TANDEM single extension 551H
T55.7150S	-	TIP-ON for TANDEM plus full extension 56xH/F
9.551.201	R7036 platinum grey	TIP-ON 955. adapter plate for doors, Nylon
9.551.501	R7036 platinum grey	TIP-ON 955. adapter plate for doors, Nylon
955.15E1	R7036 platinum grey	TIP-ON 955. adapter plate for doors, Nylon
9.551.004	Grey	TIP-ON for doors < 1300mm, drilling, handle side
955A1004	Grey	TIP-ON for doors >1300mm, drilling, handle side
9.555.201	-	TIP-ON 955th Adapter plate for doors, zinc
T55.000R	-	TIP-ON gear, plastic
T55.9150S	-	TIP-ON for TANDEM plus synchronization suitable for full extension 56xH / F